


# Edwards Aquifer Authority Bibliography 2005





1615 N. St. Mary's

San Antonio, Texas 78215

<http://www.edwardsaquifer.org>

## **EDWARDS AQUIFER BIBLIOGRAPHY THROUGH 2005**

Compiled by:

Roberto Esquilin, P.G.  
Hydrogeologist

**October 2006**

# TABLE OF CONTENTS

INTRODUCTION .....	1
Purpose and Scope .....	1
Description of the Edwards Aquifer .....	2
Other Edwards Aquifer-related Bibliographies .....	4
Methodology and Approach .....	4
References Organization .....	5
Acknowledgements .....	6
References Cited in the Introduction .....	7
BIBLIOGRAPHY	
Overview Studies .....	9
Archeology .....	18
Biography .....	20
Biology .....	20
Invertebrates .....	35
Crustaceans .....	38
Insects .....	40
Mollusks .....	43
Plants, Algae, Fungi, Bacteria .....	45
Vertebrates .....	50
Amphibians .....	50
Fishes .....	56
Climatology .....	67
Education .....	70
Geochemistry .....	71
Geology .....	77
Economic Geology .....	86
Environmental Geology .....	88
Paleontology .....	90
Sedimentation, Sedimentary Petrology .....	92
Stratigraphy .....	96
Structural Geology .....	101
Geomorphology and Caves .....	106
History .....	111
Hydrology and Hydrogeology .....	113
Floods and Droughts .....	136
Groundwater Movement .....	141
Groundwater Recharge, Recharge Zone .....	149
Springs, Groundwater Discharge .....	155
Surface Water/Groundwater relations .....	160
Water Quality .....	165
Water Resources Data .....	178
Water-Resources Planning and Management .....	190
Water Use .....	212

## TABLE OF CONTENTS, continued

Land Use.....	215
Recreation.....	216
Remote Sensing.....	217
Soils.....	218
Miscellaneous.....	219

## **INTRODUCTION**

The San Antonio segment of the Balcones Fault Zone Edwards Aquifer (the aquifer) is the primary source of water for approximately 1.7 million people in the San Antonio area. It is also the primary water supply for ranchers and farmers in the south central Texas region. A variety of unique aquatic species also depend on the aquifer for survival. Numerous studies, reports and news articles involving a wide-range of topics pertaining to the aquifer have been published that further explain the economic and environmental importance of the aquifer to south central Texas.

This bibliography comprises multidisciplinary references to technical and general literature for three regions of the aquifer in Texas - the San Antonio segment; the Barton Springs segment, Austin area; and the northern segment, Austin area. The references in this bibliography are compiled from computerized data bases, published bibliographies, and reports. Dates of references range from the late 1800's through 2005.

### **Purpose and Scope**

The purpose of this multidisciplinary bibliography is to provide references to technical and general literature concerning the Edwards Aquifer. This bibliography comprises approximately 2,455 references for books, journals, magazine articles, conference proceedings, abstracts, technical reports, master's theses, doctoral dissertations, maps, regulatory actions, web sites, and videos dating from the late 1800's through 2005. This bibliography does not contain newspaper or newsletter articles relating to the Edwards Aquifer.

Portions of the bibliography were prepared by the United States Geological Survey (USGS). In 1995, Julie A. Menard, with the USGS, prepared the Bibliography of the Edwards Aquifer, Texas, Through 1993, in support of a study by the Center for Research in Water Resources, University of Texas (McKinney and Sharp, 1995). The USGS bibliography, completed in 1995, covered the time period from the late 1800's through 1993.

In 1997, the Edwards Aquifer Authority (the Authority), under contractual agreement with David L. Gregory, and with assistance from Ramona Traynor-USGS librarian, compiled references published from the period 1993 through 1997 using the same computerized data bases from which the USGS prepared the earlier bibliography. Authority staff has updated and published this bibliography annually since 1998.

## **Description of the Edwards Aquifer**

The San Antonio Segment of the Balcones Fault Zone Edwards Aquifer in south central Texas is one of the largest and most important karst aquifer systems in the United States. Generally, the water quality in the aquifer is high. The aquifer extends through parts of Kinney, Uvalde, Medina, Frio, Atascosa, Bexar, Comal, Guadalupe, and Hays counties and covers an area approximately 180 miles long and 5 to 40 miles wide. The aquifer is the primary water source for much of this area including the City of San Antonio. Historically, the cities of Uvalde, San Antonio, New Braunfels, and San Marcos were founded around large springs that flow from the aquifer. As the region grew, wells were drilled into the aquifer to supplement the water supplied by the springs. In addition, the Edwards Aquifer is the principal source of water for agriculture and industry in the region and provides springflow required for endangered species habitat, as well as recreational purposes and downstream uses in the Nueces, Medina, Guadalupe and San Marcos River basins.

The Edwards Aquifer is contained within the Cretaceous age Edwards Group limestone (Edwards Limestone) and associated units. The aquifer is generally capped by the Del Rio Clay and overlays the Glen Rose Formation (upper unit of the Trinity Aquifer). The Edwards Limestone and associated units range from 450 to over 600 feet thick in the region. A series of faults in the Balcones Fault Zone has exposed the Edwards Limestone at the surface along the southern boundary of the Texas Hill Country. Down faulting has dropped the Edwards Limestone to great depths below the surface along the aquifer's southern and eastern boundary. In some areas, fresh water can be found in the Edwards Limestone as much as 4,000 feet below the surface.

Water circulates through the Edwards Aquifer as part of the hydrologic cycle from recharge areas to discharge points (springs and wells). There are approximately 1,250 square miles of Edwards Limestone exposed at the ground surface, which comprises the recharge zone of the aquifer. Streams flow south from the drainage area (the Texas Hill Country) and lose all or most of their baseflow as they cross the recharge zone. In addition, a portion of the rainfall that falls directly on the recharge zone also enters the aquifer. Groundwater moves through the aquifer and ultimately discharges from a number of locations such as Leona Springs in Uvalde County; San Pedro and San Antonio springs in Bexar County; Hueco and Comal springs in Comal County; and San Marcos Springs in Hays County. In addition, domestic, livestock, municipal, agricultural, and industrial wells throughout the region withdraw water from the aquifer. The residence time of water in the aquifer ranges from a few hours or days to many years depending upon depth of circulation, location, and other aquifer parameters.

The Edwards Aquifer is a karst aquifer, characterized by the presence of sinkholes, sinking streams, caves, large springs, and a well-integrated subsurface drainage system. It is one of the most productive groundwater systems in the United States, characterized by extremely high capacity water wells and high spring discharges. The aquifer exhibits extremely high (cavernous) porosity and permeability which is characteristic of many karst aquifers. In contrast, aquifers that occur in sand and gravel or in other rock types, such as sandstone, have a much lower permeability. The Edwards Aquifer is known for having areas of very high permeability and therefore allows the

transmission of very large volumes of water, consequently enabling groundwater levels to respond quickly to rainfall (recharge) events.

## **Other Edwards Aquifer-related Bibliographies**

As mentioned in Menard (1995): “Other bibliographies on the Edwards Aquifer provide important references, some of which are peripheral to the Edwards Aquifer and therefore, are not included herein. A bibliography of the Edwards Aquifer in the San Marcos area provides many annotated references and abstracts to biological, hydrological, limnological, recreational, and historical publications (Saunders, 1992). A bibliography prepared for the City of San Antonio has references and abstracts concerning pollution, hydrogeology, and runoff associated with the Edwards Aquifer and other limestone aquifers (Metcalf & Eddy, Inc., 1976). Finally, a list of Edwards Aquifer references, available in the University of Texas at Austin Walter Geology Library, groups the references by document type and includes library call numbers (Trombatore, 1992).”

PBS&J, under an Optimization Technical Study (OTS) contract with the Authority, compiled a bibliographical data base in April 2000. The PBS&J bibliographical data base provided annotated references and incorporated data bases of the Authority, USGS, Texas Parks & Wildlife and other references from studies, vitae, etc. BIO-WEST, under an OTS contract with the Authority, updated the PBS&J bibliographical data base in February 2002, February 2003, February 2004, February 2005, and in February 2006. The BIO-WEST bibliographical data base also provided annotated references and incorporates data bases of the Authority, USGS, Texas Parks & Wildlife, and other references from studies, vitae, etc.

## **Methodology and Approach**

The references contained in this bibliography (through **2005**) were in part compiled with the assistance of NERAC, Inc., through use of their search engine to access many of the journal articles and conference papers published in the last four decades. Independently, Authority staff also performed computer searches of numerous data bases and a manual search of published bibliographies and reports. Data bases reviewed by Menard (1995) were selected by conducting a preliminary search to identify the data bases with the most information on the Edwards Aquifer. The bulk of the references are from GeoRef and Water Resources Abstracts. ProCite© Personal Bibliographic Software, Inc., software was used to manage and format the bibliography and to generate subject and author indexes. References in related bibliographies and in key reports were read, and relevant reports not provided by the computerized search were added to the bibliography. Some terms in the subject index originated from the data base producers. References added to the bibliography from print sources were indexed. Many of the terms were modified or deleted to improve subject access to the references. Additionally, headings and subheadings were created to consolidate related concepts. Modification and indexing decisions were guided by authoritative thesauri: Water Resources Thesaurus (U.S. Office of Water Research and Technology, 1980), GeoRef Thesaurus, and Guide to Indexing (Palmer, 1986).



Data bases searched for compiling the 1993 through 1997 bibliography addendum were selected based on the previous bibliography by Menard (1995) and edited to bring the bibliography addendum up to date. A Boolean search-word process was incorporated to narrow the reference searches to Edwards Aquifer topics. This process allowed the user to manually select word combinations that the data base used to find references that contain such word combinations.

## **References Organization**

The references are categorized by discipline, subdiscipline, and specific subdiscipline name. Subdisciplines under major disciplines are denoted with an arrow bullet (►) and specific subdiscipline names are denoted with a dot bullet (•). Entries are in alphabetical order by primary author or organization. Multiple references by one author are arranged in chronological order with the oldest reference listed first. Extensive efforts have been made to ensure that the references are correct. However, because of the manner in which they were compiled, some references might contain errors, or be incomplete.

In cases of overlap in subject matter between certain disciplines and subdisciplines, references were categorized under the predominant discipline, or subdiscipline. References that seemed to apply to more than two disciplines were categorized under “Overview Studies.” Others that did not appear to apply to any discipline were categorized under “Miscellaneous.” The 1993 through 1997 bibliography addendum added three new disciplines not found in Menard (1995). Some disciplines or subdisciplines used in Menard (1995) were omitted from this bibliography because no references appeared to fit them based on the search strategy used in the addendum.

## **Acknowledgments**

From Menard (1995): “The compiler thanks Drs. Daene C. McKinney and Jack M. Sharp of the University of Texas, whose research supported this effort; also, Patrick J. Connor of the U.S. Fish and Wildlife Service; Dr. James F. Garber of Southwest Texas State University; Dr. Clark L. Hubbs of the University of Texas at Austin; and Dr. Glenn Longley of Southwest Texas State University, Edwards Aquifer Research and Data Center, who assisted in completing many references and in providing copies of several useful documents. Ernest T. Baker, Jr., and Marshall E. Jennings, USGS, provided extensive technical assistance. They reviewed the references for pertinence and noted omissions. Additionally, Ernest T. Baker, Jr., reviewed the subject index terms for relevance. George E. Groschen, USGS, provided numerous references.”

From 1997 addendum: “The compiler thanks: Marshall E. Jennings, USGS, and Dr. Glenn Longley of Southwest Texas State University, Edwards Aquifer Research and Data Center for their initial support in this effort. Romana Traynor - USGS librarian, Austin, Texas, provided the technical training and educational resources on the DIALOG Information System (1997). Additionally, I would like to thank Velma Danielson and Brock Curry, of the Authority, who suggested that I undertake this project.”

From updates: “The compiler of this updated bibliography thanks: Authority colleagues for their support, comments, and constructive criticism while proofreading the document. Your changes and comments are greatly appreciated. Dennis Trombatore - Walter Geology Library, and Amanda Masterson - Bureau of Economic Geology Publication Department, University of Texas at Austin, who provided the list of reports written by students, faculty, and researchers. Ed Osborne and BIO-WEST staff for their February 2006 updated/annotated bibliographical data base that provided numerous references included in the document produced for the year 2004.”

## References Cited in the Introduction

- Bio-West, Inc., 2002, Edwards Aquifer Authority Bibliographic Database 2001: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2002.
- \_\_\_\_\_, 2003, Edwards Aquifer Authority Bibliographic Database 2002: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2003.
- \_\_\_\_\_, 2004, Edwards Aquifer Authority Bibliographic Database 2003: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2004.
- \_\_\_\_\_, 2005, Edwards Aquifer Authority Bibliographic Database 2004: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2005.
- \_\_\_\_\_, 2006, Edwards Aquifer Authority Bibliographic Database 2005: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/river aquatic ecosystem, **Contract #01-66-AS, February 2005.**
- Dialog Information Services, Inc., 1997, Complete Database Catalogue, Dialog is a Servicemark of Knight-Ridder Information, Inc., <http://www.drinfo.com>.
- Maclay, R.W., Small, T.A., and Rettman, P.L., 1980, Water-level, recharge, discharge, specific-capacity, well-yield, and aquifer-test data for the Edwards Aquifer in the San Antonio area, Texas: Texas Department of Water Resources LP-133, 83 p.
- McKinney, D.C., and Sharp, J.M., Jr., 1995, Springflow augmentation of Comal Springs and San Marcos Springs, Texas, Phase I-Feasibility Study: Austin, Texas, University of Texas, Bureau of Engineering Research, Center for Research in Water Resources CRWR 247, [variously paged].
- Menard, J.A., 1995, Bibliography of the Edwards Aquifer, Texas, through 1993: Austin, Texas, U.S. Geological Survey Open-File Report 95-336, 75 p.
- Metcalf & Eddy, Inc., 1976, Bibliography-appendix to the phase one report, Edwards Aquifer study: San Antonio, Texas, Metcalf & Eddy, Inc., 87 p.

- Palmer, E.C., ed., 1986, *GeoRef thesaurus and guide to indexing* (4<sup>th</sup> ed.): Alexandria, Virginia, American Geological Institute, 512 p.
- PBS&J, 2000, *Draft Edwards Aquifer Authority Database: Prepared for Phase I Assessment of baseline water quality data for biological resources leading to evaluation of aquifer optimization strategies and effects of variable flow on biological resources*, Contract #00-48-AS, April 2000, 137 p.
- Saunders, K.S., 1992, *An annotated bibliography of the San Marcos River, its source and tributaries*: Texas Parks and Wildlife Department, 76 p.
- Texas Water Commission, 1989, *Ground-water quality of Texas-an overview of natural and man-affected conditions*: Texas Water Commission, 197 p.
- Trombatore, D.R., 1992, *The Edwards Aquifer, central Texas*: Austin, Texas, University of Texas, Walter Geology Library, 7 p.
- U.S. Environmental Protection Agency, 1988, *A portion of the Austin-area Edwards Aquifer in parts of Hays and Travis Counties, Texas; sole source aquifer; final determination*: Federal Register, v. 53, no. 109, p. 20,897-20,899.
- U.S. Office of Water Research and Technology, 1980, *Water resources thesaurus* (3d ed.): U.S. Department of Commerce, National Technical Information Service, 72 p.

## Overview Studies

- Abbott, P.L., and Woodruff, C.M., Jr., eds., 1986, The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, 200 p.
- Allen, S.R., and Hibbs, B.J., 1996, Hydrogeology, simulation of steady-state ground-water flow, and major ion chemistry of a portion of the Edwards-Trinity Aquifer in Kimble County, Texas, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 2.
- Anonymous, 1993, The Edwards Aquifer, *from* 1993 Annual Conference Proceedings: American Water Works Association, Water Resources, San Antonio, Texas, June 06-10, 1993, p. 123-158.
- Anonymous, 2000, MODELING: Institute Launches Aquifer Study: Water Technology News, iss. 9, p. Not available.
- Anonymous, 2001, Southwet Research Institute launches Edwards Aquifer study: Ground Water Monitoring and Remediation, v. 12, n. 1, p. 12.
- Anonymous, 2005, Sinkholes and the Engineering and Environmental Impacts of Karst - Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, 685 p.
- Arsuffi, T.L., 1996, Ecological structure and biodiversity of benthic communities associated with karst topographic springs of the Edwards Aquifer region of central Texas and their effects on water quality assessment, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 2.
- Asquith, W.H., and Jennings, M.E., 1993, Generalized statistical model of the Edwards Aquifer, *from* Texas sections joint spring meeting and Texas hydrology roundup, Austin, Texas, USA, April, 16, 1993, *in* Proceedings Texas sections joint spring meeting and Texas hydrology roundup: American Institute of Hydrology, 6 p.
- Barker, R.A., and Ardis, A.F., 2004, Stratigraphy, geologic history, and hydrogeologic units of the Edwards-Trinity Aquifer system, west-central Texas [abs.], *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 3 p.
- Barker, R.A., Bush, P.W., and Baker, E.T., Jr., 1994, Geologic History and Hydrogeologic setting of the Edwards-Trinity Aquifer System, west-central Texas: U.S. Geological Survey, Earth Science Information Center, Water Resources Investigations Report 94-4039, 51 p.

- Barton Springs/Edwards Aquifer Conservation District, 2001, About the Aquifer, <http://www.bseacd.org/aquifer.htm>.
- Bio-West, Inc., 2002, Edwards Aquifer Authority Bibliographic Database 2001: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2002.
- Bio-West, Inc., 2003, Edwards Aquifer Authority Bibliographic Database 2002: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2003.
- Bio-West, Inc., 2004, Edwards Aquifer Authority Bibliographic Database 2003: Prepared for Edwards Aquifer Authority under the Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem, Contract #01-66-AS, February 2004.
- Brown, C.T., 1996, States of exception: endangered species, voting rights, the Edwards Aquifer Authority, and the uncertain future of the Edwards Aquifer: Austin, Texas, University of Texas, Masters of Public Affairs, 2 v., 394 p.
- Brown, D.S., Slattery, R.N., and Gilhousen, J.R., 1998, Summary statistics and graphical comparisons of historical hydrologic and water-quality data, Seco Creek watershed, south central Texas: U.S. Geological Survey Open File Report 98-627, 37 p.
- Burchett, C.R., Rettman, P.L., and Boning, C.W., 1986, Edwards Aquifer, extremely productive, but a sole-source water supply for San Antonio and surrounding counties in south central Texas: San Antonio, Texas, Edwards Underground Water District, 38 p.
- Cedillo, R.Q., 1993, Managing a Diverse Work Force, *from* San Antonio Water System, Planning, San Antonio, Texas, *in* 1993 Annual Conference Proceedings: American Water Works Association, Management and Regulations, San Antonio, Texas, June 06-10, 1993, p. 407-415.
- Chapa-Jones, V., Gordon, J.D., and Poage-Nixon, N., 2004, Ecology and community; alternative approaches with GIS, *from* 38<sup>th</sup> Annual Meeting of the Geological Society of America, College Station, TX, USA, March 16-15, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 1, p. 6-7.
- Yin, C., and Fraser, D., 2004, The effect of the electrical anisotropy on the response of helicopter-borne frequency-domain electromagnetic systems: Geophysical Prospecting, v. 52, no. 5, p399-416.

- Chowdhury, M.E., Lacewell, R.D., and McCarl, B.A., 1997, Estimated effect of USDA commodity programs of annual pumpage from the Edwards Aquifer, Texas A&M University: Water resources update / Winter 1997, v. 106, p. 72-79. [Also in Final Report submitted to Natural Resources Conservation Services, U.S. Department of Agriculture, Temple, Texas .1995]
- Collins, E.W., Renay, J.A., Tremblay, T.A., and Paine, J.G., 2003, Mapping geologic elements important to land use and water management, central Texas and west Texas, urban-growth areas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2 - 5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 69.
- Cunningham, A., 1992, Corpus Christi engineer design water reclamation system for livestock and irrigation: *On-Site Insights*, v. 1, no. 3, p. 5.
- Currey, J., 2005, Globalization, water, and health: Resource management in times of scarcity, Linda Whiteford and Scott Whiteford, (eds.), *in* Santa Fe: School of American Research Press, Oxford, [variously paged].
- Dimmock, P.E., 1986, Regional geomorphology, geology, and hydrogeology of the Edwards Limestone outcrop belt of Texas and their influence on cave formation: Waco, Texas, Baylor University, B.S. thesis, 143 p. Descriptors: Edwards Plateau, Lampasas Cut Plain, Balcones escarpment, Balcones fault zone.
- de Oliver, M., 1999, Attitudes and inaction: A case study of the manifest demographics of urban water conservation: *Environment & Behavior*, v. 31, no. 3, p. 372-394.
- Douglas, K.M., 1999, Upstream, Downstream, Mainstream and Rural: A Case Study Approach for Understanding the Edwards Aquifer Debates: Austin, University of Texas at Austin, Ph.D. dissertation, 341 p. [Also published in *Dissertation Abstracts International, A: The Humanities and Social Sciences*, v. 60, no. 9, p. 3532-A.]
- Edwards Aquifer Authority, 1998, Edwards Aquifer Bibliography through 1997: San Antonio, Texas, Edwards Aquifer Authority Water Resources Team, Report 98-01, 118 p.
- \_\_\_\_\_, 1999, Edwards Aquifer Bibliography through 1998: San Antonio, Texas, Edwards Aquifer Authority Aquifer Science Team, Report 99-01, 116 p.
- \_\_\_\_\_, 2000, Bibliography of the Edwards Aquifer through 1999: San Antonio, Texas, Edwards Aquifer Science Team, Report 00-01, 129 p.
- \_\_\_\_\_, 2001, Bibliography of the Edwards Aquifer through 2000: San Antonio, Texas, Edwards Aquifer Science Team, Report 01-01, 169 p., <http://www.edwardsaquifer.org>.
- \_\_\_\_\_, 2002, Bibliography of the Edwards Aquifer through 2001: San Antonio, Texas, Edwards Aquifer Science Team, Report 02-01, 179 p., <http://www.edwardsaquifer.org>.

- Edwards Aquifer Authority, 2003, Bibliography of the Edwards Aquifer through 2002: San Antonio, Texas, Edwards Aquifer Science Team, Report 03-01, 188 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Authority, 2004, Bibliography of the Edwards Aquifer through 2003: San Antonio, Texas, Edwards Aquifer Science Team, Report 03-01, 198 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Authority, 2005, Bibliography of the Edwards Aquifer through 2003: San Antonio, Texas, Edwards Aquifer Science Team, Report 03-01, 212 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Research and Data Center, 2001, Bad Water Line Monitoring Database: San Marcos, Southwest Texas State University, <http://www.eardc.swt.edu/bwl/BWL1/index.html>.
- Edwards Underground Water District, 1961, The Edwards underground reservoir and the Edwards Underground Water District: Uvalde, Medina, Bexar, Comal and Hays Counties: San Antonio, Texas, Edwards Underground Water District, 7p.
- Edwards Underground Water District, 1991, An introduction to South-Central Texas and the Edwards Aquifer: Ground water protection seminar, 6<sup>th</sup> annual groundwater protection seminar field trip, September 12, 1991, 24 p.
- Ford, G.D., 2000, Jump right in at Barton Springs: Southern Living, Birmingham, v. 35, 8, p.34.
- Fries, T.J., 1993, Ecosystem Reliance on Edwards Aquifer Flow, *from* The Nature Conservancy of Texas, Texas Hill Country Bioreserve, Austin, Texas, *in* 1993 Annual Conference Proceedings: American Water Works Association, Water Resources, San Antonio, Texas, June 06-10, 1993, p. 107-121.
- Geraghty & Miller Hydrocarbon Services, 1989, Thousand Oaks Service Station, San Antonio, Texas: Edwards Underground Water District, 45 p.
- Gilboa, E., 2002, Media conflict: framing issues, making policy, shaping opinions: Ardsley, New York, Transnational Publishers, 129 p.
- Glennon, R.J., 2002, "The tourist mirage – San Antonio's Riverwalk, the Edwards Aquifer, and ebdabgered species," Water follies: groundwater pumping and the fate of America's fresh waters: Washington, D.C., Island Press, 170 p.
- Greenberg, M., 2003, Reestablishing public health and land use planning to protect public water supplies, American Journal of Public Health, v. 93, no. 9, p. 1522-1526.
- Hartman, C., 1986, The Great Texas Water War: Inc, Boston, v. 8, 3, p. 68-73.



- Halihan, T., 2004, Modeling advective transport in karst aquifers using continuum models, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 30.
- Hill, R.T., 1901, Geography and geology of the Black and Grand Prairies of Texas, with detailed descriptions of the Cretaceous formations and special reference to artesian waters: U.S. Geological Survey 21<sup>st</sup> Annual Report, pt. 7, 666 p.
- Hill, R.T., and Vaughan, T.W., 1898, Geology of the Edwards Plateau and Rio Grande Plain adjacent to Austin and San Antonio, Texas, with reference to the occurrence of underground waters: U.S. Geological Survey 18<sup>th</sup> Annual Report, pt. 2, p. 193-321. Descriptors: blind catfishes.
- Hovorka, S.D., 1999, Getting the word out supplying local geologic information to teachers in a large state, Abstract with Programs: Geological Society of America, v. 31, no. 7, p. 147.
- Irish, L.B., Jr., Malina, J.F., Jr., Charbeneau, R.J., and Ward, G.H., 1995, A Solids Loading Model for an Urban Highway, *from* Proceedings of the 1<sup>st</sup> International Conference on Water Resources, Part 2 (of 2), San Antonio, Texas, USA, August 14-18, 1995, *in* International Water Resources Engineering Conference–Proceedings, v. 2, ASCE, New York, NY, USA, p. 1,316-1,320.
- Johns, D.A., and Woodruff, C.M., Jr., 1994, Edwards Aquifer : water quality and land development in the Austin area, Texas from Gulf Coast Association of Geological Societies, 44<sup>th</sup> annual convention, Austin, Texas, October 5, 1994, GCAGS Field trip guidebook, 66 p.
- Kygar, R.M., 2004, Finding the saturated thickness of the Edwards Aquifer, *from* 38<sup>th</sup> Annual Meeting of the Geological Society of America, College Station, TX, USA, March 16-15, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 1, p. 9.
- Larsen, R.D.; Stephenson, R.J.; Skadberg, A., 2000, Using a Geographic Information System to identify existing and potential future impacts on the Edwards Aquifer - A sole-source public drinking water supply - from closed municipal solid waste landfills in the State of Texas *in* Papers and Proceedings of Applied Geography Conferences, 2000, v. 23, p. 236-244.
- LBG-Guyton Associates, 2004, Evaluation of augmentation methodologies in support of in-situ refugia at Comal and San Marcos springs, Texas: Report prepared for the Edwards Aquifer Authority, June 2004, Edwards Aquifer Authority, [variously paged].
- Lewicki, R.J., and Gray, B., 2003, Making sense of intractable environmental conflicts: frames and cases: Washington, D.C., Island Press, 230 p.
- Keplinger, K.O., 1996, An investigation of ‘Dry Year Options’ for the Edwards Aquifer (Resource Economics, Environmental Planning, Water Resources): College Station, Texas A & M University, Ph.D. dissertation, 119 p.: Dissertation Abstracts International, v. 58, no. 01-A, p. 317.

- Krejca, J.K., 2002, Genetic relatedness of aquifer organisms as a tool for determining aquifer connectedness, *from* Proceedings of the Symposium on Karst Frontiers: Florida and related environments, Gainesville, FL, March 6–10, 2002, *in* Karst Waters Institute Special Publication, v. 7, p. 157-160.
- Kristen, E., 2000, *Sierra Club v. Glickman*: Ecology Law Quarterly, v. 27, no. 3, p. 699-727.
- Kuniansky, E.L., and Lowther, R.A., 1993a, Finite-element mesh generation using geographic information systems, *from* Proceedings of the Symposium on Geographic Information Systems and Water Resources, Harlin, John M., and Lanfear, Kenneth J., (eds.), *in* American Water Resources Association Technical Publication Series (TPS), v. 93-1, p. 387-396.
- Mace, R.E, and Angle, E.S., Aquifers of the Edwards Plateau, 2004, *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., Aquifers of the Edwards Plateau, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 1, p. 1-20.
- Mace, R.E., Dutton, A.R., Green, R.T., and Lindgren, R., 2004, Silicon chips and crystal balls: The past, present, and future of modeling the Edwards Aquifer, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 13 p.
- Maclay, R.W., 1995, Geology and hydrology of the Edwards Aquifer in the San Antonio area, Texas: U.S. Geological Survey, Water Resources Investigations Report 95-4186, 64 p.
- Menard, J.A., 1995, Bibliography of the Edwards aquifer, Texas, through 1993: U.S. Geological Survey Open File Report 95-336, 75 p.
- Metcalf & Eddy, Inc., 1976, Bibliography-appendix to the phase one report, Edwards Aquifer study: San Antonio, Texas, Metcalf & Eddy, Inc., 87 p.
- Metcalf & Eddy, Inc., Hooper, E., and LaMoreaux, P.E., 1979, Edwards Aquifer study Phase II Report, Report to the city of San Antonio, Texas, 6 vol.
- Musgrove, M.L., and Banner, J.L., 2002, Influence of soils on cave dripwater geochemistry in the Edwards Aquifer of central Texas: *Journal of Cave and Karst Studies*, v. 64, no. 3, p. 184-185.
- National Fish Hatchery and Technology Center, (no date), An Overview of work performed at the hatchery: San Marcos National Fish Hatchery and Technology Center, San Marcos, Texas.
- Olenick, K.L., Kreuter, U.P., and Conner, J.R., 2004, Texas landowner perceptions regarding ecosystem services and cost-sharing land management programs: *Ecological Economics*, v. 53, no. 2, 15 April 2005, p. 247-260.

- Olenick, K.L., Wilkins, R.N., and Conner, J.R., 2004, Increasing off-site water yield and grassland bird habitat in Texas through brush treatment practices: *Ecological Economics*, v. 49, no. 4, p. 469-484.
- Paine, J. G., and Collins, E. W., 2003, Ground-based geophysical investigations in the Seco Creek area, Medina County, Texas: Report prepared for the U.S. Geological Survey under order no. 02CRSA0768, 36 p.
- PBS&J, 2000, Draft Edwards Aquifer Authority Database: Prepared for Phase I Assessment of baseline water quality data for biological resources leading to evaluation of aquifer optimization strategies and effects of variable flow on biological resources, Contract #00-48-AS, April 2000, 137 p.
- Petersen, J.F., and Tuason, J.A. (eds.), 1995, *A Geographic Glimpse of Central Texas and the Borderlands: Images and Encounters: Pathways in Geography* Resource Publication, no. 12, 168 p, ISBN-1-994136-06-0.
- Rose, P.R., 2004, Regional perspective on the Edwards Group of Central Texas: Geology, geomorphology, geohydrology and their influence on settlement history, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 18 p.
- Sams, R.H., 2002, Carbonates regain the south Texas spotlight, *Bulletin of the South Texas Geological Society*, v. 63, no. 2, p. 11-27.
- Saunders, K.S., 1992, An annotated bibliography of the San Marcos River, its source and tributaries: Texas Parks and Wildlife Department, 76 p.
- Scanlon, B.R., Musgrove, M., Sansom, A., Xie, H., Sharp, J., and Yang, Z.L., 2004, Potential advances in quantifying the water cycle in karst systems using hydrologic observatory approach, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 537.
- Scanlon, B. R., Reedy, R. C., and Keese, E.K., 2003, Estimation of groundwater recharge in Texas related to aquifer vulnerability to contamination: Austin, Texas, University of Texas Bureau of Economic Geology, 127 p.
- Schindel, G.M., Johnson, S., Alexander, E.C., Worthington, S.R., and Davies, G.J., 2004, Quantitative tracing as a predictive tool to assess the potential impacts of hazardous materials to water supplies and environmental receptors, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 396.

- Schindel, G.M., Stanin, P., Illgner, R., and Hoyt, J.R., 1999, An overview of the Balcones fault zone portion of the Edwards Aquifer in south-central Texas, *in* National Cave and Karst Management Symposium, Chattanooga, Tennessee, October 1999 Proceedings, National Speleological Society, p. 177-182.
- Sharp, J.M., Jr., 1990, Stratigraphic, geomorphic, and structural controls on the Edwards Aquifer, Texas, *in* Simpson, E.S., and Sharp, J.M., Jr., eds., Selected papers on hydrogeology from the 28<sup>th</sup> International Geological Congress, Washington, D.C., July 9-19, 1989, v. 1: Hannover, West Germany, Verlag Heinz Heise, p. 67-82.
- Sharp, J.M., Jr., and Banner, J.L., 1997, The Edwards Aquifer: A resource in conflict: *GSA Today*, v. 7, no. 8, p. 1-8.
- Sharp, J.M., Jr., and Banner, J.L., 2000, The Edwards Aquifer: Water for Thirsty Texans, *in* Schneiderman, J., ed., The earth around us: Maintaining a Livable Planet, U.S.A.: Applied Geochemistry 16, p. 109-122.
- Slade, R.M., Jr., Howard, T., and Anaya, R., 2001, Evaluation of the streamflow-gaging network of Texas and a proposed core network: U.S. Geological Survey, Water Resources Investigations Report 01-4155, 35 p.
- Stein, W.G., 1993, Population and well distribution for the Edwards Aquifer, *from* American Water Resources Association, Texas Section fall meeting on Man's effect on hydrologic systems, Austin, Texas, USA, December 10, 1993, *in* Kuniandy, Eve L., Man's effect on hydrologic systems, Balcones Research Center, Austin, Texas, p. 17-22.
- Smith, D.V., 2002, Aeromagnetic Data Index Map of Medina and Uvalde counties, Texas: U.S. Geological Survey Open File Report 02-0049, <http://greenwood.cr.usgs.gov/pub/open-file-reports/ofr-02-0049/indexmap.html>.
- Smith, D.V., 2002, Aeromagnetic Data Processing of Medina and Uvalde counties, Texas: U.S. Geological Survey Open File Report 02-0049, <http://greenwood.cr.usgs.gov/pub/open-file-reports/ofr-02-0049/indexmap.html>.
- Smith, B.D., Cain, M.J., Clark, A.K., Moore, D.W., Faith, J.R., and Hill, P.L., 2005, Helicopter electromagnetic and magnetic survey data and maps, northern Bexar County, Texas: U.S. Geological Survey Open File Report 05-1158, [variously paged].
- Smith, B.D., Irvine, R., Blome, C., Clark, A.K., and Smith, D.V., 2003, Preliminary results, Helicopter electromagnetic and magnetic survey of the Seco Creek area, Medina and Uvalde Counties, Texas: Proceedings *from* the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, 15 p.

- Smith, B.D., Paine, J.G., Smith, D.V., Johnson, S.B., Waugh, J.R., Abraham, J., Blome, C.D., and Schindel, G.M., 2003, Geophysical characterization of geologic features in the area of the Valdina Farms Sinkhole, Medina County, Texas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 280.
- Smith, B.D., Smith, D.V., Hill, P.L., Labson, V.F., 2003, Helicopter electromagnetic and magnetic survey data and maps, Seco Creek area, Medina and Uvalde counties, Texas: U.S. Geological Survey Open File Report 03-0226, p. 53 (1 sheet).
- Smith, B.D., Smith, D.V., Irvine, R., Blome, C., Clark, A.K., and Pratt, D., 2004, New geophysical applications for hydrologic characterization of the Edwards Aquifer, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 31 p.
- Texas Natural Resource Conservation Commission (TNRCC), 1996, Overview of regulatory chapters of the Texas Natural Resource Conservation Commission, Austin, Texas: TNRCC Office of Policy and Regulatory Development Report No. AS-98, unpaginated.
- Texas Water Resources Institute, 2002, Tradeoffs in brush management for water yield and habitat management in Texas: Twin buttes drainage and Edwards Recharge Zone (PDF): College Station, Texas, Texas A&M, <http://twri.tamu.edu/reports/2002/ty194/tr194.pdf>.
- Trombatore, D.R., 1992, The Edwards Aquifer, central Texas: Austin, Texas, University of Texas, Walter Geology Library, 7 p.
- U.S. Geological Survey, 1994, National Water-Quality Assessment Program: south central Texas, Fact Sheet No. FS 94-0048, 2 p.
- U.S. Geological Survey, 2002, Edwards-Trinity Aquifer System: U.S. Geological Survey Office of Groundwater, [http://sr6capp.er.usgs.gov/gwa/ch\\_e/E-text8.html](http://sr6capp.er.usgs.gov/gwa/ch_e/E-text8.html). [Also in [http://capp.water.usgs.gov/gwa/ch\\_e/E-text8.html](http://capp.water.usgs.gov/gwa/ch_e/E-text8.html)].
- Veni, G.E., 1994, Geomorphology, hydrogeology, geochemistry, and evolution of the karstic lower Glen Rose Aquifer, south central Texas: University Park, PA, Pennsylvania State University at University Park, Ph.D. dissertation, 749 p. [Also in Texas Speleological Survey Monographs, 1997, Austin, v. 11, 409 p.]
- Veni, G., 2004, Multidisciplinary karst research on a military reservation: Camp Bullis, Texas, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 191.

- Waugh, J.R., 2004, Applied research in south-central Texas related to water resources of the Edwards Aquifer, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 1 p.
- White, K., 2003, Delineation of cavernous porosity and endangered species habitat within the vados zone of the Edwards Aquifer outcrop using cave spider DNA as an environmental tracer, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 279.
- White, K., IV, 2005, Differential uplift in the Balcones fault zone as a driver of genetic diversity among rare and endangered karst dwelling spiders, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 8.
- Woodruff, C.M.J., and Collins, E.W., 2003, Time, land, and Barton Creek: an excursion to Shield Ranch, Travis and Hays counties, Texas: Austin Geological Society Guidebook, v. 22, 71 p.
- Wright, L., 1992, Catfish and the common good: Audubon, v. 94, iss. 3, p. 22-24.

## **Archaeology**

- Black, S.L., and McGraw, A.J., 1985, The Panther Springs Creek site-cultural change and continuity within the upper Salado Creek watershed, south central Texas: San Antonio, Texas, University of Texas, Center for Archaeological Research, Archaeological Survey Report 100, 413 p.
- Brown, D.O., 1982, An archaeological survey of the proposed Ranch Road 12 to San Marcos transmission line, Hays County, Texas: Austin, Texas, Texas Archaeological Survey Technical Bulletin 56.
- Davis, M., 1985, An archaeological survey and assessment at the San Marcos (Wood) Fish Hatchery, Hays County, Texas: Austin, Texas, Texas Archaeological Survey Technical Bulletin 79, 21 p.
- Dillon, D., 1995, Lady Bird's legacy: Architecture, v. 84, p. 66-75.
- Fitting, J.E., 1982, Archeological investigations at sites 41HY75 and 41HY92, upper San Marcos River, Hays County, Texas, final report: U.S. National Park Service NPS-C53008(80), 173 p. [Available from National Technical Information Service, Springfield, Virginia 22161 as NTIS Report PB83-251710.]

- Fox, A.A., and Highley, C.L., 1985, History and archaeology of the Hot Wells hotel site, 41 BCC 237: San Antonio, Texas, University of Texas, Center for Archaeological Research, Archaeological Survey Report 152, 44 p.
- Garber, J.F., 1987, Transitional archaic structure and activity areas at the Zatopec site in San Marcos, Texas: *La Tierra*, Journal of the Southern Texas Archaeological Association, v. 14, no. 2.
- Garber, J.F., 1991, Prehistoric settlement of the San Marcos headwaters area, in San Marcos and Comal Springs Symposium, December 2-3, 1988, Proceedings: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center / Guadalupe-Blanco River Authority.
- Garber, J.F., Bergman, S., Dickinson, B., Simpson, J., Hays, R., and Stefanoff, J., 1983, Excavations at Aquarena Springs, San Marcos, Texas: *La Tierra*, v. 10, p. 2.
- Garber, J.F., and Orloff, M.D., 1985, Excavations of 41HY137 - an archaic site on the Balcones escarpment in San Marcos, Texas: *La Tierra*, v. 11, p. 3.
- Hester, T.R., 1986, Early human populations along the Balcones escarpment, in Abbott, P.L., and Woodruff, C.M., Jr., eds., *The Balcones escarpment-geology, hydrology, ecology and social development in central Texas*: Geological Society of America, p. 55-62.
- Johnson, E., and Holliday, V.T., 1984, Comments on "Large springs and Early American Indians" by Joel L. Shiner: *Plains Anthropologist*, v. 29, p. 65-70.
- Patterson, P.E., 1974, Upper San Marcos watershed, Hays County, Texas, An archaeological survey of areas proposed for modification: Austin, Texas, Texas Archaeological Survey Research Report 42.
- Shiner, J.L., 1979, Survey and testing of the Ice House site, San Marcos, Hays County, Texas: Austin, Texas, Texas Antiquities Commission Permit 194, 13 p.
- \_\_\_\_\_, 1981, History, economy, and magic at a fresh water spring, *in* Cockrell, W.A., ed., *Realms of gold*, Tenth Conference on Underwater Archaeology, Proceedings: San Marino, California, Fathom Eight, p. 202-203.
- \_\_\_\_\_, 1983, Large springs and Early American Indians: *Plains Anthropologist*, v. 28, no. 99, p. 1-8.
- \_\_\_\_\_, 1984, A reply to Johnson and Holliday: *Plains Anthropologist*, v. 29, p. 71-72. Takac, P.R., 1990, "Homebases" and the Paleoindian/Archaic Transition in central Texas: Las Vegas, Nevada, 55<sup>th</sup> Annual Meeting of the Society for American Archaeology.
- Stothert, K.E., 1989, The archaeology and early history of the Head of the San Antonio River, Southern Texas Archeological Association Special Publication no. 5, 91 p.

Takac, P.R., 1990, Homebases and the Paleoindian/Archaic Transition in central Texas: 55<sup>th</sup> Annual Meeting of the Society for American Archaeology, Las Vegas, Nevada.

Takac, P.R., 1991, Underwater excavations at Spring Lake - a Paleoindian site in Hays County, Texas: *Current Research in the Pleistocene*, v. 8, p. 46-48.

Voellinger, L.R., 1985, The cultural resources of the proposed San Marcos Municipal Utility District No. 1, Hays County, Texas: Austin, Texas, Espey, Huston & Associates, Inc.

## **Biography**

Jarboe, J., 1994, Judith Sanders-Castro: *Texas Monthly (ITXM)*, v. 22, no. 9, p. 112-113.

Patoski, J.N., 1997, Lucious D. Bunton III: *Texas Monthly*, v. 25, no. 9, p. 126-129.

*Texas Monthly (ITXM)*, 1995, The best and the worst legislators 1995, v. 23, no. 7, p. 102-115.

## **Biology**

Allan, J.D., Fecker, A.S., 1993, Biodiversity conservation in running waters: *Bioscience*, v. 43, no. 1, p. 32-43.

Arsuffi, T.L., and Bowles, D.E., 1994, Ecological structure and biodiversity of benthic communities associated with karst topographic springs of the Edwards aquifer region of central Texas: 2<sup>nd</sup> International Conference on Ground Water Ecology, Atlanta, GA (USA), Mar 27-30, 1994.

Arsuffi, T.L., Skalberg, M.D., and Badough, M.C., 1992, Ecological studies of the Comal Springs ecosystem: A summary of progress: Interim Report to the Edwards Underground Water District, San Antonio, 5 p.

Barr, T.C., Jr., and Hoslinger, J.R., 1985, Speciation in cave faunas: *Annual Review of Ecological Systematics*, v.16. p. 313-337.

Bayer, C.W., 1975, The dragonfly nymphs (Odonata: Anisoptera) of the Guadalupe River Basin, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 117 p.

Bayer, C.W., Davis, J.R., Tidwell, S.R., Kleinsasser, R., Linam, G., Mayes, K., and Hornig, E., 1992, Texas Aquatic Ecoregion Project - An assessment of least disturbed streams: Austin, Texas, Draft report for Texas Water Commission, 406 p.



- Beaty, H.E., 1976, Transplanting *Zizania texana* (Texas wildrice) in Bell County, Texas: Special Report by H.E. Beaty, September 1976, 11 p. [Also unpublished report at Baylor University, Waco Texas.]
- Bio-West, Inc., 2002, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem: Draft 2001 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- \_\_\_\_\_, 2002, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the San Marcos springs/ river aquatic ecosystem: Draft 2001 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- \_\_\_\_\_, 2003, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem: Draft 2002 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- \_\_\_\_\_, 2003, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the San Marcos springs/ river aquatic ecosystem: Draft 2002 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- Bio-West, Inc., 2004, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the Comal springs/ river aquatic ecosystem: Draft 2003 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- Bio-West, Inc., 2004, Comprehensive and critical period monitoring program to evaluate the effects of variable flow on biological resources in the San Marcos springs/ river aquatic ecosystem: Draft 2003 Annual Report prepared for the Edwards Aquifer Authority, [variously paged].
- Birge, W.J., and Black, J.A., 1982, Statement on surrogate species cluster concept, *in* U.S. Environmental Protection Agency, Surrogate Species Workshop, TR-507-36B.
- Blair, W.F., 1950, The biotic provinces of Texas: *Texas Journal of Science*, v. 2, no. 1, p. 93-117.
- Bockstanz, L.M., and Cannatella, D.C., 2000, Herps of Texas, <http://www.zo.utexas.edu/research/txherps/>.
- Bowles, D.E., and B.D. Bowles, 2001, A Review of the Exotic Species Inhabiting the Upper San Marcos River, Texas, U.S.A.: Texas Parks and Wildlife Department, Austin, Texas, 30 p.
- Bowman, T.E., and Longley, G., 1976, Redescription and assignment to the new genus *Lirceolus smithii* (Ulrich) (Crustacea, Isopoda, Asellidae): *Proceedings of the Biological Society of Washington*, v. 88(45), p. 489-496.
- Burt, W.H., and Grossenheider, R.P., 1964, *A Field Guide to Mammals*: Houghton Mifflin Company, Boston, MA.

- Campbell, L., 1995, Endangered and threatened animals of Texas, their life history and management, Texas Park and Wildlife Department: Austin, Texas, University of Texas Press, 130 p.
- Chippindale, P.T., Price, A.H., Hillis, D.M., 1998, Systematic status of the San Marcos salamander, *Eurycea nana* (Caudata: Plethodontidae): Arlington, Texas, Department of Biology University of Texas, Copeia, no. 4, p. 1046-1049.
- Connor, P., Bartsch, N., and Hardy, T., 1997, Assessment of the Comal Springs, Texas ecosystem: Physical habitat and the fountain darter: Instream and Environmental Flows Symposium, Technology and policy issues, Houston, Texas, December 2, 1997.
- Conservation Breeding Specialist Group SSC/IUCN, 1996, San Marcos and Comal Springs ecosystems viability assessment and management planning - A risk characterization process for management: Conservation Breeding Specialist Group SSC/IUCN, 126 p.
- Conservation Breeding Specialist Group SSC/IUCN, 1997, San Marcos and Comal Springs ecosystems viability assessment and management planning - fountain darter working group discussion notes (Revised): Conservation Breeding Specialist Group SSC/IUCN, 18 p.
- Conservation Breeding Specialist Group SSC/IUCN, 1997, San Marcos and Comal Springs ecosystems viability assessment and management planning - salamanders working group discussion notes (Revised): Conservation Breeding Specialist Group SSC/IUCN, 22 p.
- Conservation Breeding Specialist Group SSC/IUCN, 1997, San Marcos and Comal Springs ecosystems viability assessment and management planning - Texas wildrice working group discussion notes (Revised): Conservation Breeding Specialist Group SSC/IUCN, 22 p.
- Crowe, J., and Sharp, J.M., Jr., 1993, Detailed hydrogeologic mapping for delineation and protection of endangered species habitats, *from* 1993 Annual Meeting of the Geological Society of America, Boston, MA, USA, October 25-28, 1993, *in* Geological Society of America Abstracts with Programs, v. 25, no. 6, p. 209.
- Cuffney, T.F., Meador, M.R., Porter, S.D., and Gurtz, M.E., 1997, Distribution of fish, benthic invertebrates, and algal communities in relation to physical and chemical conditions, Yakima River Basin, Washington, 1990: U.S. Geological Survey Water-Resources Investigations Report 96-4280, 94 p.
- Culver, D.C., Christman, M.C., Elliot, W.R., Hobbs, H.H., and Reddell, J.R., 2003, The North American obligate cave fauna: regional patterns: Biodiversity & Conservation, v.12, no. 3, p. 441-469.
- Davis, J.C., 1979, A faunal survey of Ezell's Cave, Hays County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 141 p.

- Davis, W.S., Snyder, B.D., Stribling, J.B., and Stoughton, 1996, Summary of state biological assessment for streams and Wadeable Rivers: U.S. Environmental Protection Agency, Washington D.C. Office of Policy, Planning and Evaluation, EPA 230-R-96-007.
- Distler, D.A., 1968, Distribution and variation of *Etheostoma spectabile* (Agassiz) (*percidae*, Teleostei): University of Kansas, Science Bulletin 48, p. 143-208.
- Dore, W.C., 1969, Wild-rice: Canada Department of Agriculture, Publication 1393, 84 p.
- Dyer, F.J., Hardesty, D.K., Henke, C.E., Ingersoll, C.G., Whites, D.W., Mount, D.R., and Bridges, C.M., 1999, Assessing contaminant sensitivity of endangered and threatened species: Toxicant classes: U.S. Geological Survey, and U.S. Fish and Wildlife Department, Columbia MO, EPA/600/R-99/098, September, 1999, 15 p.
- Edwards, R.J., Longley, G., Moss, R., Ward, J., Matthews, R., and Stewart, B., 1989, A classification of Texas aquatic communities with special consideration toward the conservation of endangered and threatened taxa: Texas Journal of Science, v. 41, no. 3, p. 231-240.
- Elliot, W.R., 1993, Cave fauna conservation in Texas *in* Proceedings of the 1991 National Cave Management Symposium, Debra L. Foster, ed., American Cave Conservation Association, Horse Cave, Kentucky, p. 323-337.
- Ernst, C.H., Lovich, J.E., and Barbour, R.W., 1994, Turtles of the United States and Canada: Smithsonian Institution Press, Washington, 578 p.
- Espey, Huston & Associates, Inc., 1983, San Antonio River aquatic biological study: Austin, Texas, Document 83688, EH&A Job 2827, 62 p.
- Espey, Huston & Associates, Inc., 1983, San Antonio River aquatic biological study: San Antonio River Authority, San Antonio, Texas, [variously paged]. Descriptors: Applewhite Reservoir, Medina River Basin, water quality, macroinvertebrates, and fishes.
- Farber, W.E., Jr., 1950, An annotated list of the crustacea of the San Marcos area: Southwest Texas State University, San Marcos Texas, M.A. thesis, 43 p.
- Federal Register, 1980, Endangered and threatened wildlife and plants; listing of the San Marcos salamander as threatened, the San Marcos gambusia as endangered, and the listing of critical habitat for Texas wildrice, San Marcos salamander, San Marcos gambusia, and fountain darter: 136 FR 47355, Monday, July 14, 1980, v. 45, no. 136.
- Federal Register, 1994, Notice of Availability of the Draft San Marcos and Comal Springs and Associated Aquatic Ecosystems (Revised) Recovery Plan for Public Review and Comment, 59 FR 40919, Wednesday, August 10, 1994, v. 59, no. 153, (DIALOG® File 669).

- Federal Register, 1996, Notice of Scoping Meeting on Intent to Prepare Environmental Impact Statement in Anticipation of Receiving a Permit Application to Incidentally Take Listed Species From the Endangered San Marcos and Comal Springs Ecosystems Under Section 10(a) of the Endangered Species Act, by the Bexar Metropolitan Water District and Possibly Others, Comal, Bexar, and Hays Counties, Texas, 61 FR 1778, Monday, January 13, 1996, v. 62, no. 008, (DIALOG® File 669).
- Fries, J.N., and Power, P., 1998, Occurrences of an aquatic lepidopteran (*Parapoynx obscuralis*, Pyralidae) on cultured Texas wildrice (*Zizania texana*, Poaceae): *Southwestern Naturalist*, v. 44, no. 2, p. 213-214.
- Frydenborg, R.B., and Frick, T.F., 2000, Biological communities in spring-dominated streams, *from* 2000 Florida Springs Conference, Florida Department of Environmental Protection.
- Garrett, G.P., Edwards, R.J., and Price, A.H., 1992, Distribution and status of the Devil's River minnow, *Dionda diaboli*: *Southwestern Naturalist*, v. 37, p. 259-267.
- Geiser, S.W., 1934, Notes on Texas crustacea: *Fields and Laboratory*, v. 2, p. 59-60.
- Gilbert, C.H., 1887, Descriptions of new and little known theostomatoids: *Proc. U.S. Nat. Mus.*, v. 10, p. 47-64.
- Gomez-Mestre, I., M. Tejedo, E. Ramayo, J. Estepa, 2004, Developmental alterations and osmoregulatory physiology of a larval anuran under osmotic stress: *Physiological and Biochemical Zoology*, v. 77, no. 2, p. 267-274.
- Gould, F.W., 1975, Texas plants - A checklist and ecological summary: Austin, Texas, Texas Agricultural Experiment Station, Texas A&M State University, College Station, MP-585, 121 p.
- Gould, F.W., 1975, The grasses of Texas: Austin, Texas, Texas Agricultural Experiment Station, Texas A&M University, College Station, p. 48-49.
- Grossman, E.L., Zhang, C., and Ammerman, J.W., 1994, Carbon isotopes as indicators of microbial activity in aquifers, Comparison with microbiological data, *from* American Geophysical Union, 1994 spring meeting, Baltimore, MD, USA, May 23-27, 1994, *in* *Eos*, Transactions: American Geophysical Union, v. 75, no. 16, Suppl., p. 143-144.
- Grubbs, A., 1989, Sulfur bacteria and their role in the speleogenesis and ecology of the deep phreatic portion of the Edwards Aquifer, central Texas, *from* National Speleological Society, Sewanee Tennessee.
- Grubbs, A.G., 1991, Sulfur bacteria and the deep phreatic environment of the Edwards Aquifer, *from* National Speleological Society, *in* 1989 Annual Meeting with Abstracts: The NSS Bulletin, v. 53, no. 1, p. 41.

- Hansen, R., 1997, Bioassessment for intermittent Central Texas streams, *from* Proceedings of the 1996 Engineering Foundation Conference, Snowbird, UT, USA, August 04-09, 1996, *in* Effects of Watershed Development and Management on Aquatic Ecosystems, Proceedings of the Engineering Foundation Conference 1997, ASCE, New York, NY, USA, p. 57-69.
- Hardy, T.B., Bartsch, N.R., Stevens, D.K., and Connor, P.J., 1999, Development and application of an instream flow assessment framework for the Fountain Darter (*Etheostoma fonticola*) in Landa Lake and the Comal River System: U.S. Fish and Wildlife Service, [variously paged].
- Haynes, D., and McKown, R.R., 1974, New species of map turtle (Genus *Graptemys*) from the Guadalupe River System in Texas: *Tulane Stud. Zool. Bot.*, v. 18, p. 143-152.
- Hitchcock, A.S., 1933, New species and new names of grasses from Texas: *Journal Washington Academy of Science*, v. 23, p. 449-456.
- Hitchcock, A.S., 1950, *Manual of the grasses of the United States*: Government Printing Office, Washington, D.C.
- Holsinger, J.R., 1988, Trogllobites - the evolution of cave-dwelling organisms: *American Scientist*, v. 76, p. 146-153.
- Horning, C.E., Bayou, C.W., Twidwell, S.R., Davis, J.R., Kleinsasser, J.R., Linam, G.W., and Mayes, K.B., 1995, Development of regionally based biological criteria in Texas: *in* Davis, W.S., and Simon, T.P., eds., *Biological assessment and criteria - Tools for water resource planning and decision making*, CRC Press, 415 p.
- Hubbs, C., 1995, Springs and spring runs as unique aquatic systems: *Copeia*, no. 4, p. 989-991.
- Jenkins, S.M., 1985, Environmental assessment of the San Marcos River corridor: City of San Marcos, Texas, 111 p.
- Karnei, H.S., 1978, A survey of the subterranean aquatic fauna of Bexar County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 118 p.
- Karp, R.W., and Mathews, R.C., Jr., 1988, Hydraulic fields survey and macrohabitat assessment technique - Technical manual: Texas Water Development Board Instream Flow Initiative Paper #7, Austin, Texas, 56 p.
- Karr, J.R., 1995, Protecting aquatic ecosystems - Clean water is not enough: *in* Davis, W.S., and Simon, T.P., eds., *Biological assessment criteria - Tools for water resource planning and decision making*, CRC Press, p. 7-13.
- Killebrew, F.C., Rogers, W.J., and Babitzke, J.B., 2002, Assessment of instream flow and habitat requirements for Cagle's Map Turtle (*Graptemys caglei*): Canyon, Texas, West Texas A&M University, Report prepared for the Edwards Aquifer Authority under Contract #00-52-AS, 59 p.

- Krajick, K., 2001, Ecology: Cave biologists unearth buried treasure: Science, p. Not available. [Also presented in the 15<sup>th</sup> International Symposium on Biospeleology].
- Krejca, J.K., 2005, Stygobite phylogenetics as a tool for determining aquifer evolution: Austin, Texas, University of Texas, Ph.D dissertation, 115 p.
- Kreuter, U.P., Harris, H.G., Matlock, M.D., and Lacey, R.E., 2001, Change in ecosystem service values in the San Antonio area, Texas: Ecological Economics, v. 39, iss. 3, p. 333-346.
- Kuehn, R.D., and Kuehn, K.A., 1991, Fungal populations isolated from Ezell cave in south Texas: Stygologia, v. 6, iss. 2, p. 65-76.
- Langecker T.G., and Longley, G., 1993, Morphological adaptation of the Texas blind catfishes *Trogloglanis pattersoni* and *Satan eurystomus* (Siluriformes: Ictaluridae) to their underground environment: Copeia (4), p. 976-986.
- Larson, D.J., and LaBonte, 1994 *Stygoporus oregonensis*, a new genus and species of subterranean water beetle (Coloptera, Dytiscidae, Hydroporinae) from the United States: Coloptera Bulletin, v. 48, p. 371-379.
- Leffingwell, T., 1949, Embryology of the developing leech egg, *Placobdella catenigera*: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 23 p.
- Linam, G.W., Kleinsasser, L.J, and Mayes, K.B., 1999, Regionalization of the index of biotic integrity for Texas streams (Draft): Resource Protection Division, Texas Parks and Wildlife Department, Austin, Texas.
- Linam, G.W., Mayes, K.B., Saunders, K.S., Linam, L.A.J., and Hernandez, D.R., 1993, Conservation of the upper San Marcos and Comal ecosystems: Texas Parks and Wildlife Department, Final Report of Project E-1-4, 34 p.
- Linam, L.A., 1993, A reassessment of the distribution, habitat preference, and population size estimate of the fountain darter (*Etheostoma fonticola*) in the San Marcos River, Texas: Section 6 Report, Texas Parks and Wildlife Department, Job 2.5, March 12, 1993, 34 p.
- Lindholm, J.T., 1979, The gastropods of the upper San Marcos River and their trematode parasites: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 73 p.
- Longley, G., 1975, Environmental assessment, upper San Marcos River watershed: San Marcos, Texas, Environmental Sciences of San Marcos, 367 p.
- Longley, G., 1977, Preliminary report of biological investigation-Valdina Farms sinkhole, Medina County, Texas: San Antonio, Texas, Edwards Underground Water District, 32 p.

- Longley, G., 1981, Ecosystem of a deep confined aquifer in Texas, in Beck, B.F., ed., Eighth International Congress of Speleology, Bowling Green, KY, July 18-24, 1981, Proceedings: Proceedings of the International Congress of Speleology No. 8, p. 611.
- Longley, G., 1981, Ecosystem studies of the central portion-Balcones fault zone Edwards Aquifer [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 5, p. 241.
- Longley, G., 1981, The Edwards Aquifer - Earth's most diverse groundwater ecosystem: International Journal of Speleology, v. 11, no. 1-2, p. 123-128. Copyright 1981, by Biological Abstracts, Inc. (BIOSIS).
- Longley, G., 1991, Research needs for Texas aquatic ecosystems, in Water for Texas-setting the research agenda, November 18-19, Austin, Texas, Proceedings: Texas Water Development Board and Texas Water Resources Institute, Austin, Texas, p. 9-15.
- \_\_\_\_\_, 1992, The subterranean aquatic ecosystem of the Balcones Fault Zone Edwards Aquifer in Texas - threats from over pumping, *in* Ground water Ecology, First International Conference, Tampa, Florida, April 1992, Proceedings: American Water Resources Association, Bethesda, MD, p. 291-300.
- \_\_\_\_\_, 1993, The Importance of the U. S. Endangered Species Act in protecting central Texas species and ecosystems and assuring management that will provide for future good quality water for the Edwards Aquifer region: U.S. Congressional Field hearing on the Endangered Species Act, San Antonio, Texas, July 6, 1993.
- \_\_\_\_\_, 1994, The ecology and biota of the Balcones Fault Zone Edwards aquifer in Texas, *in* Toxic Substances and the Hydrologic Sciences: American Institute of Hydrology conference papers, April 10-13, p. 220-225.
- Longley, G., Cox, K., Phillips, G., and Miller, J., 1996 Environmental study of proposed diversion sites G-10 and G-14 on the Guadalupe River: San Marcos, Texas, Southwest Texas State University Edwards Aquifer Research and Data Center, Texas Water Development Board Contract 95-483-113.
- Longley, G., Phillips, C., Castillo, V., and Gilpen, L., 1992, Using rapid bioassessment to measure water quality in the Seco Creek watershed: *New Waves*, v. 5, no. 4, p. 2.
- McKinney, D. C., and J. M. Sharp, 1995, Springflow augmentation of Comal Springs and San Marcos Springs, Texas: Phase I - feasibility study, Austin, Texas: Center for Research in Water Resources, Technical Report CRWR 247, 416 p.
- McMahan, C.A., R.G. Frye, and K.L. Brown, 1984, The vegetation types of Texas, including croplands: Texas Parks and Wildlife Department, Contribution of Pittman-Robertson Project W-107-R.

- Merrifield, J., 1996, A market approach to conserving biodiversity: *Ecological Economics*, v. 16, iss. 3, p. 217-226.
- Mitchell, J.D., 1895, List of Texas mollusca, land and freshwater: *Natural Science News*, 1, 40 p.
- Moore, J.G., Jr., and Votteler, T.H., 1995, Draft: Habitat conservation plan for the Edwards Aquifer (Balcones Fault Zone - San Antonio Region), 314 p.
- Neck, R.W., 1986, The Balcones fault zone as a major zoogeographic feature, *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., *The Balcones escarpment - geology, hydrology, ecology and social development in central Texas*: Geological Society of America, p. 35-40.
- Nelson, E.J., 1944, A study of the water hyacinth and the animal life closely associated with it: San Marcos, Texas, Southwest Texas State University, Unpublished research paper, 22 p.
- Nicholopoulos, J.E., 2005, Fish and Wildlife Service; Notice of scoping meeting and notice of intent to prepare a habitat conservation plan and environment impact statement for the Barton Springs ecosystem in the Barton Springs Segment of the Edwards Aquifer: federal register, v. 70, no. 152, p. 46186-46187.
- Omernik, J.M., 1987, Ecoregions of the conterminous United States: *Annals of the Association of American Geographers*, v. 77, scale 1:7,500,000, p. 118-125.
- Omernik, J.M., 1987, Map supplement - Ecoregions of the conterminous United States: *Annals of the Association of American Geographers*, v. 77, no. 1, p. 118-125.
- Ourso, R.T., and Horning, C.E., 1999, Stream and aquifer biology of south central Texas – A literature review, 1973-97: U.S. Geological Survey Open-File Report 99-243, 40 p.
- Page, L.M., 1974, The subgenera of *Percina* (Percidae: Etheostomatini): *Copeia* 1974, no. 1, p. 66-86.
- Page, L.M., 1977, The lateralis system of darters (Etheostomantini): *Copeia* 1977(?), p. 472-475.
- Page, L.M., and Whitt, G.S, 1972, Lactate dehydrogenase isozymes, malate dehydrogenase isozymes and tetrazolium oxidase mobilites of darters (*Etheostomatini*): *Comp. Biochem. Physio*, 44B, p. 611-623.
- Paul Price Associates, Inc., 1998, Instream Flow Study of the San Marcos River: Paul Price Associates, Inc. and Michael Sullivan and Associates, Inc.
- Pennington, T., Groeger, A.W., Power, P., and Doyle, R.D., 1999, Sediment nutrients associated with an aquatic macrophyte *Zizania texana* in the San Marcos River: Texas Academy of Science, Texas Lutheran University, Seguin, Texas (paper presented at a conference in March, 1999).



- Pennisi, E., 1993, Saving Hades' Creatures (Edwards Aquifer, Texas), *Science News*, v. 143, no. 11, p. 172-175.
- Perkins, S., 2003, Attack of the rock-eating microbes!: *Science News*, v. 164, no. 20, p. 315-317.
- Poole, J.M., 1990, Endangered and threatened species conservation, Job No. 2.5: Conservation of the Upper San Marcos River System: Project E-1-2, Performance Report, Texas Parks and Wildlife Department.
- Poole, J.M., 1990, Performance report as required by Endangered Species Act, Section 6 - Conservation of the upper San Marcos River system: Texas Parks and Wildlife Department Project E-1-2 Endangered and Threatened Species Conservation Job No. 2.5, [4] p., [3] ap. Descriptors: *Texas wild-rice (Zizania texana)*, *fountain darter (Etheostoma fonticola)*.
- Poole, J.M., 1992, Performance report as required by Endangered Species Act, Section 6-Texas Project E-1-3 Endangered and Threatened Species Conservation: Job No. 2.5: Conservation of the Upper San Marcos River System.
- Poole, J.M., and Bowles, D.E., 1995, Texas wildrice (*Zizania texana*) habitat characterization: Source unknown. 16 p.
- Poole, J.M., and Bowles, D.E., 1999, Habitat characterization of Texas wildrice (*Zizania texana*), an endangered aquatic macrophyte from the San Marcos River, Texas, USA: *Aquatic Conservation: Marine and Freshwater Ecosystems*, v. 9, p. 291-302.
- Power, P., 1995, Growth response by Texas wildrice (*Zizania texana*) under three current regimes and two sediments in Spring Lake, Hays County, Texas, in *Proceedings of the 24<sup>th</sup> Water for Texas Conference*, TWRI, College Station, Texas.
- \_\_\_\_\_, 1996, Effects of current velocity and substrate composition on growth of on Texas wildrice (*Zizania texana*): *Aquatic Botany*, v. 55, no. 3, p. 199-204.
- \_\_\_\_\_, 1996, Growth of Texas wildrice (*Zizania texana*) in three sediments from the San Marcos River: *Journal of Aquatic Plant Management*, v. 34, p. 21-23.
- \_\_\_\_\_, 1996, Reintroduction of Texas wildrice (*Zizania texana*) in Spring Lake: some important environmental and biotic considerations, in Maschinski, J., Hammond, H., and Holter, L., (Eds.) *Southwestern Rare and Endangered Plants: Proceedings of the Second Conference*, September 11-14, 1995, Flagstaff, Arizona, General Technical Report RM-GTR-283, U.S. Department of Agriculture.
- \_\_\_\_\_, 1997, Moisture, seeds, and reproductive failure in Texas wildrice (*Zizania texana*): *Southwestern Naturalist*, v. 41, no. 4, p. 462-464.

- \_\_\_\_\_, 2004, Assessment of factors influencing Texas wild-rice (*Zizania texana*) sexual and asexual reproduction, U.S. Fish and Wildlife Service – San Marcos National Fish Hatchery and Technology Center: Final Report prepared for Edwards Aquifer Authority, 155 p.
- Pulich, W., Jr., Perry, S., German, D., 1992, Habitat and land use inventory and change detection analysis of the San Marcos River corridor: *in* Texas Parks and Wildlife Department, 1992, San Marcos River: A Case Study: Contract Study No. 2, Task 3 Land Cover and Land Use Analysis, TPWD, p. 11-20.
- Reddell, J.R., 1965, A checklist of the cave fauna of Texas, I - The Invertebrata (exclusive of Insecta): Texas Journal of Science, v. 17, p. 143-187.
- Reddell, J.R., 1966, A checklist of the cave fauna of Texas, II - Insecta: Texas Journal of Science, v. 18, p. 24-16.
- \_\_\_\_\_, 1967, A checklist of the cave fauna of Texas, III - Vertebrata: Texas Journal of Science, v. 19, p. 184-226.
- \_\_\_\_\_, 1970a, A checklist of the cave fauna of Texas, IV - Additional records of Invertebrata (exclusive of Insecta): Texas Journal of Science, v. 21, p. 389-415.
- \_\_\_\_\_, 1970b, A checklist of the cave fauna of Texas, V - Additional records of Insecta: Texas Journal of Science, v. 22, p. 47-65.
- Richardson, L.R., and Gold, J.R., 1995, Evolution of the *Cyprinella lutrensis* species-complex - II. Systematics and biogeography of the Edwards Plateau shiner, *Cyprinella lepida*: Copeia, v.1. p. 28-37.
- Rose, F., and Power, P.J., 1992, Effects of habitat and herbivory on growth and reproduction in Texas wildrice (*Zizania texana*): Report submitted to U.S. Fish and Wildlife Service, Region 2, p. 1-20.
- Rose, F., and Power, P.J., 1992, Performance report as required by Endangered Species Act, Section 6 - Management and continued research on Texas wildrice (*Zizania texana*): Texas Project E-1-4, Endangered and Threatened Species Conservation, Job No. 38.
- Rose, F., and Power, P.J., 1993, Performance report on management and continued research on Texas wildrice (*Zizania texana*): Submitted to U.S. Fish and Wildlife Service, Region 2.
- Rose, F., and Power, P.J., 1995, Performance report on management and continued research on Texas wildrice (*Zizania texana*): U.S. Fish and Wildlife Service, Region 2, Albuquerque.

- Rosenberg, D.M., and Resh, V.H., 1993, Introduction to freshwater biomonitoring and benthic macroinvertebrates: *in* Rosenberg, D.M., and Resh, V.H., eds., Freshwater biomonitoring and benthic macroinvertebrates, New York, Chapman and Hall, p. 1-9.
- San Antonio River Authority, 1996, Evaluation of aquatic ecosystems of streams in the San Antonio River watershed based on rapid bioassessment protocols: San Antonio River Authority, Environmental Services Division, 186 p.
- San Marcos Recovery Team (Edwards, R.J., Beaty, H.E., Longley, G., Riskind, D.H., Tupa, D.D., and Whiteside, B.G.), 1985, The San Marcos recovery plan for San Marcos River endangered and threatened species: San Marcos Recovery Team, 118 p.
- San Marcos Recovery Team, 1996, The San Marcos recovery plan for San Marcos River endangered and threatened species: U.S. Fish and Wildlife Service, Ecological Services Office, Austin, Texas, 121 p.
- Scoggins, M., 2000, Effects of hydrology on bioassessment in Austin, Texas: City of Austin Watershed Protection, SR-00-02.
- Schaefer, P.E., 2000, The effects of supersaturated nitrogen on the endangered fountain darter and the San Marcos salamander: San Marcos, Texas, Southwest Texas State University, M.S. thesis. 27 p.
- Schleser, D.M., 1993, Conservation of Edwards Aquifer amphibians and Chihuahuan desert fishes, *from* AAZPA Annual Conference Proceedings 1993, p. 109-111, illustr.
- Short, R.A., 1982, Diel changes in physicochemical and biological parameters in the Guadalupe River, Texas, *in* Davis, J.R., ed., Proceedings of the Symposium on Recent Benthological Investigations in Texas and Adjacent States: Texas Academy of Science, Aquatic Sciences Section, p. 149-159.
- Sierra Club vs. Babbitt, 1993, Springflow determinations regarding “take” of endangered and threatened species: Sierra Club vs. Babbitt.
- Sierra Club vs. Babbitt, 1993, Springflow determinations regarding survival and recovery and critical habitat of endangered and threatened species, June 15, 1993: Sierra Club vs. Babbitt.
- Simon, T.P., Brandt, T.M., Graves, K.G., and Whiteside, B.G., 1995, Ontogeny and description of eggs, larvae, and early juveniles of the fountain darter, *Etheostoma fonticola*: The Southwestern Naturalist, v. 40(2), p. 208-215.
- Sinclair, R.M., 1964, Water quality requirements of the family emilidae (Coleoptera), with keys to the larvae and adults of the eastern genera: Tennessee Stream Pollution Control Board, Tennessee Department of Public Health, Nashville, Tennessee, 14 p.

- Southwest Texas State University-Biology Department, 1980, The San Marcos River: an unique biological environment, Jan 1980: Southwest Texas State University-Biology Department.
- Strayer, D.L., 1994, Limits to biological distributions in groundwater: in Gilbert, J., Danielopol, D., and Stanford, J., eds., *Groundwater Ecology*, Academic Press, San Diego, California, p. 287-310.
- Strength, N.E., 1976, A review of the systematics and zoogeography of the freshwater species of *Palaemonetes Heller* of North America: *Smithsonian Contributions to Zoology*, no. 228, 24 p.
- Taylor, R.L., 1995, Biological and associated water-quality data for lower Olmos Creek and upper San Antonio River, San Antonio, Texas, March - October 1990: U.S. Geological Survey Open-File Report 95-103, 73 p.
- Taylor, R.L., and Ferreira, R.F., 1995, Biological and associated water-quality data for lower Olmos Creek and upper San Antonio River, San Antonio, Texas, April - September 1989: U.S. Geological Survey Open-File Report 95-148, 68 p.
- Texas Parks and Wildlife Department, 1990, Floating Texas waterways: Texas Parks and Wildlife Department, PWD-BK-9200-39-10/90.
- Texas Parks and Wildlife Department, 1990, Comal Springs and River biological survey and collection effort: Texas Parks and Wildlife Department, Unpublished Report, July 5, 1990.
- \_\_\_\_\_, 1990, Interim report on conservation of the upper San Marcos ecosystem: Submitted to U.S. Fish and Wildlife Service, Region 2, Albuquerque, New Mexico.
- \_\_\_\_\_, 1992, Performance report on conservation of the upper San Marcos River ecosystem: Submitted to U.S. Fish and Wildlife Service, Region 2, Albuquerque, New Mexico.
- \_\_\_\_\_, 1992, San Marcos River: A Case Study: Contract Study No. 2, TPWD, 167 p.
- Texas Parks and Wildlife Department, 1992, Survey of Manmade Structures and Physical Features: *in* San Marcos River: A Case Study: Contract Study No. 2, TPWD, p. 34-60.
- \_\_\_\_\_, 1995, Performance Report: Habitat characterization of the Comal and San Marcos River System: Texas Parks and Wildlife Department, Project No. 49.
- \_\_\_\_\_, (no date), Leaflet: Cagle's map turtle: Endangered Resources Branch, 3 p.
- Tiemann, S.G., and Arsuffi, T.L., 1991, Life histories of selected caddisflies (*Trichoptera*) in three central Texas streams with contrasting temperature regimes: *Proceedings of the Texas Academy of Science* 95, p. 142-147.
- Tronvig, K.A., Belson, C.S., 2001, Karst Waters Institute's third top ten list of endangered karst ecosystems: *NSS News*, v. 59, no. 11, p. 325-326.

- Uhlenhuth, E., 1921, Observation on the distribution and habits of the blind Texan cave salamander, *Typhlomolge rathbuni*: Biology Bulletin, v. 40, no. 2, p. 73-104.
- University of Texas, 2000, The Biota of the Edwards Aquifer and the Implications for Paleozoogeography: The General Libraries, University of Texas, P.O. Box P, Austin, Texas 78713-8916, USA, <http://www.lib.utexas.edu/Libs/GEO/BalconesEscarpment/pages51-54.html>.
- U.S. Bureau of Sport Fisheries and Wildlife, 1971, San Marcos National Fish Hatchery, Hays County, Texas (final environmental impact statement): Washington, D.C., U.S. Bureau of Sport Fisheries and Wildlife, 8 p. [Available from National Technical Information Service, Springfield, VA 22161, as NTIS Report PB-199 463F].
- U.S. Department of Interior, 1973, Threatened wildlife of the United States: Bureau of Sports Fish and Wildlife, Albuquerque, New Mexico, 18 p.
- U.S. Department of Interior, 1980, Critical habitat proposed for four San Marcos River species (include Texas wildrice, conservation): U.S. Fish and Wildlife Service, Endangered species program, Endangered Species Technical Bulletin, v. 5, no. 4, 11 p.
- U.S. Environmental Protection Agency, 1975, Methods for acute toxicity tests with fish, macroinvertebrates, and amphibians: EPA 660/3-75-009, Ecological Research Series, Washington, D.C., 61 p.
- U.S. Environmental Protection Agency, 1995, Use of surrogate species in assessing contaminant risk to endangered and threatened fishes: EPA 660/R-96/029, Office of Research and Development, Gulf Breeze, Florida, 78 p.
- U.S. Fish and Wildlife Service, 1980, Endangered and threatened wildlife and plants-listing of the San Marcos salamander as threatened, the San Marcos gambusia as endangered, and the listing of critical habitat for Texas wild-rice, San Marcos salamander, San Marcos gambusia, and fountain darter: Federal Register, v. 45, no. 136, p. 47,355-47,364. Descriptors: Texas wild-rice (*Zizania texana*), San Marcos salamander (*Eurycea nana*), San Marcos gambusia (*Gambusia georgei*), and fountain darter (*Etheostoma fonticola*).
- U.S. Fish and Wildlife Service, 1980, Rulemaking actions, July 1980, Service determines status, critical habitat for four San Marcos River species: Endangered Species Technical Bulletin, v. 5, no. 8, p. 10-11. Copyright 1980, by Biological Abstracts, Inc. (BIOSIS). Descriptors: U.S. Endangered Species Act, 1973, Nearctic Region, San Marcos River, Legislation, San Marcos gambusia (*Gambusia georgei*), San Marcos salamander (*Eurycea nana*), fountain darter (*Etheostoma fonticola*), Texas wild-rice (*Zizania texana*).
- U.S. Fish and Wildlife Service, 1984, San Marcos River recovery plan for San Marcos River endangered and threatened species-San Marcos gambusia (*Gambusia georgei*) Hubbs and Peden, fountain darter (*Etheostoma fonticola*) (Jordan and Gilbert), San Marcos salamander

- (*Eurycea nana*) Bishop, and Texas wild-rice (*Zizania texana*) Hitchcock: U.S. Fish and Wildlife Service, 109 p.
- U.S. Fish and Wildlife Service, 1995, Comal Springs Ecosystem Management Plan: Albuquerque, NM, 40 p.
- U.S. Fish and Wildlife Service, 1995, The San Marcos/Comal Springs and associated aquatic ecosystems recovery plan (revised): Albuquerque, New Mexico, 93 p.
- U.S. Fish and Wildlife Service, 1979, Unique wildlife ecosystems of Texas: U.S. Fish and Wildlife Service, Albuquerque, New Mexico, 164 p.
- \_\_\_\_\_, 1990, Endangered Species Permit Report, Austin, Texas: U.S. Fish and Wildlife Service.
- \_\_\_\_\_, 1993, Springflow requirements, Re: Endangered species-avoidance of “take”, San Marcos and Comal Springs: Letter report to Judge Bunton prepared by Ecological Services Office, U.S. Fish and Wildlife Service, Austin, Texas.
- \_\_\_\_\_, 1994, Endangered species permit report, Austin, Texas: U.S. Fish and Wildlife Service.
- \_\_\_\_\_, 1996, Habitat conservation planning handbook: USDI, Washington, [variously paged].
- U.S. Fish and Wildlife Service, 1996, Edwards Aquifer ecosystem viability assessment and management planning: CBSG Workshop Briefing Book.
- \_\_\_\_\_, 1996, San Marcos/Comal/Edwards Aquifer rare, threatened, and endangered species contingency plan: U.S. Fish and Wildlife Service.
- \_\_\_\_\_, 1996, San Marcos and Comal Springs and Associated aquatic ecosystems (revised) recovery plan: San Marcos/Comal Recovery Team and U.S. Fish and Wildlife Service, 121 p.
- \_\_\_\_\_, 1997, San Marcos & Comal Springs ecosystems viability assessment and management planning - A risk characterization process for management: U.S. Fish and Wildlife Service, Revised Report.
- \_\_\_\_\_, 1997, Biological opinion on the effects of the proposed disposal and redevelopment of Kelly AFB on the fountain darter (*Etheostoma fonticola*), Texas wildrice (*Zizania texana*), San Marcos salamander (*Eurycea nana*), Texas blind salamander (*Typhlomolge rathbuni*): U.S. Fish and Wildlife Service.
- U.S. Fish and Wildlife Service, and T.B. Hardy, 1992, Habitat and flow requirements study for the Comal ecosystem (Study Plan): U.S. Fish and Wildlife Service.

- U.S. Soil Conservation Service, 1978, Upper San Marcos River watershed, Comal and Hays Counties, Texas, Management plan for upper San Marcos River watershed: Temple, Texas, U.S. Soil Conservation Service, 121 p. (EPA: April 7, 1978).
- U.S. Soil Conservation Service, 1978, Draft watershed plan and environmental impact statement, upper San Marcos River watershed, Comal and Hays Counties, Texas: Temple, Texas, U.S. Soil Conservation Service, 102 p.
- Veni, G., 1987, Valdina Farms Sinkhole: Hydrogeologic and biologic evaluation: Unpublished Report, Edwards Underground Water District, San Antonio, Texas.
- Wang, N., J. Besser, J., Dwyer, J., and Ingersoll, C., 1999, Evaluation of endpoints and data analyses for chronic toxicity tests with endangered fish: U.S. Geological Survey, Columbia Environmental Research Center and U.S. Fish and Wildlife Service, Columbia, MO, 1 p.
- Wegner, D.E., 1991, Safe play among protected species: Parks & Recreation, v. 26, no. 11, p. 42-44. Descriptors: San Marcos River.
- Westrup, H., 1994, Creepy creatures found in lost caves: Current Science, v. 79, iss. 17, p. 12-15.
- Whiteside, B.G., 1976, *Gambusia georgei* Hubbs and Peden, 1969: San Marcos gambusia: Report to U.S. Fish and Wildlife Service, Endangered Species Division, 16 p.
- Whiteside, B.G., 1982, Biological assessment of proposed construction of an outfall structure on the San Marcos River: U.S. Army Corp of Engineers.
- Wiley, E.O., 1981, Phylogenetics: the theory and practice of phylogenetic systematics: John Wiley and Sons, New York, 439 p.
- Young, W.C., Whiteside, B.G., Longley, G., and Carter, N.E., 1973, The Guadalupe-San Antonio-Nueces River Project, Phase 1 - Review of existing biological data: San Marcos, Texas, Southwest Texas State University, 400 p.
- Young, W.C., and Bayer, C.W., 1979, The dragonfly nymphs (Odonata: Anisoptera) of the Guadalupe River basin, Texas: Texas Journal of Science, v. 31, no. 1, p. 85-97.
- Young, W.C., Whiteside, B.G., Longley, G., and Carter, N.E., 1973, The Guadalupe-San Antonio-Nueces River Basin Project - Review of existing biological data: Final Report to Texas Water Development Board, 400 p.

## ► Invertebrates

- Barr, C.B., 1976, The effects of a heated effluent on the species diversity of benthic macroinvertebrates in Calaveras Lake, a central Texas reservoir: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 70 p.

- Barr, C.B., 1993, Survey for two Edwards aquifer invertebrates: Comal Springs drypid beetle *Stygoparnus comalensis* (Coleoptera: Dryopidae) and Peck's amphipod *Stygobromus pecki* Holsinger (Amphipoda: Crangonyctidae): Prepared for the U.S. Fish and Wildlife Service, 70 p.
- Carraway, J.K., 1975, The ecological distribution of *Arrenurus* in Hays County, Texas (ACARINA: HYDRACARINA): San Marcos, Texas, Southwest Texas State University, M.S. thesis, 78 p.
- Davis, J.R., 1980, Species composition and diversity of benthic macroinvertebrates of lower Devil's River, Texas, *Southwestern Naturalist*, v. 25, p. 379-384.
- Davis, J.R., 1982, Microbenthic diversity of Cibolo Creek, an interrupted, south central Texas stream, *in* J. R. Davis (ed), *Proceedings of the Symposium on recent Benthological Investigations in Texas and adjacent States*: Austin, Texas, Texas Academy of Sciences Section, p. 79-94.
- Federal Register, 1988, Endangered and threatened wildlife and plants – proposal to determine five Texas cave invertebrates to be endangered species: v. 53, no. 75, p. 12,787-12,790.
- \_\_\_\_\_, 1988, Endangered and threatened wildlife and plants – final rule to determine five Texas cave invertebrates to be endangered species: v. 53, no. 180, p. 36,029-36,033.
- \_\_\_\_\_, 1991, Endangered and threatened wildlife and plants – finding on a petition to list five Comal Springs invertebrates to be endangered species: v. 56, no. 82, p. 19,632-19,633.
- \_\_\_\_\_, 1993, Endangered and threatened wildlife and plants 90-day finding on a petition to list nine Bexar County, Texas, invertebrates: 58 FR 63328, Wednesday, December 01, 1993, v. 58, no. 229, (DIALOG® File 669).
- \_\_\_\_\_, 1995, Endangered and threatened wildlife and plants; Proposal to list three aquatic invertebrates in Comal and Hays counties, Texas, as endangered: 60 FR 29537, Monday, June 5, 1995, v. 60, no. 107, (DIALOG® File 669).
- \_\_\_\_\_, 1995, Endangered and threatened wildlife and plants; Notice of public hearing on proposed endangered status for three aquatic invertebrates in Comal and Hays counties, Texas: 60 FR 35374, Friday, July 7, 1995, v. 60, no. 130, (DIALOG® File 669).
- \_\_\_\_\_, 1997, Endangered and threatened wildlife and plants; Final rule to list three aquatic invertebrates in Comal and Hays counties, Texas, as endangered: 62 FR 66295, Thursday, December 18, 1997, v. 62, no. 243, p. 66290-66303, (DIALOG® File 669).
- \_\_\_\_\_, 1998, Endangered and threatened wildlife and plants; Proposal to list nine Bexar County, Texas, invertebrate species as endangered: Federal Register, v. 63, no. 250, December 30, 1998, Proposed Rules.



- \_\_\_\_\_, 2003, Draft Endangered Karst Invertebrate Survey Guidance, Draft Karst Feature Survey Guidance, Draft Preserve Design To Conserve Endangered Karst Invertebrates Guidance, and Draft Recommendations for Protection of Water Quality of the Edwards Aquifer: 68 FR 4612, Wednesday, February 26, 2003, v. 68.
- Fries J. N., and Gibson, J. R., 2004, Edwards Aquifer spring invertebrate survey and captive maintenance of two species: Draft 2003 Annual Report prepared for the U.S. Fish and Wildlife Service, Ecological Services, Austin, TX, [variously paged].
- Kane, S., 1995, Effects of a textile mill effluent and a low water dam on benthic macroinvertebrate community structure on the Guadalupe River in Comal County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 65 p.
- Kent, D.H., 1971, The effects of a deep storage reservoir on the benthic macroinvertebrate community: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 75 p.
- Leopold, A.F., 2001, Recolonization mechanism of macroinvertebrates of Barton Creek, Travis County, Texas: Clemson, South Carolina, Clemson University, M.S. thesis, 151 p.
- Neck, R.W., 1985, Comparative behavior and external color patterns of two sympatric centipedes (*Chilopoda, scolopendra*) from central Texas: Texas Journal of Science, v. 37, no. 2-3, p. 253-255. Copyright 1985, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Scolopendra viridis*, Comal County, New Braunfels.
- Norris, C., 2002, Effects of variable flows on invertebrate drift in Comal Springs, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 112 p.
- Owen, J.M., 1996, Seasonal and longitudinal changes in functional feeding group composition of benthic macroinvertebrates in the San Marcos River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 30 p.
- Richerson, J.V., 1982, Species diversity of macroinvertebrates in Cibolo Creek in Shafter, Texas, in Davis, J.R., ed., Proceedings of the Symposium on Recent Benthological Investigations in Texas and Adjacent States: Texas Academy of Science, Aquatic Sciences Section, p. 113-133.
- Schmid-Araya, J.M., 2000, Invertebrate recolonization patterns in the hyporheic zone of a gravel stream: Limnology Oceanography, v. 45, no. 4, p. 1,000-1,005.
- Solanik, D.C., 1996, Longitudinal and seasonal variation in macroinvertebrate taxonomic and functional feeding group composition of a central Texas stream: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 48 p.
- Stanford, R., and Shull, A., 1995, Endangered and threatened wildlife and plants; proposal to list three aquatic invertebrates in Comal and Hays counties, Texas, as endangered: Federal Register, v. 60, p. 29,537-29,543.

Stock, J.H., and Longley, G., 1981, The generic status and distribution of *Monodella texana* Maguire, the only known North American Thermosbaenacean: Proceedings of the Biological Society of Washington, v. 94, no. 2, p. 569-578.

Texas Organization for Endangered Species, 1988, Invertebrates of special concern: Austin, Texas, Texas Organization for Endangered Species, 17 p.

U.S. Fish and Wildlife Service, 1988, Endangered and threatened wildlife and plants-proposal to determine five Texas cave invertebrates to be endangered species: Federal Register, v. 53, no. 75, p. 12,787-12,790. Descriptors: Tooth Cave pseudoscorpion (*Microcreagris texana*), Tooth Cave spider (*Leptoneta myopica*), Bee Creek Cave harvestman (*Texella reddelli*), Tooth Cave ground beetle (*Rhadine persephone*), Kretschmarr Cave mold beetle (*Texamaurops reddelli*), Austin, Williamson County, Travis County, Tooth Cave.

U.S. Fish and Wildlife Service, 1988, Endangered and threatened wildlife and plants-final rule to determine five Texas cave invertebrates to be endangered species: Federal Register, v. 53, no. 180, p. 36,029-36,033. Descriptors: Tooth Cave pseudoscorpion (*Microcreagris texana*), Tooth Cave spider (*Leptoneta myopica*), Bee Creek Cave harvestman (*Texella reddelli*), Tooth Cave ground beetle (*Rhadine persephone*), Kretschmarr Cave mold beetle (*Texamaurops reddelli*), Travis County, Williamson County.

U.S. Fish and Wildlife Service, 1991, Endangered and threatened wildlife and plants-finding on a petition to list five Comal Springs invertebrates: Federal Register, v. 56, no. 82, p. 19,632-19,633. Descriptors: New Braunfels, *Heterelmis comalensis* (Elmidae) (beetle), *Hexagenia sp.* (Insecta, Ephemeroptera) (Mayfly), *Microcyloepus sp.* (beetle), *Stygonectes* (=Stygobromus) *pecki* (Gammaridae) (crustacean).

U.S. Fish and Wildlife Service, 1997, Endangered and threatened wildlife and plants; Final rule to list three aquatic invertebrates in Comal and Hays counties, Texas, as endangered: Federal Register, v. 62, no. 180, p. 66,290-66,304.

- Crustaceans

Becker, P.R., 1969, The systematics and seasonal distribution of the Cladocera of Hays County: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 95 p. Descriptors: San Marcos River, Blanco River, Barton Creek, Onion Creek, Bear Creek, Lone Man Creek, Purgatory Creek, Porter Creek, Bunton Branch Creek, Plum Creek.

Benedict, J.E., 1896, Preliminary descriptions of a new genus and three new species of crustaceans from an artesian well at San Marcos, Texas: Proceedings of the U.S. National Museum, v. 18, no. 1087, p. 615-617. Descriptors: *Palaemonetes antrorum*, *Cirolanides texensis*, *Crangonyx flagellatus*.

Bowman, T.E., and Longley, G., 1976, Redescription and assignment to the new genus *Lirceolus* of the Texas troglobitic water slater, *Lirceolus smithii* (Ulrich) (Crustacea, Isopoda, Asellidae): Proceedings of the Biological Society of Washington, v. 88, no. 45, p. 489-496.

- Hobbs, H.H., Jr., and Hobbs, H.H., III, 1995, *Procambarus* (*Ortmannicus*) *nueces* (Decapoda: Cambaridae), a new crayfish from the Nueces River Basin, Texas, in *Proceedings of the Biological Society of Washington*, v. 108, no. 1, p. 54-60.
- Holsinger, J.R., 1966, Subterranean amphipods of the genus *Stygonectes* (Gammaridae) from Texas: *American Midland Naturalist*, v. 76, no. 1, p. 100-124.
- Holsinger, J.R., and Longley, G., 1980, The subterranean amphipod crustacean fauna of an artesian well in Texas: *Smithsonian Contributions to Zoology*, no. 308, p. 1-62. Copyright 1980, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Stygobromus flagellatus*, *Stygobromus russelli*, *Texiweckelia insolita*, *Texiweckelia samacos*, *Texiweckelia texensis*, *Mexiweckelia texensis*, *Allotexiweckelia hirsuta*, *Parabogidiella americana*, *Parabogidiella Artesia subterranea*, *Seborgia relictata*, Crangonyctidae, Hadziidae, Bogidiellidae, Sebiidae, Artesiidae, San Marcos Springs.
- Horne, F.R., and Beisser, S., 1977, Distribution of river shrimp in the Guadalupe and San Marcos Rivers of central Texas (Decapoda, Caridea): *Crustaceana*, v. 33, no. 1, p. 56-60. Descriptors: *Macrobrachium carcinus*, *Macrobrachium ohione*, *Macrobrachium olfersii*, *Macrobrachium acanthurus*.
- Lewis, J.J., 1983, The assignment of the Texas troglobitic water slater *Caecidotea pilus* to the genus *Lirceolus*, with an amended diagnosis of the genus (Crustacea: Isopoda: Asellidae): *Proceedings of the Biological Society of Washington*, v. 96, no. 1, p. 145-148.
- Lewis, J.J., and Bowman, T.E., 1996, The subterranean asellids of Texas (Crustacea: Isopoda: Asellidae): *Proceedings of the Biological Society of Washington*, v. 109, no. 3, p. 482-500.
- Maguire, B.J., 1965, *Mondella texana* n.sp., and extension of the range of the crustacean order *Thermosbaenacea* to the western hemisphere, *Crustaceana*, v. 9, p. 149-154.
- Obenoskey, J.R., 1997, Distribution, abundance and feeding preferences of the crayfish, *Procambarus clarkii*, in Landa Lake, Comal County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 23 p.
- Shaw, E.G., 1948, The *Macrobrachium carcinus* of the San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 29 p.
- Strenth, N.E., and Longley, G., 1990, Reproductive patterns of the subterranean shrimp *Palaemonetes antrorum* Benedict (Decapoda, Palaemonidae) from central Texas: *Stygologia*, v. 5, no. 4, p. 221-224.
- Strenth, N.E., Norton, J.D., and Longley, G., 1988, The larval development of the subterranean shrimp *Palaemonetes antrorum* Benedict (Decapoda, Palaemonidae) from central Texas: *Stygologia*, v. 4, no. 4.

- Insects

- Arsuffi, T.L., 1993, Status of the Comal Springs riffle beetle (*Heterelmis comalensis*), Pick's cave amphipod (*Stygobromus pecki*), and the Comal Springs drypid beetle (*Stygoparnus comalensis*): Prepared for the U.S. Fish and Wildlife Service, 25 p.
- Barr, C.B., and Spangler, P.J., 1992, A new genus and species of stygobiontic dryopid beetle, *Stygoparnus comalensis* (Coleoptera, Dryopidae), from Comal Springs, Texas: Proceedings of the Biological Society of Washington, v. 105, no. 1, p. 40-54.
- Bio-West, Inc., 2002, Comal Springs riffle beetle habitat and population evaluation: BIO-WEST, Inc., Final Report - Variable Flow Study: Project 802, Task 13, Landa Lake, New Braunfels, Texas, prepared for the Edwards Aquifer Authority, January, 2002, 11 p.
- \_\_\_\_\_, 2002, Comal Springs riffle beetle habitat and population evaluation: BIO-WEST, Inc., Final Report - Variable Flow Study: Project 802, Task 13, Landa Lake, New Braunfels, Texas, prepared for the Edwards Aquifer Authority, August, 2002, 27 p.
- \_\_\_\_\_, 2002, Comal springs riffle beetle laboratory study: Evaluation under variable flow conditions: BIO-WEST, Inc., Final Report - Variable Flow Study: Project 802.
- Bio-West, Inc., 2002, Fountain Darter laboratory study: reproductive response to parasites and temperature fluctuations: BIO-WEST, Inc., Final Report - Variable Flow Study: Project 802, Task 18, Southwest Texas State University, San Marcos, Texas, prepared for the Edwards Aquifer Authority, August, 2002, 9 p.
- Bosse, L.S., 1979, A survey of the adult Dryopoids (Coleoptera) in the San Marcos and Comal Rivers in central Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 78 p. Descriptors: beetles.
- Bosse, L.S., Tuff, D.W., and Brown, H.P., 1988, A new species of *Heterelmis* from Texas- (Coleoptera, Elmidae): Southwestern Naturalist, v. 33, no. 2, p. 199-204. Copyright 1988, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Heterelmis comalensis*, *Heterelmis glabra*, Comal River (New Braunfels), beetles.
- Bowles, D.E., 1994, A preliminar checklist of the caddisflies (Insecta: Trichoptera) of Comal Springs, Texas: Austin, Texas, Texas Parks and Wildlife Department, Resource Protection Division, Endangered Resources Branch, 9 p.
- Bowles, D.E., 1995, A new species of *Austrotinodes* (Trichoptera: Ecnominae) from Texas, Journal of the New York Entomological Society, v. 103, no. 2, p. 155-161.
- Bowles, D.E., and Arsuffi, T.L., 1993, Karst aquatic ecosystems of the Edwards Plateau region of central Texas, USA - A consideration of their importance threats to their existence, and efforts for their conservation: Aquatic Conservation, Marine and Freshwater Ecosystems, v. 3, p. 317-329.

- Bowles, D.E., and Flint, O.S., 1997, The genus *Phyllocicus* Muller (Trichoptera: Calamoceratidae) in the United States, with a redescription of *Phyllocicus ornatus* (Bands): Proceedings of the International Symposium on Trichoptera, 1997, p. 53-58.
- Bowles, D.E., and Short, R.A., 1988, Size composition of invertebrate drift and fish predation in a Texas stream: The Southwestern Naturalist, v. 33, no. 2, p. 177-184.
- Bowles, D. E., and Stanford, R., 1997, A new distributional record for *Haideoporus texanus* (Coleoptera: Dytiscidae), a stygobiontic beetle from the Edwards Aquifer, Texas: Entomological News, v. 108, no. 4, p. 297-299.
- Bowles, D.E., Stanford, R., and Barr, C.B., 2000, Preliminary habitat characterization and phenology of the endangered riffle beetle *Heterelmis comalensis* and a coexisting species, *Microcyloepus pusillus*, (Coleoptera: Elmidae) at Comal Springs, Texas, USA: Texas Parks and Wildlife Department, [variously paged]. [Also, draft report submitted to Journal of Insect Conservation].
- Bowles, D.E., Stanford, R., and Barr, C.B., 2002, Habitat and phenology of the endangered riffle beetle *Heterelmis comalensis* and a coexisting species, *Microcyloepus pusillus*, (Coleoptera: Elmidae) at Comal Springs, Texas, USA: Archiv fur Hydrobiologie, v. 156, n. 3, p. 361-383.
- Brown, H.P., 1972, Aquatic drypod beetles (Coleoptera) of the United States: Biota of freshwater ecosystems identification manual No. 6: Environmental Protection Agency, Washington, D.C.
- Brown, H.P., 1987, Biology of riffle beetles: Annual review of entomology, v. 32, p. 253-273.
- Brown, H.P., and Barr, C.B., 1988, First report of stygobiontic (subterranean) riffle beetles in North America: Program abstract for April 22, 1988, meeting of Southwestern Association of Naturalists, 5 p.
- Burke, H.B., 1963, Notes on Texas riffle beetles (Coleoptera, Elmidae): The Southwestern Naturalist, v. 8(2), p. 111-114.
- Carrola, H.L., 1978, A comparative study of two populations of *Psephenus texanus* (Coleoptera, Psephenidae) in the San Marcos and Comal Rivers: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 52 p. Descriptors: beetles.
- Cover, L.W., 1980, The drift ecology of the *Ephemeroptera* (mayflies) in a spring fed river: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 94 p.
- Edwards, S.W., 1973, Texas caddisflies: Texas Journal of Science, v. 24, no. 4, p. 491-516.
- Edwards, S.W., and Arnold, C.R., 1961, The Caddisflies of the San Marcos River: Texas Journal of Science, v. 13, p. 398-415.

- Elliot, W.R., 1976, Morphometrics and evolution of *Speodesmus* in central Texas (Diploda, Polydesmida): Lubbock, Texas, Texas Tech University, Ph. D. dissertation, 155 p.
- Epperson, C.R., and Short, R.A., 1987, Annual production of *Corydalis cornutus* (Megaloptera) in the Guadalupe River, Texas: American Midland Naturalist, v. 118, no. 2, p. 433-438.
- Harrison, J.W., 1987, Food habits for mayflies (*Ephemeroptera*) in two streams of contrasting habitat type in central Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 75 p.
- Jasper, S.K., and Vogtsberger, R.C., 1996, First Texas records of five genera of aquatic beetles (Coleoptera: Noteridae, Dytiscidae, Hydrophilidae) with habitat notes: Entomological News, v. 107, no. 1, p. 49-60.
- Johnson, C., 1972, The damselflies (*Zygoptera*) of Texas: Plains Anthropologist, v. 29, p. 65-70.
- Longley, G., and Spangler, P.J., 1977, The larva of a new subterranean water beetle, *Haideoporus texanus* (Coleoptera, Dytiscidae, Hydrophilidae), in Proceedings of the Biological Society of Washington, v. 90, no. 3, p. 532-535.
- Peters, M.S., 1977, The Mayfly Nymphs (Insecta: Ephemeroptera) of The Guadalupe River Basin, Texas: San Marcos, Texas, Southwest Texas State University, Unpublished M.S. thesis 85 p.
- Ross, H.H., 1956, The Evolution and Classification of the Mountain Caddisflies: University of Illinois Press, Urbana, Illinois, [variously paged].
- Rowland, J.M., and Reddell, J.R., 1976, Annotated checklist of the arachnid fauna of Texas (excluding Acarida and Araneida): Occasional Papers of the Museum, Texas Tech University, v. 38, 25 p.
- Short, R.A., 1983, Occurrence of the caddisfly *Atopsyche erigia* in Texas, Guadalupe River below Canyon Reservoir: Texas Journal of Science, v. 35, no. 3, p. 243-244. Copyright 1983, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Comal County.
- Spangler, P.J., 1996, Four new stygobiontic beetles (Coleoptera, Dytiscidae, Noteridae, Elmidae): Insecta Mundi, v. 10, p. 241-259.
- Spangler, P.J., and Barr, C.B., 1995, A new genus and species of stygobiontic dytiscid beetle, *Comaldessus sryglus* (Coleoptera, Dytiscidae, Bidessini) from Comal Springs, Texas: Insecta Mundi, v. 9, p. 301-308.
- Stanley, E.H., 1986, The ecology of Mayflies (*Ephemeroptera*) in the Guadalupe River Basin, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 94 p. Descriptors: Comal County, Honey Creek, San Marcos River, Blanco River, Hays County.
- Stanley, E.H., and Short, R.A., 1988, Temperature effects on warmwater stream insects - A test of the thermal equilibrium hypothesis: Oikos, v. 51, no. 3, p. 313-320.

Tiemann, S.G., 1992, Life history patterns and diversity of caddisflies (Trichoptera) in four streams in the Guadalupe River Basin with contrasting temperature and flow regimes: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 72 p.

Young, F.N., and Longley, G., 1975, A new subterranean aquatic beetle from Texas (Coleoptera, Dytiscidae, Hydroporinae): *Annals of the Entomological Society of America*, v. 69, no. 5, p. 787-792. Descriptors: *Maideoporus texanus*, *Morimotoa phreatica*, *Siettitia*.

- Mollusks

Arsuffi, T.L., 1993, Ecology of the giant rams-horn snail (*Marisa cornuarietis*), other biological characteristics and a species/ecological review of the literature of the Comal Springs ecosystem of south central Texas: San Antonio, Texas, Edwards Underground Water District, Final Report, 5 p.

Arsuffi, T.L., and Whiteside, B.G., 1991, Ecology of the introduced giant rams-horn snail (*Marisa cornuarietis*): San Antonio, City of New Braunfels and Edwards Underground Water District, Texas, Final Report, 33 p.

Blackburn, D., Taylor, T.M., and Sutton, D.L., 1971, Temperature tolerance and necessary stocking rates of *Marisa cornuarietis* for aquatic weed control: Proceedings of European Weed Research Council Institute, Symposium on Aquatic Weeds, v. 3, p. 79-85.

Cauble, M.K., 1998, Abundance and distributions of the freshwater snail fauna in Comal Springs-Landa Lake, New Braunfels, Comal County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 34 p.

Cheatum, E.P., 1939, An annotated list of snails from Texas and northern Mexico collected by C.D. Orchars: *Field and Laboratory*, 7, p. 10-16.

Cheatum, E.P., and Fullington, R.W., 1971, Keys to the families of the recent land and freshwater snails of Texas: The Dallas Museum of Natural History, Bulletin I.

Elder, W.P., 1996, Bivalves and gastropods from the Middle Campian Anacacho Limestone, south central Texas, *Journal of Paleontology*, v. 70, no. 2, p. 247-271.

Fullington, R.W., 1982, The recent and fossil freshwater gastropod fauna of Texas, in Davis, J.R., ed., Proceedings of the Symposium on Recent Benthological Investigations in Texas and adjacent states: Texas Academy of Science, Aquatic Sciences Section, p. 61-67.

Hershler, R., and Longley, G., 1986a, *Hadoceras taylori*, a new genus and species of phreatic Hydrobiidae (Gastropoda, Rissoacea) from south central Texas: *Proceedings of the Biological Society of Washington*, v. 99, no. 1, p. 121-136.

- Hershler, R., and Longley, G., 1986b, Phreatic hydrobiids (Gastropoda, Prosobranchia) from the Edwards (Balcones fault zone) aquifer region south central Texas: *Malacologia*, v. 27, no. 1, p. 127-172. Copyright 1986, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Phreatodrobia micra*, *Phreatodrobia nugax nugax*, *Phreatodrobia nugax inclinata*, *Phreatodrobia rotunda*, *Phreatodrobia conica*, *Phreatodrobia plana*, *Phreatodrobia imitata*, *Phreatodrobia punctata*, *Hauffenia micra*, *Horatia nugax*, *Balconorbis uvaldensis*, *Stygopyrgus bartonesus*, troglobitic fauna.
- Hershler, R., and Longley, G., 1987, *Phreatoceras*, a new name for *Hadoceras* (Hershler and Longley), 1986 (Gastropoda non Strand), 1934 (Cephalopoda), in *Proceedings of the Biological Society of Washington*, v. 100, no. 2, p. 402.
- Hershler, R., and Longley, G., 1987, *Phreatodrobia coronae*, a new species of cavesnail from southwestern Texas: *The Nautilus*, v. 101, no. 3, p. 133-139.
- Horne, F.R., Arsuffi, T.L., and Neck, R.W., 1992, Recent introduction and potential botanical impact of the giant ramshorn snail, *Marisa cornuarietis* (Pilidae), in the Comal Springs ecosystem of central Texas: *Southwestern Naturalist*, v. 37, no. 2, p. 194-214. Descriptors: San Marcos River, salamanders.
- Horne, F.R., and McIntosh, S., 1979, Factors influencing distribution of mussels in the Blanco River of central Texas: *Nautilus*, v. 93, no. 4, p. 119-133. Descriptors: *Corbicula manilensis*, *Amblyma plicata plicata*.
- Howard, M., 1998, Feeding performance of the giant rams-horn snail, *Marisa cornuarietis* on different aquatic macrophytes and ecological impacts on the Comal Springs ecosystem: San Marcos, Texas, Southwest Texas State University, M.S. thesis, [variously paged].
- Howells, E.G., 1997, Distributional surveys of freshwater bivalves in Texas - Progress report for 1996: Austin, Texas, Texas Parks and Wildlife Department, Inland Fisheries Division, Management Data Series 144, 52 p.
- Lindholm, J.T., 1979, The gastropods of the upper San Marcos River and their trematode parasites: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 73 p.
- Mather, C.M., 1985, Range extension for *Arcidens confragosus* (Mollusca, Bivalvia, Unionidae) in southwestern Texas: *Texas Journal of Science*, v. 37, no. 1, p. 49-50. Copyright 1985, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Gonzales County, Palmetto State Park, San Marcos River.
- McIntosh, S., 1977, The effects of organic enrichment upon the distribution and abundance of freshwater mussels in the Blanco River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 43 p. Descriptors: Hays County, *Amblyma p. plicata*, *Anodonta imbecillis*, *Corbicula manilensis*, *Cyrtonaias*.



Neck, R.W., 1984, Occurrence of the striped ramshorn snail, *Marisa cornuarietis*, in central Texas (Ampullariidae): *Nautilus*, v. 98, no. 3, p. 119-120. Copyright 1984, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Hays County, San Marcos River.

Salmon, M., Huffman, D.G., Mitchell, A., and Brandt, T., 1998, Trematode associated with exotic snail affecting endangered fish in central Texas: U.S. Fish & Wildlife Service, September 1998.

Skalberg, M.D., and Arsuffi, T.L., 1991, Feeding and performance of the giant ramshorn snail *Marisa-cornuarietis* (Pilidae) on different aquatic macrophytes [abs.]: *Bulletin of the Ecological Society of America*, v. 72 (2 suppl.), p. 250. Copyright 1991, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Ludwigia repens*, *Cabomba caroliniana*, *Vallisneria americana*, Comal River.

### ► Plants, Algae, Fungi, Bacteria

Abbott, P.L., 1986, Edwards heath, in Abbott, P.L., and Woodruff, C.M., Jr., eds., *The Balcones escarpment-geology, hydrology, ecology and social development in central Texas*: Geological Society of America, p. 33-34.

Akridge, R.E., 1982, *The amphibious fungi of the San Marcos River*: San Marcos, Texas, Southwest Texas State University, 31 p.

Akridge, R.E., and Fonteyn, P.J., 1981, Naturalization of *Colocasia esculenta* (Araceae) in the San Marcos River, Texas: *Southwestern Naturalist*, v. 26, no. 2, p. 210-211. Copyright 1981, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Elephant's ear, Spermatophyta.

Akridge, R.E., and Koehn, R.D., 1987, *Amphibious hyphomycetes* from the San Marcos River in Texas: *Mycologia*, v. 79, no. 2, p. 228-233. Copyright 1987, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Triscelophorus, Clavatorspora, *Tetracladium marchalianum*, *Lunulospora curvula*.

Anderson, E., 1904, *Plant societies of the Austin quadrangle*: Austin, Texas, University of Texas, M.S. thesis.

Andersen, T., and Pedersen, O., 2002, Interactions between light and CO<sub>2</sub> enhance the growth of *Riccia fluitans*: *Hydrobiologia*, v. 477, p. 163-170.

Anderstein, M.B., and Lemke, D.E., 1994, First records of the aquatic weed *Hygrophilia polysperma* (Acanthaceae) from Texas: *Sida*, v. 16(2), p. 365-371.

Auken, O.W., Ford, A.L., Stein, A., and Stein, A.G., 1980, Woody vegetation of upland plant communities in the southern Edwards Plateau Texas: *Texas Journal of Science*, v. 32, no. 1, p.

- 23-36. Copyright 1980, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Juniperus ashei*, *Quercus fusiformis*, *Diospyros texana*.
- Beaty, H.E., 1972, *Zizania texana* Hitchcock (Texas wild-rice), a rare and endangered species: Waco, Texas, Baylor University, unpublished, 31 p.
- Beaty, H.E., 1975, Texas wild-rice: *Texas Horticulturist*, v. 2, p. 9-11. Descriptors: *Zizania texana*, endangered species.
- Bio-West, Inc., 2004, Aquatic Vegetation Laboratory Study - Phase 1: Observations of water quality changes and plant growth under various flows; Phase 2: Effects of carbon dioxide level on aquatic plants found in the Comal and San Marcos Springs/River Ecosystems, Final Report, Variable Flow Study, Project 802, Task 27, San Marcos National Fish Hatchery & Technology Center, San Marcos, Texas, [variously paged].
- Boys, C.E., 1970, Vascular aquatic plants for mineral nutrient removal from polluted waters: *Economic Botany*, v. 24, no 1, p. 95-103.
- Bruchmiller, J.P., 1973, Description and keys to the macrophytes of Spring Lake (excluding algae): San Marcos, Texas, Southwest Texas State University, M.S. thesis, 69 p. Descriptors: Aquarena Springs, San Marcos River.
- Bush, J.K., and Van Auken, A.O., 1984, Woody species composition of the upper San Antonio River gallery forest: *Texas Journal of Science*, v. 36, p. 139-148.
- Christensen, C.L., 1978, Observations on the diatom flora from springs along the Balcones Fault, *Texas Algae: Phytologia*, v. 4, no. 2, p. 88-104.
- Correll, D.S., and Correll, H.B., 1975, *Aquatic and Wetland Plants of the South-western United States*, volumes I and II: Stanford University Press, Stanford, CA.
- Crossley, M. N., Dennison, W. C., Williams, R. R., and Wearing, A. H., 2002, The interaction of water flow and nutrients on aquatic plant growth: *Hydrobiologia*. v. 489, p. 63-70.
- Devall, L.L., 1940, A comparative study of plant dominance in spring-fed lake: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 49 p.
- Diamond, D.D., Riskind, D.H., and Orzell, S.L., 1987, A framework for plant community classification and conservation in Texas: *Texas Journal of Science*, v. 39, p. 203-221.
- Emery, W.H.P., 1967, The decline and threatened extinction of Texas wild-rice (*Zizania texana* Hitchcock): *Southwestern Naturalist*, v. 12, p. 203-204. Descriptors: *Zizania texana* Hitchcock.
- Emery, W.H.P., 1977, Current status of Texas wild-rice: *Southwestern Naturalist*, v. 22, p. 393-394. Descriptors: *Zizania texana* Hitchcock.

- Emery, W.H.P., and Guy, M.N., 1979, Reproduction and embryo development in Texas wild-rice (*Zizania texana*): Bulletin of the Torrey Botanical Club, v. 106, no. 1, p. 29-31. Copyright 1979, by Biological Abstracts, Inc. (BIOSIS). Descriptors: endangered species, San Marcos River.
- Ford, A.L., and Van Auken, O.W., 1982, The distribution of woody species in the Guadalupe River floodplain forest in the Edwards Plateau of Texas: Southwestern Naturalist, v. 27, p. 383-392.
- Gregg, W.G., and Rose, F.L., 1982, The effects of aquatic macrophytes on the stream microenvironment: Aquatic Botany, v. 14, p. 309-324.
- Guthrie, D.W., 1985, Leaf litter processing in two central Texas streams: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 39 p. Descriptors: Geronimo Creek, Blanco River, Guadalupe River Basin, Comal County.
- Hannan, H.H., 1967, The introduction and establishment of *Ceratopteris* in Texas: American Fern Journal, 59 p. Descriptors: *Ceratopteris thalictroides*, Spring Lake, San Marcos River Basin.
- Hannan, H.H., and Dorris, T.C., 1970, Succession of a macrophyte community in a constant temperature river: Limnology and Oceanography, v. 15, p. 442-453.
- Koehn, R.D., Kuehn, K.A., and O'Neil, R.M., 1991, Moneran populations indigenous to an artesian community within the Edwards Aquifer: Southwestern Naturalist, v. 36, no. 3, p. 368-373. Descriptors: *Proteus*, *Pseudomonas*, *Serratia*, *Escherichia*, *Bacillus*, *Micrococcus*, *Aerobacter*, *Mycobacterium*, *Chromobacterium*, *Anabaena*, *Anacystis*, *Gloeocapsa*, *Oscillatoria*, *Schizothrix*, macrophytes, *Cannabis* sp., San Marcos.
- Kuehn, K.A., 1987, A mycofloral survey of an artesian community within the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 59 p.
- Kuehn, K.A., and Koehn, R.D., 1988, A mycofloral survey of an artesian community within the Edwards Aquifer of central Texas: Mycologia, v. 80, no. 5, p. 646-652. Copyright 1988, by Biological Abstracts, Inc. (BIOSIS).
- Kuehn, K.A., O'Neil, R.M., and Koehn, R.D., 1992, Viable Photosynthetic Microalgal Isolates from Aphotic Environments of the Edwards Aquifer (central Texas): Stygologia, v. 7, no. (3), p. 129-142, illustr.
- Lemke, D.E., 1989, Aquatic macrophytes of the upper San Marcos River, Hays County, Texas: The Southwestern Naturalist, v. 34, no. 2, p. 289-291. Copyright 1989, by Biological Abstracts, Inc. (BIOSIS).
- Lloyd, J., 1990, Brush control over the Edwards Aquifer: Rangelands, v. 12, no. 5, p. 270-271.
- Lynch, D., C.S.C., 1962, Study of a grassland mosaic at Austin, Texas: Ecology, v. 43, p. 679-686.

- Maschinski, J., Hammond, H.D., and Holter, L., tech. eds., 1996, Southwestern rare and endangered plants: Proceedings of the Second Conference, 1995, September 11-14, Flagstaff, AZ, Gen. Tech. Rep. RM-GTR-283, Fort Collins, CO, U.S., Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, 328 p.
- Mills, J.T., and Johansen, J.R., 2001, A new *Lyngbya* species from Aquarena Springs, San Marcos, Texas: *Journal of Phycology*, v. 27. no. 3, p. 35-36.
- Olesen, B., and T.V. Madsen, 2000, Growth and physiological acclimation to temperature and inorganic carbon availability by two submerged aquatic macrophyte species, *Callitriche cophocarpa* and *Elodea Canadensis*: *Functional Ecology*, v. 14, p. 252-260.
- Munson, J.W., 1946, The distribution of plankton in the San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 97 p.
- O'Neil, R.M., and Kuehn, K.A., 1988, Algae isolated from the aphotic environments of the Edwards Aquifer (central Texas): *American Journal of Botany*, v. 75, no. 6, pt. 2, p. 90-91. [Also published in American Institute of Biological Science, 39<sup>th</sup> annual meeting, Davis, CA, August 14-18, 1988.] Descriptors: *Chlorella*, *Navicula*, *Ankistrodesmus*, *Oscillatoria*, *Stichococcus*.
- Owens, C.S., Madsen, J.D., Smart, R.M., Stewart, R.M., 2001, Dispersal of native and nonnative aquatic plant species in the San Marcos River, Texas; *Journal of Aquatic Plant Management*, v. 39, p. 75-79.
- Palmer, E.J., 1920, Canyon flora of the Edwards Plateau of Texas: *Journal of Arnold Arboretum*, v. 1, p. 233-239.
- Poole, J.M., 1991, Performance report as required by Endangered Species Act, Section 6- Management and continued research on Texas wild-rice (*Zizania texana*): Texas Project E-1-3 Endangered and Threatened Species Conservation Job No. 38.
- Power, P., 1990, Positive effects of anaerobic soils on germination and growth of the endangered species *Zizania texana* (Texas wild-rice) [abs.]: *American Journal of Botany*, v. 77 (6 suppl.), p. 61. Copyright 1990, by Biological Abstracts, Inc. (BIOSIS). Descriptors: San Marcos River
- Power, P., 1996, Direct and indirect effects of floating vegetation mats on Texas wild-rice (*Zizania texana*): *The Southwest Naturalist*, v. 41, no. 4, p. 462-464.
- Power, P., 2002, Resource allocation patterns and phenotypic variation in the endangered Texas wildrice (*Zizania texana*, *Poaceae*): *British Organic*, v. 20, no. 2, p. 571-582.
- Power, P., and Fonteyn, P.J., 1995, Effects of oxygen concentration and substrate on seed germination and seedling growth of Texas wild-rice (*Zizania texana*): *The Southwestern Naturalist*, v. 40, no. 1, p. 1-4

- Ramamoorthy, T.P., and Turner, B.L., 1992, *Nomaphila stricta* (Acanthaceae), a newly discerned aquatic weed in Texas and the first report for North America: *Sida Contributions to Botany*, v. 15, no. 1, p. 115-117. Copyright 1992, by Biological Abstracts, Inc. (BIOSIS).
- Riskind, D.H., and Diamond, D.D., 1986, Plant communities of the Edwards Plateau of Texas-an overview emphasizing the Balcones escarpment zone between San Antonio and Austin with special attention to landscape contrasts and natural diversity, in Abbott, P.L., and Woodruff, C.M., Jr., eds., *The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America*, p. 21-32. Descriptors: Coryell County, Bell County, Travis County, Medina County, Bexar County, Kendall County, Bandera County, Uvalde County, Kinney County, Edwards County, and Real County.
- Schmidt, J.A., 1969, *The wild landscape of the Edwards Plateau of south central Texas - a study of developing livelihood patterns and ecological change: University of Chicago, unpublished M.S. thesis.*
- Sculthorpe, C.D., 1967, *The biology of aquatic vascular plants: St. Martin's Press, New York*, 610 p.
- Short, R.A., and Smith, S.L., 1989, Seasonal comparison of leaf processing in a Texas stream: *American Midland Naturalist*, v. 121, no. 2, p. 219-224.
- Silveus, W.A., 1932, Notes: *Zizania texana* Hitchc: *Journal of Washington Academy of Science*, v. 23, p. 454.
- Silveus, W.A., 1933, *Texas grasses: San Antonio, Texas, The Clegg Co.*, 782 p.
- Staton, L.L., 1992, *Assessment of changes in the aquatic macrophyte community in the upper San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis*, 74 p.
- Strawn, K., 1954, The Pushnet: A One-man net for collecting in attached vegetation: *Copeia* 1954, p. 195-197.
- Tatum, J.W., 1970, *Physicochemical limnology and chlorophyll a of the New Braunfels-Gonzales, Texas, stretch of the Guadalupe River: San Marcos, Texas, Southwest Texas State University, M.S. thesis*, 136 p.
- Terrell, E.E., Emery, W.H.P., and Beaty, H.E., 1978, Observations on *Zizania texana* (Texas wildrice), an endangered species: *Bulletin of the Torrey Botanical Club*, v. 105, no. 1, p. 50-57. Copyright 1978, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Zizania aquatica*, *Zizania palustris*, San Marcos River.
- Thurrowa, A.P., Conner, J.R., Thurrowc, T.L., and Garrigad, M.D., 2001, A preliminary analysis of Texas ranchers' willingness to participate in a brush control cost-sharing program to improve off-site water yields: *Ecological Economics*, v. 37, no. 1, p. 139-152.

Vaughan, J.E., 1986, Population and autoecological assessment of *Zizania texana* Hitchcock (Poaceae) in the San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 29 p.

Wayne, R.E., 2000, Water relations of *juniperus ashei* seedlings and changes in biotic and abiotic factors along an environmental gradient on the Edwards Plateau from under a juniperus woodland canopy into an intercanopy patch: University of Texas, M.S. thesis, 150 p.

Webster, J.R. and Benfield, E.J., 1986, Vascular plant breakdown in freshwater ecosystems: Annual review of Ecological Systematics, v. 17, p. 567-594.

Wilcox, B.P., Owens, M.K., Knight, R.W., and Lyons, R.K., 2005, Do woody plants affect streamflow on semi-arid karst rangelands?: Ecological Applications, v. 15, no. 1, p. 127-136.

Wood, C.E., and Wood, J.E., 1989, Riparian forests of the Leona and Sabinal Rivers Texas: Texas Journal of Science, v. 41, no. 4, p. 395-412. Copyright 1989, by Biological Abstracts, Inc. (BIOSIS).

## ► Vertebrates

Hubbs, C.L., Longley, G., Telfair, R.C., II, Baccus, J., and Potter, F.E., Jr., 1979, TOES watch-list of endangered, threatened, and peripheral vertebrates of Texas: Texas Organization for Endangered Species, 14 p.

Oberholser, H.D., Kincaid, E.B., Jr., and Fuertes, L.A., 1974, The bird life of Texas: Austin, Texas, University of Texas Press, 2 volumes, 1,069 p.

Texas Organization for Endangered Species, 1988, Endangered, threatened, and watch list of vertebrates of Texas: Texas Organization for Endangered Species Publication 6, 16 p.

- Amphibians

Andrews, M.M., 1962, Induced metamorphosis in neotenic salamanders: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 32 p.

Bailey, L.L., 2004, Evaluating elastomer marking and photo identification methods for terrestrial salamanders: marking effects and observer bias: Herpetological Review v. 35, no. 1, p. 38-41.

Baker, J.K., 1957, *Eurycea troglodytes*, a new blind cave salamander from Texas: Texas Journal of Science, v. 9, no. 3, p. 326-328.

- Baker, J.K., 1961, Distribution of and key to the *neotenic Eurycea* of Texas: Southwest Naturalist, v. 6, no. 1, p. 27-32.
- Barnhart, R.W., 1975, An application of numerical taxonomy to the genus *Eurycea* (Urodela, Plethodontidae) as found on the Edwards Plateau, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 46 p. Descriptors: *Eurycea nana*, *Eurycea neotenes*, *Eurycea pterophila*.
- Berkhouse, C.S., and Fries, J.N., 1995, Critical thermal maxima of juvenile and adult San Marcos salamanders (*Eurycea nana*): Southwestern Naturalist, v. 40, no. 4, p. 430-434.
- Berkhouse, C., and Fries, J., 1995, The critical thermal maximum of San Marcos salamanders: National Biological Service Information Bulletin, no. 43, 2 p.
- Bishop, S.C., 1941, Notes on salamanders with description of several new forms: Occ. Pap. Mus. Zool., University of Michigan, no. 451, p. 6-9.
- Bishop, S.C., 1962, Handbook of salamanders: Hafner Publishing Company, New York, New York, 555 p.
- Bogart, J.P., 1967, Life history and chromosomes of some of the neotenic salamanders of the Edwards (sic) Plateau: Austin, Texas, University of Texas, unpublished M.S. thesis, 79 p.
- Bonner, T., 1996, Effects of temperature on egg production and early life stages of fountain darters: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 20 p.
- Bonner, T., Brandt, T.M., Fries, J.N., and Whiteside, B.G., 1998, Effects of temperature on egg production and early life stages of fountain darters: Transactions of the American Fisheries Society, v. 127, p. 971-978.
- Bonett, R.M., and P.T. Chippindale, 2004, Speciation, phylogeography and evolution of life history and morphology in plethodontid salamanders of the *Eurycea multiplicata* complex: Molecular Ecology (2004), v. 13, p.1189-1203.
- Brown, B.C., 1967, *Eurycea nana*: Catalogue of American amphibians and reptiles, 35 p.
- Brown, W.H., 1954, The Texas dwarf neotenic salamander: Aquarist (San Antonio Aquarium Society), v. 3, no. 3, p. 85-89.
- Burger, W.L., Smith, H.M., and Potter, F.E., Jr., 1950, Another *neotenic Eurycea* from the Edwards Plateau: Proceedings of the Biological Society, Washington, v. 63, p. 51-58.
- Burr, B.M., 1978, Systematics of the percid fishes of the subgenus *Microperca*, genus *Etheostoma*: Bulletin of Alabama Museum of Natural History, v. 4, p. 1-53.

- Chippindale, P.T., Bonett, R.M., Baldwin, A.S., and Wiens, J.J., 2004, Phylogenetic evidence for a major reversal of life-history- Evolution in plethodontid salamanders: *Evolution*, v. 58, no. 12, p. 2809-2822.
- Chippindale, P.T., and Price, A.H., 1993, Status and relationships of central Texas nontransforming salamander, *Eurycea and Typhlomolge*, with special emphasis on the Barton Springs salamander, *Eurycea sp.*: Austin, Texas, Texas Parks and Wildlife Department, Section 6 Interim Report, [variously paged].
- Chippindale, P.T., Hills, D.M., and Price, A.H., 1990, Molecular studies of Edwards Plateau neotenic salamanders *Eurycea and Typhlomolge*: Section 6 Perf. Report, no. E-1-2(3-4), p. 1-37.
- Chippindale, P.T., Hills, D.M., and Price, A.H., 1992, Central Texas neotenic salamanders (*Eurycea and Typhlomolge*): Taxonomic status, relationships, and genetic differentiations: Austin, Texas, U.S. Fish and Wildlife Service Section 6 Interim Report, [variously paged].
- Chippindale, P.T., Hills, D.M., and Price, A.H., 1993, A new species of perennibranchiate salamander (*Eurycesa: Plethodontidae*) from Austin, Texas: *Herpetologica*, v. 49, p. 248-259.
- Chippindale, P.T., Hills, D.M., and Price, A.H., 1994, Relationships, status, and distribution of central Texas hemidactyline plethodontid salamanders (*Eurycea and Typhlomolge*): Austin, Texas, U.S. Fish and Wildlife Service Final Section 6 Report, [variously paged].
- City of Austin, 1999, The Jollyville Plateau water-quality and salamander assessment: City of Austin, Watershed Protection Department, Environmental Resource Management Division, Water Quality Report Series COA-ERM 1999-01.
- Cole, R.A., Hutchinson, V.H., Roesner, L.A., Schram, M.D., and Yelderman, J.C., 1995, A review of the status of critical biological and ecological information on the *Eurycea* salamanders located in Travis County, Texas: Texas Parks and Wildlife Department, Resource Protection Division, [variously paged].
- Conrads, L.M., 1969, Demography and ecology of the fern bank salamander, *Eurycea pterophila*: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 38 p. Descriptors: Hays County, Fern Bank Spring.
- Dowden, D.L., 1968, Population dynamics of the San Marcos salamander, *Eurycea nana*: San Marcos, Texas, Southwest Texas State University, 44 p.
- Federal Register, 1994, Endangered and threatened wildlife and plants; Proposal to list the Barton Springs Salamander as endangered, 59 FR 7968, Thursday, February 17, 1994, V. 59, No. 033, (DIALOG® File 669).
- Federal Register, 1995, Endangered and threatened wildlife and plants; Notice of six-month extension and reopening of Public Comment period on the proposed rule to list the Barton



- Springs Salamander as an endangered species, 60 FR 13105, Friday, March 10, 1995, V. 60, No. 047, (DIALOG® File 669).
- Federal Register, 1995, Endangered and threatened wildlife and plants; 90-day finding for a petition to list the Comal Springs Salamander, 60 FR 31137, Tuesday, June 13, 1995, V. 60, No. 113, (DIALOG® File 669).
- Federal Register, 1996, Endangered and threatened wildlife and plants; Reopening of comment period on proposed endangered status for Barton Springs Salamander, 61 FR 32413, Monday, June 24, 1996, V. 61, No. 122, (DIALOG® File 669).
- Federal Register, 1996, Endangered and threatened wildlife and plants; Notice of six month extension on the proposed rule to list the Barton Springs Salamander as an endangered species, 61 FR 38702, Thursday, July 25, 1996, V. 61, No. 144, (DIALOG® File 669).
- Federal Register, 1996, Endangered and threatened wildlife and plants; Withdrawal of proposed rule to list the Barton Springs Salamander as endangered, 61 FR 46608, Tuesday, September 04, 1996, V. 61, No. 172, (DIALOG® File 669).
- Federal Register, 1997, Endangered and threatened wildlife and plants; Final Rule to list the Barton Springs Salamander as endangered, 62 FR 23377, Wednesday, April 30, 1997, V. 62, No. 083, (DIALOG® File 669).
- Fries, J.N., 2002, Upwelling flow velocity preferences of captive adult San Marcos salamanders: North American Journal of Aquaculture, v. 64, p. 113-116.
- Hamilton, A., 1973, Some taxonomic aspects of certain paedgenetic Eurycea of the Blanco River drainage system in Hays and Blanco Counties, Texas: Southwest Texas State University, San Marcos, M.S. thesis, 65 p.
- Hay, R.T., 1994, Blind salamanders, Minority representation, and the Edwards Aquifer: reconciling Use-Based Management of Natural Resources with the Voting Rights Act of 1965: St. Mary's Law Journal, v. 25, no. 4, p. 1,449.
- Hillis, D.M., Chamberlain, D.A., Wilcox, T.P., and Chippindale P.T., 2001, A new species of subterranean blind salamander (*Plethodontidae: Hemidactyliini: Eurycea: Typhlomolge*) from Austin, Texas, and a systematic revision of central Texas paedomorphic salamanders: Herpetologica, v. 57, no. 3, p. 266-280.
- Hoslinger, J.R., 1966, Subterranean amphipods of the genus *Stygonectes* (Gammaridae) from Texas: American Midland Naturalist, v. 76, no. 1, p. 100-124.
- Hoslinger, J.R., 1967, Systematics, speciation and distribution of the subterranean amphipos genus *Stygonectes* (*Gammaridae*): Bulletin U.S. Nat. Mus., v. 259, 176 p.

- Hoslinger, J.R., and Longley, G., 1980, The subterranean amphipod crustacean fauna of an artesian well in Texas, USA: *Smithsonian Contributions to Zoology*, v. 308, p. 1-62.
- Jordan, T., Roberts, D.T., and Schleser, D.M., 1992, Captive reproduction of *Eurycea neotens*, the Comal Springs salamander at the Dallas Aquarium: *American Association of Zoological Parks and Aquariums, Regional Conference proceedings*.
- Longley, G., 1977, *Typhlomolge (Eurycea) rathbuni*, in *Endangered and threatened amphibians and reptiles in the United States: Society for the Study of Amphibians and Reptiles*, 6 p.
- Longley, G., 1978, Status of *Typhlomolge (Eurycea) rathbuni*, the Texas blind salamander: U.S. Fish and Wildlife Service *Endangered Species Report* 2, 45 p. (Report under contract 14-16-0002-3727.)
- MacKay, M.R., 1952, The spermatogenesis of the neotenic salamander *Eurycea nana* Bishop: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 35 p.
- Mahr, C.E., and Paulson, T.L., 1966, *The life of the cave*: New York, McGraw-Hill, 232 p. Descriptors: *Eurycea*, *Eurycea rathbuni*.
- Marsh, D.M., and Trenham, P.C., 2001, Metapopulation dynamics and amphibian conservation: *Conservation Biology*, v 15, no. 1, p. 40-49.
- McKean, T., G. Li and K. Wei, 2002, Cardiac effects of hypoxia in the neotenic tiger salamander *Ambystoma tigrinum*: *The Journal of Experimental Biology*, v. 205, p. 1725-1734.
- Mitchell, R.W., and Reddell, J.R., 1965, *Eurycea tridentifera*, a new species of troglotic salamander from Texas and a reclassification of *Typhlomolge rathbuni*: *Texas Journal of Science*, v. 17, no. 1, p. 12-27.
- Mitchell, R.W., and Smith, R.E., 1972, Some aspects of the osteology and evolution of the neotenic spring and cave salamanders (*Eurycea*, *Plethodontidae*) of central Texas: *Texas Journal of Science*, v. 23, p. 343-362. Descriptors: *Eurycea tridentifera*, *Eurycea latitans*, *Eurycea nana*, *Eurycea troglodytes*, *Eurycea rathbuni*, *Eurycea neotenes*, *Eurycea pterophila*.
- Murray, H.D., and Roy, E.C., 1968, Checklist of freshwater and land mollusks of Texas: *Sterkeriana*, v. 30, p. 25-42.
- Nelson, J.N., 1993, Population size, distribution, and life history of *Eurycea nana* in the San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 73 p.
- Norris, W.E., Jr., Grandy, P.A., and Davis, W.K., 1963, Comparative studies on the oxygen consumption of three species of neotenic salamanders as influenced by temperature, body size, and oxygen tension: *Biological Bulletin*, v. 125, no. 3, p. 523-533. Descriptors: *Eurycea neotenes*, *Eurycea pterophila*, *Eurycea nana*.

- Potter, F.E., Jr., and Sweet, S.S., 1981, Generic boundaries in Texas cave salamanders and a redescription of *Typhlomolge robusta* (Amphibia, Plethodontidae): *Copeia*, no. 1, p. 64-75. Copyright 1981, by Biological Abstracts, Inc. (BIOSIS).
- Price, A.H., Chippindale, P.T., and Hillis, D.M., 1995, A status report on the threats facing populations of perennibranchiate hemidactyliine plethodontid salamanders of the genus *Eurycea* north of the Colorado River in Texas: Final Section 6 Report, Part III, Texas Parks and Wildlife Department, Austin, Texas.
- Russell, B., 1976, Distribution of troglobitic salamanders in the San Marcos area, Hays County, Texas: Texas Association for Biological Investigations of Trilobitic *Eurycea* (BITE) Report 7601, 35 p.
- Sheafor, E.A., Wood, S.C., and Tattersall, G.J., 2000, The effect of graded hypoxia on the metabolic rate and buccal activity of a lungless salamander (*Desmognathus Fuscus*): *The Journal of Experimental Biology*, v. 203, p. 3785-3793.
- Schram, M.D., 1995, Comments and recommendations for salamander conservation in the Travis County area: *in* A Review of the Status of Current Critical Biological and Ecological Information on the *Eurycea* Salamanders Located in Travis County, Texas, November 15, 1995, Prepared by the Aquatic Biological Assessment Team.
- Schwetmen, N.H., 1967, A morphological study of the external features, viscera, integument, and skeletons of *Eurycea nana*: Waco, Texas, Baylor University, M.A. thesis, [variously paged].
- Stejneger, L., 1896, Description of a new genus and species of blind tailed batrachians from the subterranean waters of Texas: *Proceedings of the U.S. National Museum*, v. 23, no. 1088, p. 619-621. Descriptors: *Typhlomolge rathbuni*, Hays County.
- Sweet, S.S., 1977, Natural metamorphosis in *Eurycea neotenes*, and the generic allocation of the Texas *Eurycea* (Amphibia: Plethodontidae): *Herpetologica*, V. 33, p. 344-345.
- Sweet, S.S., 1978, The evolutionary development of the Texas *Eurycea* (Amphibia, Plethodontidae): Berkeley, California, University of California, Ph.D. dissertation, 450 p.
- Sweet, S.S., 1982, A distribution analysis of epigeal populations of *Eurycea neotenes* in Central Texas, with comments on the origin of troglobitic populations: *Herpetologica*, v. 38, no. 3, p. 430-444.
- Sweet, S.S., 1984, Secondary contact and hybridization in the Texas cave salamanders *Eurycea neotenes* and *Eurycea tridentifera*: *Copeia*, 1984, v. 4, p. 28-441.
- Tupa, D.D., and Davis, W.K., 1976, Population dynamics of the San Marcos, Texas salamander *Eurycea nana*: *Texas Journal of Science*, v. 27, no. 1, p. 179-195. Copyright 1976, by Biological Abstracts, Inc. (BIOSIS).

Turner, M.A., 2004, Some water quality threats to the Barton Springs Salamander at low flows: City of Austin Report, [variously paged].

U.S. Fish and Wildlife Service, 1978, Status of the Texas blind salamander: U.S. Fish and Wildlife Service, Endangered Species Report 2, Albuquerque, New Mexico.

U.S. Fish and Wildlife Service, 1980, Selected vertebrate endangered species of the seacoast of the United States - the Texas blind salamander: Biological Services Program, OWS/OBS-80/01.14.

U.S. Fish and Wildlife Service, 1992, Endangered and threatened wildlife and plants-notice of finding on petition to list Barton Springs salamander: Federal Register, V. 57, No. 239, p. 58,779-58,781. Descriptors: *Eurycea* sp.

U.S. Fish and Wildlife Service, 2004, Draft recovery plan for the Barton Springs salamander (*Eurycea sosorum*): U.S. Fish and Wildlife Service, Albuquerque, NM, [variously paged].

Woodard, D.W., 1980, Selected vertebrate endangered species of the seacoast of the U.S. - the Texas blind salamander: U.S. Fish and Wildlife Service Report 80/01.14, 5 p.

- Fishes

Albritton, E.M., 1994, The Endangered Species Act: The Fountain Darter teaches what the Snail Darter failed to teach: Ecology Law Quarterly, v. 21, no. 4, p. 1,007-1,066.

Anderson, A.A., Hubbs, C., Winemiller, K.O., and Edwards, R.J., 1995, Texas freshwater fish assemblages following three decades of environmental change: The Southwestern Naturalist, v. 40, no. 3, p. 314-321.

Anderson, K.A., Rosenblum, R.M., Whiteside, B.G., Standage, R.W., and Brandt, T.M., 1998, Controlled spawning of longnose darters: Progressive Fish-Culturist, v. 60, p. 137-145.

Bailey, R.M., and Gosline, W.A., 1955, Variations and systematic significance of vertebral counts in the American fishes of the family Percidae: Misc. Publ. Mus. Zoology, University of Michigan, no. 93, 44 p.

Bergin, S., Arsuffi, T., Whiteside, B.G., Brandt, T.M., and Fries, J.N., 1995, Food of the fountain darter (*Etheostoma fonticola*) in the Comal River, New Braunfels, Texas (August and November 1993): Interim Project Report, February 1995, 21 p.

Brandt, T.M., Graves, K.G., Berkhouse, C.S. Simon, T.P., and Whiteside, B.G., 1993, Laboratory spawning and rearing of the endangered fountain darter: The Progressive Fish-Culturist, v. 55, p. 149-156. Descriptors: *Etheostoma fonticola*.

Brown, W.H., 1953, Introduced fish species of the Guadalupe River Basin: Texas Journal of Science, v. 5, p. 245-251.

- Brown, W.H., 1955, Egg production of the fish *Hadropterus scierus* apristis in San Marcos River, Texas: Copeia, p. 149-150.
- Cantu, V., 2003, Spatial and temporal variation of *Centrocestus Formosanus* in river water and endangered fountain darters (*Etheostoma Fonticola*) in the Comal River, Texas: San Marcos, Texas, Texas State University, M.S. thesis, 58 p.
- Chamberlain, D.A., and O'Donnell, L., City of Austin's captive breeding program for the Barton Springs and Austin blind salamanders: City of Austin, Watershed Protection and Development Review Department, [variously paged].
- Collette, B.B., 1962. The swamp darters of the subgenus *Hololepis* (Pisces, Percidae): Tulane Stud., Zoology, v. 9, p. 115-211.
- Collette, B.B., 1965, Systematic significance of breeding tubercles in fishes of the family Percidae: Proceedings of the U.S. National Museum, v. 117, p. 567-614. Descriptors: *Etheostoma fonticola*, endangered and threatened species.
- Collette, B.B., and Barnarescu, S., 1977, Systematics and zoogeography of the fishes of the family Percidae: Journal Fish Resource Board Canada, v. 34, p. 1,450-1,463.
- Cooper, J.E., and Longley, G. 1980a, *Satan eurystomus* Hubbs and Bailey, in Lee, D.S., and others, eds., Atlas of North American freshwater fishes: North Carolina Biological Survey Publication 1980-12, p. 473.
- Cooper, J.E., and Longley, G., 1980b, *Trogloglanis pattersoni*, in Lee, D.S., and others, eds., Atlas of North American freshwater fishes: North Carolina Biological Survey Publication 1980-12, p. 474.
- Davis, J.B., 1980, A comparison of growth of largemouth bass from selected areas of Canyon Reservoir, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 47 p.
- Davis, J.R., 1975, The ecology of the helminth parasites of *Gambusia affinis* and *Gambusia geiseri* (Osteichthyes: Poeciliidae) in the area of San Marcos, Texas: Guadalupe-Blanco River Authority, Report 101, 161 p.
- Davis, J.R., 1982, Macrobenthic diversity of Cibolo Creek, an interrupted, south central Texas stream in Davis, J.R., ed., Proceedings of the symposium on Recent Benthological Investigations in Texas and Adjacent States: Texas Academy of Sciences, Aquatic Sciences Section, p. 79-94.
- Davis, J.R., and Huffman, D.G., 1977, A comparison of the Helminth parasites of *Gambusia affinis* and *Gambusia geiseri* (Osteichthyes, Poeciliidae) from the upper San Marcos River: Southwestern Naturalist, v. 22, no. 3, p. 359-366.

- Davis, J.R., and Huffman, D.G., 1978, Some factors associated with the distribution of Helminths among individual Mosquito-fish, *Gambusia affinis*: Texas Journal of Science, v. 30, no. 1, p. 43-53.
- Deacon, J.E., Kobetich, G.C., Williams, J.D., and Contreras, S., 1979, Fishes of North America endangered, threatened, or of special concern: Fisheries, v. 4, no. 2, p. 29-44.
- Drewry, G.E., Delco, E.A., Jr., and Hubbs, C.L., 1958, Occurrence of the Amazon molly, *Mollienesia formosa*, at San Marcos, Texas: Texas Journal of Science, v. 10, p. 489-490.
- Edwards Aquifer Research & Data Center, 1998, Microhabitat utilization and fish survey of the Cibolo Creek, San Marcos, Texas: San Marcos, Texas, Southwest Texas State University Edwards Aquifer Research & Data Center, 52 p.
- Edwards Aquifer Research & Data Center, 1998, Microhabitat utilization and fish survey of the San Antonio River, San Marcos, Texas: Edwards Aquifer Research & Data Center, Southwest Texas State University, 59 p.
- Edwards, R.J., 1979, A report of Guadalupe bass (*Micropterus treculi* x) smallmouth bass (*Micropterus dolomieu*) hybrids from two localities in the Guadalupe River Texas: Texas Journal of Science, v. 31, no. 3, p. 231-238. Copyright 1979, by Biological Abstracts, Inc. (BIOSIS).
- Eigenmann, C.H., 1919, *Trogloglanis pattersoni*, a new blind fish from San Antonio, Texas: Proceedings of the American Philosophical Society, v. 58, p. 397-400.
- Evermann, B.W., and Kendall, W.C., 1894, Fishes of Texas and the Rio Grande Basin, considered chiefly with reference to their geographic distribution: Bulletin of the U.S. Fisheries Commission for 1892, p. 57-126. Descriptors: *Etheostoma fonticola*, endangered and threatened species.
- Findsteisen, J.A., 1997, An assessment of fishes, biotic integrity, and fish habit utilization in the lower San Antonio River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, [variously paged].
- Gonzales, M., 1988, An examination of the biotic integrity of the upper San Antonio River based on fish community attributes: San Marcos, Texas, Southwest Texas State University, M.S. thesis, [variously paged].
- Hendrickson, D.A., Krejca, J.K., 2000, Cavefish and subterranean freshwater biodiversity in northeastern Mexico and Texas, in Abell, R.A., Olson, D.M., Dinerstein, E., and Hedao, P., eds., Freshwater Ecoregions of North America: A conservation Assessment, p. 41-43.
- Hubbs, C.L., 1954, A new Texas subspecies, apristis, of the darter *Hadropterus scierus*, with a discussion of variation within the species: American Midland Naturalist, v. 52, p. 211-220.

- Hubbs, C.L., 1954, Corrected distributional records for Texas fresh water fishes: Texas Journal of Science, v. 6, p. 277-291.
- Hubbs, C.L., 1957, Distributional patterns of Texas fresh-water fishes, Southwestern Naturalist, v. 2, p. 89-104.
- \_\_\_\_\_, 1957, Fertility of F1 hybrids between the percid fishes, *Etheostoma spectabile* and *E. lepidum*: Copeia, 1958, p.57-59.
- \_\_\_\_\_, 1958, A checklist of Texas fresh-water fishes (revised ed.): Texas Game and Fish Commission IF Series 3, 14 p.
- \_\_\_\_\_, 1959, Laboratory hybrid combinations among etheostomatine fishes: Texas Journal of Science, v. 11, no. 1, p. 49-56.
- \_\_\_\_\_, 1960, Duration of sperm function in the percid fishes *Etheostoma lepidum* and *E. spectabile*, associated with sympatry of the parental populations: Copeia 1, p. 1-8.
- \_\_\_\_\_, 1961, A checklist of Texas fresh-water fishes: Texas Game and Fish Commission IF Series 3, 14 p.
- \_\_\_\_\_, 1964, Interactions between a bisexual fish species and its gynogenetic sexual parasite: Texas Memorial Museum Bulletin 8, 72 p.
- \_\_\_\_\_, 1967, Geographic variations in survival of hybrids between etheostomatine fishes: Texas Memorial Museum Bulletin 13, 72 p.
- \_\_\_\_\_, 1971, Fishes of Texas caves: in Natural History of Texas Caves, Lundelius, B.H., and Slaughter, E.L., eds., Gulf Natural History, Texas, p. 91-93.
- \_\_\_\_\_, 1971, Survival of intergroup percid hybrids: Japanese Journal of Ichthyology, 18, p. 65-75.
- \_\_\_\_\_, 1971, Teleost hybridization studies: Proceedings, California Academy of Science, v. 38, p. 289-297.
- \_\_\_\_\_, 1971, Texas cave fishes, in Lundelius, E.L., Jr., and Slaughter, B.H., eds., Natural history of Texas caves: Dallas, Texas, Gulf Natural History, p. 91-93.
- \_\_\_\_\_, 1972, A checklist of Texas freshwater fishes: Austin, Texas, Texas Parks and Wildlife Department Technical Series 11, 11 p.
- \_\_\_\_\_, 1982, A checklist of Texas fresh water fishes: Texas Parks and Wildlife Department Technical Series 11, 14 p.

- \_\_\_\_\_, 1982, Occurrence of exotic fishes in Texas waters: Austin, Texas, Texas Memorial Museum Pearce-Sellards Series No. 36, 19 p.
- Hubbs, C.L., 1985, Darter reproductive seasons: *Copeia*, v. 85, no. 1, p. 56-68. Descriptors: *Etheostoma lepidum*, *Etheostoma spetabile*, *Percina caprodes*.
- \_\_\_\_\_, 1985, Use of darter hybrids in home aquaria: *The American Currents*, November, p. 7-10.
- \_\_\_\_\_, 1990, Snails as a food source for *Gambusia*: *Texas Journal of Science*, v. 42, p. 245-256.
- \_\_\_\_\_, 1991, Intrageneric "cannibalism" in *Gambusia*: *Southwestern Naturalist*, v. 36, p. 153-157.
- \_\_\_\_\_, 1992, Geographic variation in cannibalism of congeneric young by *Gambusia* adults: *Desert Fishes Council Proceedings*, p. 43-52.
- \_\_\_\_\_, 2000, *Gambusia affinis* survival in a hostile environment: *Southwest Naturalist*, v. 45, no. 4, p. 521-522.
- \_\_\_\_\_, 2001, Environmental correlates to the abundance of spring-adapted versus stream-adapted fishes: *Texas Journal of Science*, v. 53, no. 4, p. 299-326.
- Hubbs, C.L., (no date), List of rare and endangered minnows: Austin, Texas, University of Texas, Unpublished memo, 1 p.
- Hubbs, C.L., and Armstrong, N.E., 1962, Developmental temperature tolerance of Texas and Arkansas – Missouri *Etheostoma spectabile* (Percidae, Osteichthyes): *Ecology*, 43, p. 742-744.
- Hubbs, C.L., Baird, R.C., and Gerald, J.W., 1967, Effect of dissolved oxygen concentration and light intensity on the activity cycles of fishes inhabiting warm springs: *American Midland Naturalist*, 77, p. 104-115.
- Hubbs, C.L., and Bailey, R.M., 1947, Blind catfishes from artesian waters of Texas: Ann Arbor, Michigan, University of Michigan, Occasional Papers of the Museum of Zoology, no. 499, 15 p.
- Hubbs, C.L., and Black, J.D., 1954, Status and synonymy of the American percid fish, *Hadropterus scierus*: *American Midland Naturalist*, 52, p. 301-320.
- Hubbs, C.L., and Delco, E.A., Jr., 1960, Mate preference in males of four species of gambusine fishes: *Evolution*, v. 14, no. 2, p. 145-152.



- Hubbs, C.L., and Delco, E.A., Jr., 1962, Courtship preferences of *Gambusia affinis* associated with the sympatry of the parental populations: *Copeia*, v. 62, no. 2, p. 319-400. Descriptors: San Marcos River.
- Hubbs, C.L., Drewry, G.E., and Delco, E.A., Jr., 1958, Occurrence of the American molly, *Molliensia formosa*, at San Marcos, Texas: *Texas Journal of Science*, v. 10, p. 489-490.
- Hubbs, C.L., Edwards, R.J., and Garrett, G.P., 1991, An annotated checklist of the freshwater fishes of Texas with keys to identification of species: *Texas Journal of Science*, v. 43, no. 4, p. 56.
- Hubbs, C.L., and Johnson, M.V., 1961, Differences in the egg complement of *Hadropterus scierus* from Austin and San Marcos: *Southwestern Naturalist*, v. 6, no. 1, p. 9-12.
- Hubbs, C.L., and Karges, J., 1999, Additional data on habitat partitioning in *Gambusia*: *Texas Journal of Science*, v. 51, no. 4, p. 339-341.
- Hubbs, C.L., Kuehne, R.A., and Ball, J.C., 1953, The fishes of the upper Guadalupe River, Texas: *Texas Journal of Science*, v. 5, no. 2, p. 216-244.
- Hubbs, C.L., and Laritz, M., 1961, Occurrence of a natural intergeneric etheostomatine fish hybrid: *Copeia*, v. 61, no. 2, p. 231-232. Descriptors: San Marcos River.
- Hubbs, C.L., Lucier, T., Garrett, G.P., Edwards, R.J., Dean, S.M., Marsh, E., and Belk, D., 1978, Survival and abundance of introduced fishes near San Antonio: *Texas Journal of Science*, v. 30, no. 4, p. 369-376.
- Hubbs, C.L., and Peden, A.E., 1968, Notes on the distribution of black bass (*Micropterus*) in the San Marcos River, Hays County, Texas: *Texas Journal of Science*, v. 20, no. 2, p. 193-194. Copyright 1968, by Biological Abstracts, Inc. (BIOSIS).
- Hubbs, C.L., and Peden, A.E., 1969, *Gambusia georgei* sp. *November* from San Marcos, Texas: *Copeia* 1969, no. 2, p. 357-364.
- Hubbs, C.L., and Springer, V.G., 1957, A revision of the *Gambusia nobilis* species group, with descriptions of three new species and notes on their variation, ecology, and evolution: *Texas Journal of Science*, v. 9, no. 3, p. 279-327. Descriptors: salamanders.
- Hubbs, C., Stevenson, J.M., and Peden, A.E., 1968, Fecundity and eggs size in two central Texas darters populations: *Southwestern Naturalist*, v. 13, p. 301-324.
- Hubbs, C., and Strawn, K., 1956, Interfertility between two sympatric fishes, *Notropis lutrensis* and *Notropis venustus*: *Evolution*, 10, p. 341-344.

- Hubbs, C., and Strawn, K., 1957, Differences in the developmental temperature tolerance of central Texas and northern stocks of *Percina caprodes* (Percidae, Osteichthyes): Southwest Naturalist, v. 8, p. 43-45.
- Hubbs, C., and Strawn, K., 1957, Relative variability of hybrids between the darters *Etheostoma spectabile* and *Percina caprodes*: Evolution, v. 11, p. 1-10.
- Hubbs, C., and Strawn, K., 1957, Survival of F1 hybrids between fishes of the subfamily Etheostominae: Journal of Experimental Zoology, v. 134, p. 33-62. Descriptors: *Etheostoma fonticola*.
- Hubbs, C., and Strawn, K., 1957, The effects of light and temperature on the fecundity of the greenthroat darter, *Etheostoma spectabile*: Ecology, v. 38, p. 596-602.
- Huffman, D.G., and Moravec, F., 1988, First description of adult *Huffmanella huffmani* Moravec 1987 (Nematoda, Trichosomoididae) from the swimbladder of centrarchid fishes of the upper San Marcos River central Texas: Folia Parasitologica (Prague), v. 35, no. 3, p. 227-234. Copyright 1988, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Ambloplites rupestris*, *Lepomis* sp.
- Hurst, H., Hubbs, C.L., and Bass, G., 1975, The biology of the Guadalupe, *Suwannee*, redeye bass, in Stroud, Richard, and Clepper, Henry, eds., Black bass biology and management: Sport Fishing Institute, p. 47-57.
- Itzkowitz, M., and Nyby, J., 1982, Field observations of parental behavior of the Texas Cichlid *Cichlasoma cyanoguttatum*: American Midland Naturalist, v. 108, no. 2, p. 364-368. Copyright 1982, by Biological Abstracts, Inc. (BIOSIS). Descriptors: San Antonio River, San Marcos River.
- Johnson, J.E., and Hubbs, C.L., 1989, Status and conservation of poeciliid fishes, in Meffe, Gary, and Snelson, F.B., Jr., eds., Biology of the poeciliids, p. 301-317.
- Johnson Linam, L.A., 1993, A reassessment of the distribution, habitat preference, and population size estimate of the fountain darter (*Etheostoma fonticola*) in the San Marcos River, Texas, in Endangered and threatened species conservation-conservation of the upper San Marcos and Comal ecosystems: Austin, Texas, Texas Parks and Wildlife Final report as required by the Endangered Species Act, Section 6, Project No. E-1-4, Job No. 2.5, 13 p. Descriptors: *Etheostoma fonticola*, *Rhizoclonium*, *Ludwigia* sp., *Potamogeton* sp., *Vallisneria*.
- Jordan, D.A., and Gilbert, C.H., 1886, List of fishes collected in Arkansas, Indian Territory, and Texas, in September 1884, with notes and descriptions: Proceedings of the U.S. National Museum, v. 9, p. 1-25.
- Jurgens, K.C., 1951, The distribution and ecology of the fishes of the San Marcos River: Austin, Texas, University of Texas, M.S. thesis, 32 p.

- Jurgens, K.C., and Hubbs, C.L., 1953, A checklist of Texas freshwater fishes: Texas Game and Fish, v. 11, no. 4, p. 12-15.
- Kelsey, T., 1997, Fish community structure and water quality assessment (index of biotic integrity) of the San Marcos River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 98 p.
- Klaus, B., 1991, A survey of the endoparasitic helminths of *Dionda episcopa*, the roundnose minnow, and *Astyanax mexicanus*, the Mexican tetra, from the San Marcos and Comal Rivers, Texas: San Marcos, Texas, Southwest Texas State University, M.A. thesis, 50 p.
- Kuehne, R.A., 1955, Stream surveys of the Guadalupe and San Antonio Rivers: Austin, Texas, Division of Inland Fisheries, Texas Game and Fish Commission, IF Report Series No. 1, 56 p.
- Langecker, T.G., and Longley, G., 1993, Blind catfish (*Trogloglagnis* [*Trogloglanis*] *pattersoni* and *Satan eurystomus*) from deep artesian waters: a study on convergent adaptation to cave and deep-sea biota, GSF-BERICHT 7 1992(1993), p. 239-255, illustr.
- Langecker, T.G., and Longley, G., 1993, Morphological adaptations of the Texas blind catfishes *Trogloglanis pattersoni* Eigenmann 1919 and *Satan eurystomus* Hubbs and Bailey 1947 (Siluriformes, Ictaluridae) to their underground environment: Copeia, v. 93, no. 4.
- Linam, G.W., Mayes, K.B., and Saunders, K.S., 1993, Habitat utilization and population size estimate of fountain darters, *Etheostoma fonticola*, in the Comal River, Texas: Texas Journal of Science, v. 45, no. 4, p. 341-349.
- Longley, G., and Karnei, H.S., 1979, Status of *Trogloglanis pattersoni* Eigenmann, the toothless blindcat fish: U.S. Fish and Wildlife Service Endangered Species Report 5, pt. 1, 54 p.
- Lowman, F.G., 1958, Basic survey and inventory of fish species present, as well as their distribution in the San Marcos River, its tributaries and watershed lying within Hays, Caldwell, Guadalupe and Gonzales Counties, Texas: Austin, Texas, Texas Game and Fish Commission, Continuation of Job B-18, Project F-9-R-4.
- Lundberg, J.G., 1982, The comparative anatomy of the toothless blindcat, *Trogloglania pattersoni* Eigenmann, with a phylogenetic analysis of the ictalurid catfishes: Musc. Ptopl. University of Michigan, v. 163, p. 1-65.
- Mathews, R., and Edwards, R., 1992, Influence of springflows on river flows and instream fisheries: New Waves, v. 5, no. 3, p. 2-3.
- Michel, G.D., 1984, The biology of *Capillaria* sp. (Nematoda, Capillariidae) from gas bladders of sunfishes of the upper San Marcos River: San Marcos, Texas, Southwest Texas State University, 61 p.

- Miller, R.R., 1972, Threatened freshwater fishes of the United States: Transactions of the American Fisheries Society, v. 101, p. 239-252.
- Miller, R.R., Williams, J.D., Williams, J.E., 1989, Extinction of North American fishes during the past century: Fisheries, v. 14, no. 6, p. 22-38.
- Miranda, L.E., Driscoll, M.P., and Allen, M.S., 2000, Transient physicochemical microhabitats facilitate fish survival in inhospitable aquatic plant stands: Freshwaer Biology, v. 44, p. 617-628.
- Mitchell, A.J., Goodwin, A.E., Salmon, M.J. and Brandt, T.M. 2002, Experimental infection of an Exotic Heterophyid Trematode (*Centrocestus formosanus*), in four aquaculture fishes: North American Journal of Aquaculture, v. 64, p. 55-59.
- Mitchell, A.J., Salmon, M.J., Huffman, D.G., Goodwin, A.E., and Brandt, T.M., 2000, Prevalence and pathogenicity of a Heterophyid Trematode infecting the gills of an endangered fish, the Fountain Darter, in two central Texas spring-fed rivers: Journal of Aquatic Animal Health, v. 12, p.283-289.
- Moravec, F., and Huffman, D.G., 1988, *Rhabdochona longleyi* sp. November (Nematoda, Rhabdochonidae) from blind catfishes *Trogloglanis pattersoni* and *Satan eurystomus* (Ictaluridae) from the subterranean waters of Texas: Folia Parasitologica (Prague), v. 35, no. 3, p. 235-243. Copyright 1988, by Biological Abstracts, Inc. (BIOSIS).
- Moravec, F., and Huffman, D.G., 1988, Observations on the genus *Rhabdochona* railliet 1916 (Nematoda, Rhabdochonidae) from fishes of central Texas with descriptions of two new subspecies: *Folia parasitologica* (Prague), v. 35, no. 4, p. 341-351. Copyright 1988, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Rhabdochona canadensis bifilamentosa*, *Rhabdochona kidderi texensis*, *Notropis venustus*, *Notropis lutrensis*, *Campostoma anomalum*, *Cichlasoma cyanoguttatum*, *Tilapia mossambica*, *Gambusia affinis*.
- Morizot, D.C., Calhoun, S.W., Clepper, L.L., Schmidt, M.E., Williamson, J.H., and Carmichael, G.F., 1991, Multispecies hybridization among native and introduced centrarchid basses in central Texas: Transactions of the American Fisheries Society, v. 120, no. 3, p. 283-289. Copyright 1991, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Micropterus treculi*, *Micropterus salmoides salmoides*, *Micropterus salmoides floridanus*, *Micropterus dolomieu*.
- Mount, D., 1982, Aquatic surrogates, in U.S. Environmental Protection Agency, Surrogate Species Workshop, TR-507-36B.
- Ono, R.D., Williams, J.D., and Wagner, A., 1983, Vanishing fishes of North America: Washington, D.C., Stone Wall Press, Inc., 257 p.
- Richardson, L.R., and Gold, J.R., 1995, Evolution of the *Cyprinella lutrensis* species-complex---II. Systematics and biogeography of the Edwards Plateau shiner, *Cyprinella lepida*: Copeia, v. 1, p. 28-37.

- Salmon, M.J., 2000, Impact of an undescribed heterophyid Trematode on the the Fountain Darter (*Etheostoma Fonticola*): San Marcos, Texas, Southwest Texas State University, Master's thesis. 35 p.
- Saunders, K., Aziz, K., Kleinsasser, R., Mayes, K., Moss, R., and Linam, G., 1997, Preliminary Report on an instream flow evaluation of the upper San Marcos River, Hays County, Texas, *in* Southern Division of the American Fisheries Society Midyear Meeting, San Antonio, Texas, February 13-16, 1997.
- Schenck, J.R., 1975, Ecology of the fountain darter, *Etheostoma fonticola* (Osteichthyes, Percidae): San Marcos, Texas, Southwest Texas State University, M.S. thesis, 100 p. Descriptors: San Marcos River Basin, Comal River Basin.
- Schenck, J.R., 1977a, Food habits and feeding behavior of the fountain darter, *Etheostoma fonticola* (Osteichthyes: Percidae): *The Southwestern Naturalist*, v. 21, no. 4, p. 487-492.
- Schneck, J.R., 1977b, Reproduction, fecundity, sexual dimorphism and sex ratio of *Etheostoma fonticola* (Osteichthyes: Percidae): *American Midland Naturalist*, v. 98, no. 2, p. 365-375.
- Schenck, J.R., and Whiteside, B.G., 1976, Distribution habitat preference and population size estimate of *Etheostoma fonticola*: *Copeia*, v. 76, no. 4, p. 697-703. Copyright 1976, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Rhizoclonium*, San Marcos River, Comal River.
- Schenck, J.R., and Whiteside, B.G., 1977, Food habits and feeding behavior of the fountain darter *Etheostoma fonticola* (Osteichthyes, Percidae): *Southwestern Naturalist*, v. 21, no. 4, p. 487-492. Copyright 1977, by Biological Abstracts, Inc. (BIOSIS).
- Schenck, J.R., and Whiteside, B.G., 1977, Reproduction fecundity sexual dimorphism and sex ratio of *Etheostoma fonticola* (Osteichthyes, Percidae): *American Midland Naturalist*, v. 98, no. 2, p. 365-375. Copyright 1977, by Biological Abstracts, Inc. (BIOSIS). Descriptors: San Marcos River.
- Schneider, D., 1982, A survey of the Helmith parasites of *Gambusia affinis* (Osteichthyes, Poeciliidae) from the Blanco River in Hays County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 101 p.
- Simon, T.P., Brandt, T.M., Graves, K.G., and Whiteside, B.G., 1995, Ontogeny and description of eggs, larvae, and early juveniles of the fountain darter, *Etheostoma fonticola*: *The Southwestern Naturalist*, v. 40, no. 2, p. 208-215.
- Stalnaker, C.B., and Arnette, J.L., 1976, Methodologies for determining instream flows of fish and other aquatic life: *in* Stalnaker, C.B., and Arnette, J.L., eds., *Methodologies for determination of stream resource flow requirements – an assessment*, U.S. Fish and Wildlife Service.

- Stevenson, M.M., 1971, *Percina macrolepida* (Pisces, Percidae, Etheostomatinae), a new Percid fish of the subgenus *Percina* from Texas: *Southwestern Naturalist*, v. 16, no. 1, p. 65-83.
- Strawn, K., 1955, A method of breeding and raising three Texas darters, pt. 1: *Aquarium Journal*, v. 26, p. 408-412.
- Strawn, K., 1955, A method of breeding and raising three Texas darters, pt. 2: *Aquarium Journal*, v. 27, p. 11, 13-14, 17, 31-32.
- Strawn, K., and Hubbs, C.L., 1956, Observations on stripping small fishes for experimental purposes: *Copeia*, v. 56, no. 2, p. 114-116.
- Suttkus, R.D., 1961, Additional information about blind catfishes from Texas, *Southwestern Naturalist*, v. 6, p. 55-64.
- Texas Parks and Wildlife Department, 1959, Basic survey and inventory of fish species present, as well as their distribution in the San Marcos River, its tributaries and watershed lying within Hays, Caldwell, Guadalupe, and Gonzales Counties, Texas: Texas Parks and Wildlife Department Project F-9-R-5, Job B-18, 14 p.
- Texas Parks and Wildlife Department, 1956, Basic survey and inventory of fish species present, as well as their distribution in the Blanco River, its tributaries and water lying within Blanco, Kendall, and Hays Counties, Texas: Texas Parks and Wildlife Department Project F-9-R-3, Job B-10, 29 p.
- Texas System of Natural Laboratories, Inc., 1994, Freshwater and marine fishes of Texas and northwestern Gulf of Mexico – Taxonomic and distributional inventory with bibliography: Texas System of Natural Laboratories, Austin, Texas, Laboratory Index Series No. FTX/NWGM-94, 270 p.
- Tiemann, S.G., and Arsuffi, T.L., 1991, Life histories of selected caddisflies (*Trichoptera*) in three central Texas streams with contrasting temperature regimes: *Proceedings of the Texas Academy of Science* 95, p. 142-147.
- Underwood, H.T., 1981, Ecological studies on the endohelminth fauna of fishes from the upper San Marcos River: College Station, Texas, Texas A&M University, Ph.D. dissertation, 328 p. Descriptors: *Acanthocephala*, *Cestoda*, *Nemathelminthia*, *Plathelmintha*, *Creptotrematina aguirrepequenoii*, *Lissorchis hypentelii*, *Corallobothrium fimbriatum*, *Proterometra macrostoma*, *Ambloplites rupestris*, *Caecicola latostoma*, *Micropterus salmoides*.
- Underwood, H.T., and Dronen, N.O., Jr., 1984, Endohelminths of fishes from the upper San Marcos River, Texas: *Southwestern Naturalist*, v. 29, no. 4, p. 377-385. Copyright 1984, by Biological Abstracts, Inc. (BIOSIS). Descriptors: *Creptotrematina aguirrepequenoii*, *Lissorchis hypentelii*, *Corallobothrium fimbriatum*, *Proterometra macrostoma*, *Ambloplites rupestris*, *Caecicola latostoma*, *Micropterus salmoides*, *Trematoda*, *Cestoda*, *Nematoda*, *Acanthocephala*, parasites.

- U.S. Bureau of Sport Fisheries and Wildlife, 1971, San Marcos National Fish Hatchery, Hays County, Texas (final environmental impact statement): U.S. Bureau of Sport Fisheries and Wildlife, Washington, D.C., 8 p. [Available from National Technical Information Service, Springfield, VA 22161, as NTIS Report PB-199 463F].
- U.S. Department of Interior, 1960, Fish and wildlife resources of the Guadalupe-San Antonio Rivers Subbasin, Texas: Fish and Wildlife service, Bureau of Sports Fish and Wildlife, Albuquerque, N.M., 18 p.
- U.S. Fish and Wildlife Service, (no date), Exotic Snail and Associated Exotic Parasites Affecting Fishes and Waterfowl in Texas: San Marcos National Fish Hatchery and Technology Center.
- U.S. Environmental Protection Agency, 1982, Surrogate species workshop: EPA, TR-507-36B.
- Votteler, T.H., 1998, The little fish that roared: The Endangered Species Act, State Groundwater Law, and Private Property Rights collide over the Texas Edwards Aquifer: Environmental Law, v. 28, no. 4, p. 845-880.
- Wallace, S.A., 1984, The food habits of redbreast sunfish in the San Marcos River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 59 p. Descriptors: *Lepomis auritus*.
- Walsh, S.J., and Gilbert, C.R., 1995, New species of *Troglobitic* catfish of the genus *Prietella* (Siluriformes: Ictaluridae) from Northeastern Mexico: Copeia, v. 4, p. 850-861.
- Wayne, L.M., 1979, Ecology of the roundnose minnow, *Dionda episcopa*, (Osteichthyes, Cyprinidae) from three central Texas springs: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 50 p.
- Whiteside, B.G., and McNatt, R.M., 1972, Fish species diversity in relation to stream order and physiochemical conditions in the Plum Creek drainage basin: The American Midland Naturalist, v. 88, no. 1, p. 91-101.
- Whiteside, B.G., Groeger, A.W., Brown, P.F., and Kelsey, T.C., 1992, Physiochemical and fishsurvey of the San Marcos River: in Texas Parks and Wildlife Department, 1992, San Marcos River: A Case Study: Contract Study No. 2, TPWD, p. 61-147.

## **Climatology**

- Bomar, G.W., 1967, Texas weather: Austin, Texas, University of Texas Press, 265 p.
- Carr, J.T., Jr., 1967, The climate and physiography of Texas: Texas Water Development Board Report 53, 27 p.

- Chen, CC, Dhazn, G., and McCarl, B.A., 2001, Effects of climatic change on a water dependent regional economy: a study of the Texas Edwards Aquifer: *Climatic Change*, June 2001, v. 49, no. 4, p. 397-409.
- Dunne, A.M., and Therrell, M., 2000, Tree ring reconstruction of late Holocene precipitation in south-central Texas, *from* Program and Abstracts - American Quaternary Association Conference (AMQUA 2000) *in* 16<sup>th</sup> biennial meeting of the American Quaternary Association, Fayetteville, Arkansas, United States, May 22-24, 2000 , v. 16, p. 61.
- Halihan, T., and Wicksa, C.M., 1998, Modeling of storm responses in conduit flow aquifers with reservoirs: *Journal of Hydrology*, v. 208, no. 1-2, p. 82-91
- Jackson, R.B., Wilcox, B.P., Engel, V., McElrone, A.J., Munster, Clyde L., Mohanty, B.P., and Owens, M. K., 2004, Ecohydrology of semi-arid woodlands and recharge of the Edwards Aquifer, *from* 89th Annual Meeting of the Ecological Society of America - Lessons of Lewis and Clark: Ecological Exploration of Inhabited Landscapes, August 01-06, 2004, v. 89, 243 p.
- Larkin, T.J., and Bomar, G.W., 1983, Climatic atlas of Texas: Texas Department of Water Resources @ LP-192, 151 p.
- Loaiciga, H.A., 2000, Climate change impacts in regional-scale aquifers: principles and field application, Texas, USA *from* Meeting: International symposium 2000 on Groundwater, Omiya, Japan, May 8-10, 2000: Groundwater updates, p. 247-252.
- Loaiciga, H.A., Maidment, D.R., and Valdes J.B., 1998, Climate change impacts on the water resources of the Edwards Balcones Fault Zone aquifer, Texas: *American Society of Civil Engineers* 72 p.,
- Loaiciga, H.A., Maidment, D.R., and Valdes J.B., 2000, Climate-change impacts in a regional scale karst aquifer, Texas, USA: *Journal of Hydrology*, v. 227, no. 1-4, p. 173-194.
- Martinez, K.L., 1998, Assessing the impact of climate change on water resources for the Edwards Aquifer: Austin Texas, University of Texas, M.S. thesis, 154 p.
- Martinez, K., 1998, Implementation of a lumped-parameter ground water model to the study of climate change impacts in the Edwards aquifer, Texas: Austin, Texas, University of Texas, Department of Civil Engineering, MS thesis, [variously paged].
- National Oceanic and Atmospheric Administration, National Climatic Data Center 1970-1994, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 75-97, no. 13, [variously paged].
- National Oceanic and Atmospheric Administration, 1974, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 79, [variously paged].



National Oceanic and Atmospheric Administration, 1997, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 102, no. 13, ISSN 0364-6041, 70 p.

National Oceanic and Atmospheric Administration, 1998, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 103, no. 13, ISSN 0364-6041, 70 p.

National Oceanic and Atmospheric Administration, 1999, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 104, no. 13, ISSN 0364-6041, 70 p.

\_\_\_\_\_, 2000, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 105, no. 13, ISSN 0364-6041, 70 p.

\_\_\_\_\_, 2001, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 106, no. 13, ISSN 0364-6041, 70 p.

\_\_\_\_\_, 2002, Climatological data annual summary, Texas: U.S. Department of Commerce, Asheville, N.C., v. 107, no. 13, ISSN 0364-6041, 70 p.

National Oceanic and Atmospheric Administration, 1998, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 1999, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 2000, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 2001, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 2002, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 2003, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

\_\_\_\_\_, 2004, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

National Oceanic and Atmospheric Administration, 2005, Monthly daily climatological data: National Weather Service, Southern Region Headquarters (SRH), URL: <http://www.srh.noaa.gov/ewx/html/cli/monthdaily.htm>.

Rose, P.R., 1994, Historical rainfall cycles and the Edwards aquifer: an unfolding tragedy of the commons in South Texas, Bulletin of the South Texas Geological Society, v. 35, no. 2, p. 8-9.

Toomey, III, R.S., Blum, M.D., and Valastro, S., Jr., 1993, Late Quarternary climates and environments of the Edwards Plateau, Texas: *Global and Planetary Change*, v. 7, p. 299-320.

Ward, G., and Valdes, J.B., 1995, Water resources *from* The impact of global warming on Texas: a report of the task force on climate change in Texas, North, Gerald S., Schmandt, Jurgen, and Clarkson, Judith, (eds.), *in* HARC Global change studies, Houston Advanced Research Center, Houston, Texas, USA, p. 68-87.

Weather Modification, Inc., 2001, Edwards Aquifer Precipitation Enhancement Program: Final Report 2000: A program designed for the seeding of convective clouds with glaciogenic nuclei to augment precipitation for the Edwards Aquifer region, Final report for the Edwards Aquifer Authority and Texas Natural Resources Conservation Commission, 89 p.

Woodley, W.L., and Rosenfeld, D., 2004, The development and testing of a new method to evaluate the operational cloud-seeding programs in Texas: American Meteorological Society, *Journal of Applied Meteorology*, v. 43, no. 2, p. 249-263.

## **Education**

Anonymous, 1993, Edwards Aquifer in Texas spurs Environmental Battle, Television Program: Science & Technology Week—CNN (TSNT), Program no. 168, May 30, 1993, For transcripts call: Journal Graphics, Inc., 1535 Grant St, Denver CO 80203, (800) TALK-SHO or (303) 831-9000.

Austin Nature & Science Center, 1995, Splash! Into the Edwards Aquifer: a proposal for a new educational exhibit and program facility, Austin, Texas, 8 p.

Benningfield, D., 1992, Hill country oasis-Barton Springs, Barton Creek, Edwards Aquifer: Austin, Texas: Austin Parks & Recreation Department; Barton Springs/Edwards Aquifer Conservation District, Austin, Texas, 32 p.

Charbeneau, N.J., 1988, The Edwards Aquifer, the Balcones fault zone-Austin region, an educational unit: Austin, Texas, Travis Audubon Society, Educational Committee, [variously paged].

Charbeneau, N.J., 1992, Inside the Edwards Aquifer: Edwards Underground Water District (1 VHS videocassette, 30 minutes, 1 teacher's guide), San Antonio, Texas.

Charbeneau, N.J., 1993, Water resources of the Edwards Aquifer region: Edwards Underground Water District, 1 poster, San Antonio, Texas.

Charbeneau, N.J., 1993, A journey through the Edwards Aquifer: Edwards Underground Water District (1 VHS videocassette, 12 minutes, 1 teacher's guide), San Antonio, Texas.

Edwards Underground Water District, 1994, Water, water conservation and the Edwards Aquifer, Student Workbook: San Antonio, Texas, Edwards Underground Water District, 34 p.

Hovorka, S.D., Andrews, J.R., Clift, S.J., Hepner, T.L., Gibeaut, J.C., Rodgers, S.D., Jennette, D.C., and Raney, J.A., 2004, Update on public and k-12 programs at the Bureau of Economic Geology, Texas, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 349.

KUHT-TV, 1983, The river of innocence-the story of the San Marcos River: Houston, Texas, KUHT-TV. (Available in ¾-inch videocassette or @ 16-millimeter reel, 59 minutes).

Marek, E.A., Fox, T.P., and Longley, G., 1981, Water conservation and the Edwards Aquifer: Edwards Underground Water District and San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, 34 p.

Motion Film Service, (no date), The Edwards story [Motion picture], prepared for Edwards Underground Water District, 15 minutes.

Pascoe, C., 1985, Twenty-nine & one: Creative dramas of Texas water concerns - Lesson plans for the elementary school child, K through 6: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report G1-85, 33 p.

Sturrock, J.L., 1996, Knowledge and attitudes of sixth grade elementary students concerning the importance of water quality and quantity in the Barton Spring: Austin, Texas, University of Texas, M. Education thesis, 107 p.

Thomas-Jimenez, C., 1995, Teacher's guide to water, water conservation, and the Edwards Aquifer, produced by Edwards Underground Water District and Edwards Aquifer Research and Data Center, Education Center, Southwest Texas State University, 66 p.

Witte Museum, 1989, The Edwards Aquifer - A Texas treasure: Witte Museum. (1 VHS videocassette, 20 minutes, 1 teacher's guide), San Antonio, Texas.

## **Geochemistry**

Abbott, P.L., 1975, Calcitization of Edwards Group dolomites in the Balcones fault zone aquifer, south central Texas: *Geology*, v. 2, no. 7, p. 359-362.

Abbott, P.L., 1977, On the state of saturation of ground water with respect to dissolved carbonates, Edwards artesian aquifer, south central Texas: *Texas Journal of Science*, v. 29, no. 3-4, p. 159-67.

- Baldwin, O.D., and Adams, J.A.S., 1971,  $K^{40}/Ar^{40}$  ages of the alkalic igneous rocks of the Balcones fault trend of Texas: *Texas Journal of Science*, v. 22, p. 223-231.
- Blake, R.E., 1992, Stable isotope systematics and ground-water mixing relationships in the cretaceous aquifer, Comal, Hays, and Bexar counties, south central Texas: San Antonio, Texas, University of Texas, M.S. thesis, 124 p.
- Browning, L.A., 1977, Source of nitrate in water of the Edwards Aquifer, south central Texas: Austin, Texas, University of Texas, M.S. thesis, 89 p.
- Bush, P.W.M., Ulery, R.L., and Rittmaster, R.L., 1993, Dissolved-solids concentrations and Hydrochemical facies in water of the Edwards-Trinity Aquifer System, West-central Texas: U.S. Geological Survey, Earth Science Information Center, Water Resources Investigations Report 93-4126, 34 p.
- Clement, T.J., 1987, Hydrochemical facies of the Edwards Aquifer bad water zone: *Geological Society of America Abstracts with Programs*, v. 19, no. 3, p. 148. Descriptors: Val Verde County, Kinney County, Uvalde County, Hosston Formation, Trinity Group, calcium bicarbonate, calcium sulfate, Medina County, San Marcos arch, Maverick Basin, Bexar County, sodium chloride
- Clement, T.J., 1989, Hydrochemical facies in the badwater zone of the Edwards Aquifer, central Texas: Austin, Texas, University of Texas, M.S. thesis, 168 p.
- Clement, T.J., and Sharp, J.M., Jr., 1987, Hydrochemical facies of the Edwards Aquifer, Williamson and Bell Counties, Texas, in *Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments*: Waco, Texas, Baylor University, p. 61-69.
- Clement, T.J., and Sharp, J.M., Jr., 1988, Hydrochemical facies bad-water zone of the Edwards Aquifer, central Texas, in *Ground water geochemistry*: Dublin, Ohio, National Water Well Association Conference Proceedings, p. 127-149.
- Collar, P.D., Ogden, A.E., Hamilton, K.G., and Rogers, M.C., 1991, Calcite, dolomite and gypsum saturation conditions in the Edwards Aquifer: *National Speleological Society; 1988 annual meeting; abstracts*, *The NBS Bulletin*, v. 53, no. 1, p. 22.
- Cowart, J.B., 1980, Relationship of uranium isotopes to oxidation/reduction in the Edwards carbonate aquifer of Texas: *Earth and Planetary Science Letters*, v. 48, no. 2, p. 277-283.
- Cowart, J.B., and Osmond, J.K., 1977, Oxidation/reduction in the Edwards Limestone aquifer as indicated by dissolved uranium isotopes: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 938.
- Deike, R.G., 1990, Dolomite dissolution rates and possible Holocene dedolomitization of water-bearing units in the Edwards Aquifer, south central Texas: *Journal of Hydrology*, v. 112, no. 3-4, p. 335-373.

- Deike, R.G., 1990, Dolomite dissolution rates and possible Holocene dedolomitization of water-bearing units in the Edwards Aquifer, south central Texas- a summary, in Simpson, E.S., and Sharp, J.M., Jr., eds., Selected papers on hydrogeology from the 28<sup>th</sup> International Geological Congress, Washington, D.C., July 9-19, 1989, v. 1: Hannover, West Germany, Verlag Heinz Heise, p. 97-109.
- Deike, R.G., and Pearson, F.J., Jr., 1978, Mineral alteration by ground water in the Edwards Aquifer, Texas, *in* Tenth International Congress on Sedimentology, Jerusalem, Israel: International Congress on Sedimentology, 10 v. 1 (A-L), p. 163.
- Evans, D.S., 1975, Distribution of dissolved constituents in ground water from Cretaceous rocks of eastern Burnet and Williamson Counties, Texas [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 2, p. 163.
- Garner, B.D., 2005, Geochemical evolution of groundwater in the Barton Springs segment of the Edwards Aquifer: Austin, Texas, University of Texas, 317 p.
- Groeger, A.W., and Gustafson, J.J., 1994, Chemical Composition and Variability of the Waters of the Edwards Plateau, central Texas, *from* 2<sup>nd</sup> International Conference on Ground water Ecology, Atlanta, GA, USA, March 27-30, 1994, *in* Stanford, J.A., and Valett, H.M., (eds.), Proceedings of the Second International Conference on Ground water Ecology, American Water Resources Association, p. 39-46.
- Groschen, G.E., and Buszka, P.M., 1997, Hydrogeological framework and geochemistry of the Edwards aquifer saline-water zone, south central Texas: U.S. Geological Survey Water-Resources Investigations Report 97-4133, 47 p.
- Hemming, N.G., Hanson, G.N., and Meyers, W.J., 1993, Host rock control on the boron concentration and isotopic composition of ground water from the Edwards Aquifer of Central Texas, *from* American Association of Petroleum Geologists 1993 annual convention, New Orleans, LA, USA, April 25-28, 1993, *in* American Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, Annual Meeting Abstracts, v. 1993, p. 116-117.
- Johns, D.A., and Pope, S.R., 1996, Water chemistry responses in Barton Springs from rainfall, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, ed., *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 20.
- Jones, S.A., Lee, R.W., and Busby, J.F., 1994, Geochemistry of the Trinity aquifer, south central Texas, *in* Dutton, R.A., ed., Toxic Substances and the Hydrologic Sciences: American Institute of Hydrology, Minneapolis, Minnesota, p. 638-649.

- Jones, S.A., Lee, R.W., and Busby, J.F., 1997, Chemical evolution and estimated flow velocity of water in the Trinity Aquifer, south central, Texas: U.S. Geological Survey Water-Resources Investigation Report 97-4078, 22 p.
- Land, L.S., 1977, Hydrogen and oxygen isotopic composition of chert from the Edwards Group, Lower Cretaceous, central Texas: Austin, Texas, University of Texas Bureau of Economic Geology Report of Investigations 89, p. 202-205.
- Land, L.S., and Prezbindowski, D.R., 1981, Origin and evolution of saline formation waters, Lower Cretaceous carbonates, south central Texas [abs.]: American Association of Petroleum Geologists Bulletin, v. 65, no. 5, p. 947.
- Land, L.S., and Prezbindowski, D.R., 1981, The origin and evolution of saline formation waters, Lower Cretaceous carbonates, south central Texas: Journal of Hydrology, v. 54, no. 1-3, p. 51-74.
- Land, L.S., and Prezbindowski, D.R., 1984, Why Edwards brines are not connate: Geological Society of America Abstracts with Programs, v. 16, no. 2, p. 105.
- Lundegard, P.D., and Land, L.S., 1986, Carbon dioxide and organic acids-their role in porosity enhancement and cementation, Paleogene of the Texas Gulf Coast, in Gautier, D.L., ed., Roles of organic matter in sediment diagenesis - based on a symposium: Tulsa, Oklahoma, Society of Economic Paleontologists and Mineralogists Special Publication 38, p. 129-146.
- Mench, P.A., Pearson, F.J., Jr., and Deike, R.G., 1980, Stable isotope evidence for modern freshwater diagenesis of Cretaceous Edwards Limestone, San Antonio area, Texas [abs.]: American Association of Petroleum Geologists Bulletin, v. 64, no. 5, p. 749.
- Miggins, D., Blome, C., and Smith, D., 2002, Preliminary  $^{40}\text{Ar}/^{39}\text{Ar}$  age constraints for the Uvalde igneous intrusions west of San Antonio, *from* 2002 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 27-30, 2002, *in* Geological Society of America Abstracts with Programs, v. 34, no. 6, p. 512.
- Miggins, D., Blome, C., and Smith, D., 2004, Preliminary  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology of igneous intrusions from Uvalde County, Texas: defining a more precise eruption history for the southern Balcones Volcanic Province: U.S. Geological survey Open File report 2004-1031, 31 p.
- Mihealsick, C.A.; Banner, J.L.; Musgrove, M.; James, E.W.; Guilfoyle, A.; Pierson, S., 2004, Applications of Mg/Ca and Sr/Ca ratios to groundwater evolution in the Edwards Aquifer of central Texas, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 327.
- Moore, T.H., 1970, Water geochemistry, Hog Creek Basin, central Texas: Waco, Texas, Baylor University, Baylor Geological Studies Bulletin No. 18, 44 p.

- Musgrove, M, and Banner, J.L., 2001, Influence of soil geochemistry on groundwater evolution in the Edwards Aquifer of central Texas, *from* 2001 Annual Meeting of the Geological Society of America (GSA) November 1–10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 343.
- Musgrove, M, and Banner, J.L., 2004, Controls on the spatial and temporal variability of vadose dripwater geochemistry, Edwards Aquifer, central Texas: *Geochimica et Cosmochimica Acta*, v. 68, no. 5, p. 1007-1020.
- Oetting, G.C., 1995, Evolution of fresh and saline groundwaters in the Edwards Aquifer, central Texas: Geochemical and isotopic constraints on processes of fluid rock interaction and fluid mixing: Austin, Texas, University of Texas, M.S. thesis, 203 p.
- Oetting, G.C., Banner, J.L., and Sharp, J.M., Jr., 1993, Geochemical and isotopic variations in groundwaters of the Edwards Aquifer of Texas: Constraints on diagenetic fluid compositions in geochemical models of water-rock interaction, *from* American Association of Petroleum Geologists 1993 annual convention, New Orleans, LA, USA, April 25-28, 1993, *in* American Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, Annual Meeting Abstracts, v. 1993, p. 161.
- Oetting, G.C., Banner, J.L., and Sharp, J.M., Jr., 1996, Regional controls on the geochemical evolution of saline groundwaters in the Edwards Aquifer, central Texas: *Journal of Hydrology*, v. 181, no. 1-4, p. 251-283.
- Ogden, A.E., and Collar, P.D., 1990, Interpreting calcite, dolomite, and gypsum saturation conditions in the Edwards Aquifer, Texas, *in* Simpson, E.S., and Sharp, J.M., Jr., eds., Selected papers on hydrogeology from the 28<sup>th</sup> International Geological Congress, Washington, D.C., July 9-19, 1989, v. 1: Hannover, West Germany, Verlag Heinz Heise, p. 83-96. Descriptors: Hays County, Comal County, ground-water recharge, springs, wells, Cretaceous, Balcones fault zone, San Marcos.
- Osmond, J.K., Cowart, J.B., Ivanovich, M., and Harmon, R.S., 1982, Ground water uranium series disequilibrium-applications to environmental problems: Clarendon Press/Oxford University Press, Oxford, United Kingdom, p. 202-245. Descriptors: helium, noble gases, radon, case studies, thorium, isotopes.
- Pearson, F.J., Jr., and Rettman, P.L., 1976, Geochemical and isotopic analyses of waters associated with the Edwards Limestone Aquifer, central Texas: San Antonio, Texas, Edwards Underground Water District, Report, 35 p.
- Pearson, F.J., Jr., Rettman, P.L., and Wyerman, T.A., 1974, Environmental tritium in the Edwards aquifer, central Texas: U.S. Geological Survey Open-File Report 74-362, 32 p.
- Pearson, F.J., Jr., and Rightmire, C.T., 1980, Sulphur and oxygen isotopes in aqueous sulphur compounds, *in* Fritz, P., and Fontes, J.C., eds., Handbook of environmental isotope geochemistry, v. 1, The terrestrial environment, A: Elsevier Science Publishing Co., Inc., Amsterdam, Netherlands, p. 227-258. Descriptors: fractionation, stable isotopes, sulphur-34,

sulphur-32, oxygen-18, oxygen-16, springs, Italy, Europe, Eocene, Paleogene, Tertiary, Florida, limestone, carbonate rocks, Ocala, Atlantic Ocean, Gulf of Mexico, San Antonio.

Pope, S.R., and Johns, D.A., 1996, Rainfall-induced changes in Groundwater chemistry in springs in the Bull Creek watershed, Austin, Texas, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 58.

Prezbindowski, D.R., 1981, Carbonate rock-water diagenesis, Lower Cretaceous, Stuart City trend, south Texas: Austin, Texas, University of Texas, Ph.D dissertation, 236 p.

Rightmire, C.T., Pearson, F.J., Jr., Back, W., Rye, R.O., and Hanshaw, B.B., 1974, Distribution of sulphur isotopes of sulphates in groundwaters from the principal artesian aquifer of Florida and the Edwards Aquifer of Texas, United States of America, in Symposium on Isotope Techniques in Groundwater Hydrology, Vienna, Austria, March 11-15, 1974, Proceedings: Vienna, Austria, International Atomic Energy Agency Proceedings Series STI/PUB/373. [Also available from UNIPUB, Inc., New York.]. Descriptors: ground-water movement.

Rothermal, S.R., and Ogden, A.E., 1987, Hydrochemical investigation of the Comal and Hueco Springs system, Comal County, Texas: Edwards Aquifer Research and Data Center Report R2-86, 151 p.

Rye, R.O., Back, W., Hanshaw, B.B., Rightmire, C.T., and Pearson, F.J., Jr., 1981, Origin and isotopic composition of dissolved sulfide in groundwater from carbonate aquifers in Florida and Texas: *Geochimica et Cosmochimica Acta*, v. 45, no. 10, p. 1,941-1,950.

Sarbu, S.M., Kane, T.C., and Kinkle, B.K., 1996, A chemoautotrophically-based cave ecosystem: *Science*, v. 272, no. 5270, p. 1,953-1,959.

Sharp, J.M., Jr., and Clement, T.J., 1988, Hydrochemical facies as hydraulic boundaries in karstic aquifers-the Edwards Aquifer, central Texas, in Karst hydrogeology and karst environment protection, 21<sup>st</sup> Congress of the International Association of Hydrogeologists, Guilin, China, October 10-15, 1988, Proceedings: Wallingford, Oxfordshire, International Association of Hydrogeologists Publication 176, p. 841-845.

Weeks, D.P., Quick, R.A., and Ogden, A.E., 1985, Hydrochemical changes in Edwards Aquifer well waters: Geological Society of America Abstracts with Programs, v. 17, no. 3, p. 197. Descriptors: Hays County.

Woodruff, C.M., Jr., and Henry, C.D., 1981, Edwards Aquifer bad-water line in Bexar County, Texas-lithic, geochemical, and geothermal attributes [abs.]: Geological Society of America Abstracts with Programs, v. 13, no. 5, p. 265.

Zhang, C., 1994, Microbial geochemistry of groundwater in deep aquifers, central and east central Texas: Austin, Texas, Texas A&M University, College Station, Ph.D. dissertation, 119 p.



## Geology

- Abbott, P.L., 1973, The Edwards Limestone in the Balcones fault zone, south central Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 154 p.
- Arrington, R.M., 1954, Geology of Berry Creek quadrangle, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 68 p.
- Atchison, D.W., 1954, Geology of Brushy Creek quadrangle, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 95 p.
- Baker, E.T., Jr., 1963, Notes on geology of proposed Bat Cave Reservoir and vicinity, Bexar and Comal Counties, Texas: U.S. Geological Survey Open-File Report, 13 p. Descriptors: Glen Rose Limestone, Comanche Peak Limestone, Edwards Limestone.
- Barker, R.A., 1991, The deposition, diagenesis, and hydraulic characteristics of rocks that compose the Edwards-Trinity aquifer system of west-central: Abstracts with Programs – Geological Society of America, no page number.
- Barnes, V.E., 1946, Gypsum in the Edwards Limestone of central Texas: University of Texas Publication 4301, p. 35-46.
- Barnes, V.E., 1974, Geologic atlas of Texas, Seguin sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Barnes, V.E., and Rose, P.R., 1981, Geologic atlas of Texas, Llano sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Baylor Geological Society and American Association of Petroleum Geologists, 1983, Southeastern Llano County: Waco, Texas, Baylor Geological Society and American Association of Petroleum Geologists, 19 p. Descriptors: Valley Spring Gneiss, Packsaddle Formation, Lost Creek Gneiss, Shingle Hills Formation, Edwards Limestone, Marble Falls Limestone, Sycamore Conglomerate, Moore Hollow Group, Ellenburger Group, Riley Formation, Wilberns Formation, Llano County, Llano uplift, Precambrian.
- Bills, T.V., Jr., 1957, Geology of Waco Springs quadrangle, Comal County, Texas: Austin, Texas, University of Texas, M.S. thesis, 106 p.
- Blome, C.D., Faith, J.R., Clark, A.K., Cole, J.C., Ozuna, G.B., and Smith, B.D., 2003, Geologic map compilation of the Edwards Aquifer Recharge Area, south-central Texas, and its implications to Edwards Group hydrostratigraphy, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 69.

- Blome, C.D., Faith, J.R., Clark, A.K., Collins, E.W., Pedraza, D.E., and Murray, K.E., 2004, Geologic map compilation of the Upper Seco Creek Area, Medina and Uvalde counties, south-central Texas: U.S. Geological Survey Open File Report 2004-1340, 21 p.
- Blome, C.D., Miggins D.P., and Smith, D.V., 2004, Geophysical and isotopic investigations of the Uvalde Intrusive Field, south central, Texas, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 15.
- Blome, C.D., Faith, J.R., Pedraza, D.E., Ozuna, G.B., Cole, J.C., Clark, A.K., Small, T.A., and Morris, R.R., 2005, Geologic map of the Edwards Aquifer recharge zone, south-central Texas: U.S. Geological Survey Scientific Investigations Map, Report 2873, 1 sheet.
- Brown, D.S., Mosier, J.G., and Nalley, G.M., 1999, Geologic framework and hydrogeologic properties of the Seco Creek Watershed, Texas: U.S. Geological Survey Fact Sheet FS-104-98, 4 p.
- Brown, T.E., Jr., Waechter, N.B., Rose, P.R., and Barnes, V.E., 1983, Geologic atlas of Texas, San Antonio sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Brucks, E.W., 1927, The geology of the San Marcos Quadrangle, Texas: American Association of Petroleum Geologist Bulletin, v. 11, p. 825-851.
- Bureau of Economic Geology, 2004, 2004 Decision Makers Field Conference, *in* Clift S., and Nance, S., eds., Central Texas Natural Resources Conference, April 7-8, 2004, Austin, Texas, Bureau of Economic Geology, John A. and Katherine G. Jackson School of Geosciences, University of Texas at Austin, [variously paged].
- Cameron, K.L., and Cameron, M., 1973, Mineralogy of ultramafic nodules from Knippa Quarry, near Uvalde, Texas: GSA Abstracts with Programs, v. 5, p. 566.
- Carr, M.M., 1987, Facies and depositional environments of the lower Cretaceous McKnight formation evaporites, Maverick Basin, Southwest Texas: University of Texas at Arlington, M.S. thesis, 157 p.
- Carter, J.L., 1965, The origin of olivine bombs and related inclusions in basalt: Rice University, Ph.D. dissertation, [variously paged].
- Clark, A.K., 2002, Geologic framework and hydrogeologic characteristics of the Edwards group outcropping in northern central Uvalde County, Texas: San Antonio, Texas, University of Texas, M.S. thesis, 47 p.

- Clark, A.K., 2003, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer, Uvalde County, Texas: U.S. Geological Survey Water-Resource Investigations Report 03-4010, 17 p.
- Clark, A.K., and Small, T.A., 1997, Geologic framework of the Edwards Aquifer and upper confining unit, and hydrogeologic characteristics of the Edwards Aquifer, south central Uvalde County, Texas: U.S. Geological Survey Water-Resource Investigations Report 97-4094, 11 p.
- Collins, E.W., 1997, Geology of the New Braunfels - San Antonio urban growth corridor and Edwards Aquifer region, south central Texas, *from* 1997 Annual Meeting of the Geological Society of America, Salt Lake City, Utah, USA, October 20-23, 1997, *in* Geological Society of America Abstracts with Programs, v. 29, no. 6, p.147.
- Collins, E.W., 2000, Geologic map of the New Braunfels, Texas 30 x 60 minute Quadrangle: Geologic framework of an urban growth corridor along the Edwards aquifer, south central Texas: Austin, Texas, University of Texas Bureau of Economic Geology, no. 39, 28 p.
- Collins, E.W., Raney, J.A., and Tremblay, T.A., 2001, Geologic mapping of urban corridors and important aquifer areas for the Texas STATEMAP Program, *from* 35<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section, *in* Geological Society of America Abstracts with Programs, Geological Society of America Abstracts with Programs, v. 33, no. 5, p. 51.
- Collins, E.W., Raney, J.A., and Tremblay, T.A., 2002, Geologic mapping of the north Austin urban corridor and northern Edwards Aquifer for the Texas STATEMAP Program, *from* 36<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section, *in* Geological Society of America Abstracts with Programs, v. 34, no. 3, p. 9.
- Collins, E.W., Raney, J.A., Jeffers, G.J., Andrews, J., Dale, S., and Tremblay, T.A., 1999, Texas STATEMAP Program and new geologic maps of El Paso - Northwest Hueco Bolson, Texas, and New Braunfels, Texas, *from* 33<sup>rd</sup> Annual Meeting of the Geological Society of America, south central Section, Lubbock, Texas, United States: March 15-16, 1999, *in* Geological Society of America Abstracts with Programs, v. 31, no. 1, p. 5, 14 - Geologic maps.
- Collins, E.W., Tremblay, T.A., Raney, J.A., Paine, J.G., Hovorka, S.D., Gutierrez, R., Smyth, R.C., and Hepner, T.L., 2004, Geologic mapping and construction of digital map data sets of the Edwards Aquifer Region, central Texas, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 15 p.
- Connor, C.B., and Sandberg, S.K., 2001, Application of integrated geophysical techniques to characterize the Edwards Aquifer, Texas: Bulletin of the South Texas Geological Society, v. 41, no. 7, p. 11-25.
- Cooper, J.D., 1964, Geology of Spring Branch area, Comal and Kendall Counties, Texas: Austin, Texas, University of Texas, M.S. thesis, 183 p.

- Coppinger, W.W., and Kroeger, G., 1998, The Edwards Aquifer of central Texas: A one-day field trip and introduction to the geology of a regional groundwater resource, *from* 1998 Annual Meeting of the Geological Society of America, Toronto, Canada, October 25-29, 1998, *in* Geological Society of America Abstracts with Programs, v. 30, no. 6, p. 703.
- Cronin, S., 1932, Disconformity between Edwards and Georgetown in Hays and Comal Counties: Austin, Texas, University of Texas, unpublished M.S. thesis, 32 p.
- Davis, W.E., 1962, Geology of the Lime Kiln quadrangle, Hays County, Texas: San Marcos, Southwest Texas University of Texas, M.S. thesis, 86 p.
- Dawson, J.M., Nanna, M., and Kirby, G., 1927, Igneous dikes in Bandera County, Texas: Austin, Texas, Economic Geology, v. 22, p. 621-624.
- DeCook, K.J., 1957, Geology of San Marcos Springs quadrangle, Hays County, Texas: University of Texas, M.S. thesis, 90 p.
- Eifler, G.K., 1930, The Edwards Formation in the Balcones fault zone: Austin, Texas, University of Texas, M.S. thesis, 74 p.
- Evans, J.P., III, 1965, Geology and fracture pattern analysis of central western Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 53 p.
- Ewing, T.E., 1986, Late Cretaceous Igneous Rocks of the Uvalde Area Southwest Texas a guidebook for the 1986 South Texas Geological Society field trip: San Antonio, Texas, South Texas Geological Society, 34 p.
- Ewing, T.E., 1986, Late Cretaceous volcanism in South Texas – methods and examples: in Syapp, W.L., ed., 1985, Contributions to South Texas Geology.
- Ewing, T.E., 1996, Summary of the geology of the San Antonio area, from rocks, landscapes and man: Urban geology of the San Antonio area, *in* Guidebook - South Texas Geological Society Report 96-2, p. 7-54.
- Ewing, T.E., 1997, Terra y aqua: the geography and geology of early settlement in San Antonio: Bulletin of the South Texas Geological Society, v. 38, no. 2, p. 7-14.
- Ewing, T.E., 2004, Volcanoes, asphalt, tectonics, and groundwater in the Uvalde area, southwest Texas – Field Trip Guidebook, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, South Texas Geological Society Guidebook 2004-1, 82 p.
- Ewing, T.E., and Barker, D.S., 1986, Late Cretaceous Igneous Rocks of the Uvalde Area Southwest Texas: San Antonio, Texas, South Texas Geological Society Guidebook, p. 1-5.

- Ewing, T.E., and Wilbert, W., 1991, Geology of the Edwards Aquifer: descriptions and recommendations: South Texas Geological Society, 1 volume, [variously paged].
- Fuchs, J.W., 1981, Microfacies analysis of the Edwards Limestone (Lower Cretaceous), central Texas: Nacogdoches, Texas, Stephen F. Austin State University, M.S. thesis, 126 p.
- Greenwood, R., 1956, Submarine volcanic mudflows and limestone dikes in the Grayson Formation (Cretaceous) of Central Texas: GCAGS Transactions, v. 6, p. 167-177.
- Greenwood, R., and Lynch, V.M., 1959, Geology and gravimetry of the Mustang Hill Laccolith, Uvalde County, Texas: Geological Society of America Bulletin, v. 70, p. 807-826.
- Grimshaw, T.W., 1970, Geology of the Wimberley area, Hays and Comal counties, Texas: Austin, Texas, University of Texas, M.S. thesis, 104 p., 2 plates.
- Hanson, J.A., and Small, T.A., 1995, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer outcrop, Hays County, Texas, U.S. Geological Survey Water-Resources Investigations Report 95-4265, 10 p.
- Hauwert, N., 1997, Geological map of the Barton Springs segment of the Edwards aquifer: Austin, Texas, Barton Springs/Edwards Aquifer Conservation District, 1 sheet.
- Hayes, M.E., 2000, Major Aquifers of Texas (map), Texas Water Development Board (TWDB), Austin, Texas: website: [http://www.twdb.state.tx.us/mapping/maps/pdf/aqu\\_maj\\_24x24.pdf](http://www.twdb.state.tx.us/mapping/maps/pdf/aqu_maj_24x24.pdf)
- Hazelwood, R., 1979, The evolution of topography developed on Lower Cretaceous, Comanchean Series rocks, in Hazelwood, Richard, and Keyes, S.L., eds., The nature of the Cretaceous-pre Cretaceous contact, central Texas: Baylor Geological Society Guidebook, Waco, Texas, 143, p. 35-37. Descriptors: Brown County, McCulloch County, San Saba County, Mills County, Lampasas County, Travis County, Hays County, Blanco County, Llano County, Burnet County, Edwards Limestone, Glen Rose Limestone, Mesozoic.
- Hill, R.T., and Vaughan, T.W., 1902, Austin, Texas, quadrangle: U.S. Geological Survey Atlas of the United States, Folio 76.
- Hovorka, S.D., 2003, Geologic setting of the Edwards and Trinity Aquifers of central and south Texas; interactions among tectonics, carbonates, and groundwater flow, *from* Proceedings the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, San Antonio, Texas, April 6-10, 2003, v. 2003, p. 363-371.
- Kolb, R.A., 1981, Geology of the Signal Hill quadrangle, Hays and Travis Counties, Texas: Austin, Texas, University of Texas, M.S. thesis, 80 p., 2 plates.

- Lambert, P.F., 1988, Geology of the northeastern portion of the Fredonia quadrangle, San Saba County, Texas: Odessa, Texas, University of Texas of the Permian Basin, M.S. thesis, 2 plates, map 1:24,000. Descriptors: Valley Spring Gneiss, Riley Formation, Marble Falls Limestone, Hensel Sand Member (of Travis Peak Formation), Edwards Limestone, Llano Estacado, Precambrian, Cambrian, Wilberns Formation, Pennsylvanian, Carboniferous.
- Liddle, R.A., 1918, Geology and mineral resources of Medina County: University of Texas Bulletin 1860, 178 p
- Liddle, R.A., 1930, Magnetometer survey of Little Fry Pan area, Uvalde and Kinney counties, Texas: AAPG Bulletin, v. 14, p. 509-516.
- Lonsdale, J.T., 1927, Igneous rocks of the Balcones fault region of Texas: Austin, Texas, University of Texas Bulletin, 2744, 178 p.
- Lozo, F.E., Jr., ed., 1959, Symposium on Edwards Limestone in central Texas: Austin, Texas, University of Texas Publication 5905, 235 p.
- Maclay, R.W., and Small, T.A., 1976, Progress report on geology of the Edwards aquifer, San Antonio area, Texas, and preliminary interpretation of borehole geophysical and laboratory data on carbonate rocks: U.S. Geological Survey Open-File Report 76-627, 65 p.
- McKalis, D., Rose, P.R., and Lozo, F.E., Jr., 1981, Geologic atlas of Texas, Sonora sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Newcomb, J.H., 1971, Geology of Bat Cave quadrangle, Comal and Bexar Counties, Texas: Austin, Texas, University of Texas, unpublished M.S. thesis, 104 p.
- Noyes, A.P., Jr., 1957, Geology of Purgatory Creek Area, Hays and Comal Counties, Texas: Austin University of Texas at Austin, M.S. thesis, 95 p.
- Noyes, A.P., Jr., and Young, K.P., 1960, Geology of Purgatory Creek area, Hays and Comal Counties, Texas: Texas Journal of Science, v. 12, no. 1-2, p. 64-104.
- Ogden, A.E., 1985, Geologic and hydrologic maps of the San Marcos area: San Marcos, Texas, Southwest Texas State University, Report to the City of San Marcos, 41 p.
- Phillips, S.D., 1993, A Geological Appraisal of the Edwards Aquifer, Aquifer or Underground stream, San Antonio Region: Waco, Texas, Baylor University, Bachelor thesis, 84 p.
- Pierce, H.A., 2002, San Antonio, Texas Audio-magnetotelluric Data: A Website for Distribution of Data: U.S. Geological Survey, Open File Report 02-118, <http://pubs.usgs.gov/of/2002/of02-118/index.htm>.
- Pond, E.J., 1887, A Cretaceous river bed (Hays County, Texas): Science, v. 9, p. 536-537.

- Proctor, C.V., Brown, T.E., Jr., McGowen, J.H., and Waechter, N.B., 1981, Geologic atlas of Texas, Austin sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Rodda, P.U., Garner, L.E., and Dawe, G.L., 1970, Austin west quadrangle, Travis County, Texas: Austin, Texas, University of Texas Bureau of Economic Geology, Geological Quadrangle Map 38, 11 p., scale 1:24,000.
- Rose, P.R., 1972, Edwards Group, surface and subsurface central Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Investigation No. 74, p. 24-26.
- Sandidge, J.R., 1959, A review of Edwards Limestone production with special refernce to south-central Texas, *in* Lozo, F.E., Jr., ed., Symposium on Edwards Limestone in Central Texas: University of Texas, Austin, Texas, Publication 5905, p. 205.
- Sellards, E.H., 1919, The geology and mineral resources of Bexar County, Texas: Austin, Texas, University of Texas Bulletin 1932, 202 p.
- Sellards, E.H., 1933, The pre-Paleozoic and Paleozoic Systems in Texas, *in* The geology of Texas, v. 1, Stratigraphy: Austin, Texas, University of Texas, Bureau of Economic Geology Bulletin 3232, p. 15-238.
- Sellards, E.H., Adkins, W.S., and Plummer, F.B., 1933, The Mesozoic Systems in Texas, *in* The geology of Texas, v. 1, Stratigraphy: Austin, Texas, University of Texas, Bureau of Economic Geology Bulletin 3232, 1,007 p.
- Small, T.A., 1985, Identification and tabulation of geological contacts in the Edwards Aquifer, San Antonio area, Texas: U.S. Geological Survey Open-File Report 84-075, 54 p. [Also published as Texas Department of Water Resources Limited Publication 199, 54 p.]
- Small, T.A., and Clark, A.K., 2000, Geologic framework and hydrogeologic characteristics of the Edwards Aquifers outcrop, Medina County, Texas: U.S. Geological Survey, Water-Resources Investigations Report 00-4195, 10 p., 1 sheet.
- Small, T.A., Clark, A.K., Clark, A., Lambert, R., and Lambert Lance, 2004, Field trip guide to the Edwards outcrop in the Balcones Fault Zone, *in* Edwards Water Resources in Central Texas: Retrospective and Perspective Symposium, May 21-22, 2004, San Antonio, Texas, South Texas Geological Society and Austin Geological Society Symposium, [variously paged]. [Also prepared for 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, San Antonio, Texas].
- Small, T.A., and Hanson, J.A., 1994, Geologic Framework and Hydrogeologic Characteristics of the Edwards Aquifer Outcrop, Comal County, Texas: U.S. Geological Survey, Water Resources Investigations Report 94-4117, 10 p., 1 sheet. [Also published in Bulletin of the South Texas Geological Society, v. 39, no. 4, p. 9-17, 1998.]

- Small, T.A., Hanson, J.A., and Hauwert, N.M., 1996, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer outcrop (Barton Springs segment), northeastern Hays and southwestern Travis counties, Texas: U.S. Geological Survey, Water Resources Investigations Report 96-4306, 15 p., 1 sheet.
- Small, T.A., and Lambert, R.B., 1998, Geologic framework and hydrogeologic characteristics of the Edwards and Trinity aquifers, Medina Lake area, Texas: U.S. Geological Survey, Water-Resources Investigations Report 97-4290, 17 p., 1 sheet.
- Smith, D.V., Smith, B.D., Blome, C.D., Pierce, H.A., and Lambert, R.B., 2001, Cretaceous volcanic intrusives in the Edwards Aquifer, Texas as identified from a high resolution aeromagnetic survey, *from* 2001 Annual Meeting Geological Society of America (GSA), November 1–10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 298.  
[http://gsa.confex.com/gsa/2002AM/finalprogram/abstract\\_44210.htm](http://gsa.confex.com/gsa/2002AM/finalprogram/abstract_44210.htm).
- Smith, D.V., Smith, B.D., and Hill, P.L., 2002, Aeromagnetic survey of Medina and Uvalde counties, Texas: A Website for Distribution of Data: U.S. Geological Survey, Open File Report 02-0049, [http://greenwood.cr.usgs.gov/pub/open-file-reports/ofr-02-0049/EA\\_Texas.html](http://greenwood.cr.usgs.gov/pub/open-file-reports/ofr-02-0049/EA_Texas.html).
- Smith, R.M., Jr., 1978, The Geology of the Buda-Kyle Area, Hays Co., Texas: University of Texas, Unpublished M.S. thesis, 158 p.
- Spencer, A.B., 1965, Alkalic igneous rocks of Uvalde County, Texas: in Upper Cretaceous asphalt deposits of the Rio Grande Embayment, Corpus Christi: Geological Society Guidebook, p. 13-21.
- \_\_\_\_\_, 1966, Alkalic igneous rocks of Uvalde County, Texas: University of Texas, Ph.D. dissertation, 168 p.
- \_\_\_\_\_, 1969, Alkalic igneous rocks of the Balcones Province, Texas: Journal of Petrology, v. 10, p. 272-306.
- Trippet, A.R., and Garner, L.E., 1976, Guide to points of geologic interest in Austin: Austin, Texas, University of Texas, Bureau of Economic Geology Guidebook 16, 38 p.
- Tydlaska, L.J., 1951, Geology of Palm Valley quadrangle, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 56 p.
- University of Texas, Bureau of Economic Geology, 1985, The Guadalupe-Lavaca-San Antonio-Nueces River Basins regional study-Seguin west-Austin sheets: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Vaughan, T.W., 1900, Uvalde Folio: U.S. Geological Survey Geologic Atlas of the United States: Folio 64.



- Waechter, N.B., Lozo, F.E., Jr., and Barnes, V.E., 1977, Geologic atlas of Texas, Del Rio sheet: Austin, Texas, University of Texas Bureau of Economic Geology, scale 1:250,000.
- Waiting, D.J., Ferrill, D.A., Sims, D.W., 2003, Development of a high-resolution geological framework model for the Edwards Aquifer Recharge Zone: Data, assumptions, procedures, and workflow, *South Texas Geological Society Bulletin*, v. 43, no. 7, p. 13-24.
- Walls, B., 1950, Geology of the Bell Gin quadrangle, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 56 p.
- Ward, D.L., 1950, Geology of area immediately west of Georgetown, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 47 p.
- Webb, W.E., and Hull, A.M., 1962, Engineering geology of Canyon dam, Guadalupe River, Comal County, Texas, field excursion no. 12, in *Geology of the Gulf Coast and central Texas and guidebook of excursions*, Geological Society of America, 1962 Annual Meeting: Houston Geological Society, p. 385-391.
- Weeks, A.W., 1945, Balcones, Luling, and Mexica fault zones in Texas: *American Association of Petroleum Geologists Bulletin*, v. 29, no. 12, p. 1,733-1,737.
- Welder, F.A., 1961, Igneous-sedimentary relationships in Uvalde County, Texas: *in* Guidebook, GCAGS 11<sup>th</sup> annual meeting, p. A7-A10.
- Whitney, F.L., 1923, Geologic map of area from Bexar to Williamson counties, Texas: Austin, The University of Texas, Unpublished map, 1 sheet.
- Whitney, F.L., Young, K, and Brooks, W.L., 1959, Geologic map of the N.W. San Marcos 15' Quadrangle Texas: Austin, Texas, University of Texas Bureau of Economic Geology, Miscellaneous Map 16, 1 sheet.
- Woodruff, C.M., Jr., 1994, The Balcones Escarpment: bedrock, water, and human destiny, *Bulletin of the South Texas Geological Society*, v. 35, no. 4, p. 25-34.
- Woodruff, C.M., Jr., and Abbott, P.L., 2004, Coevolution of the Edwards Aquifer and landscapes of the Edwards Plateau Region, *in* *Edwards Water Resources in Central Texas: Retrospective and Prospective*, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 15 p.
- Woodruff, C.M., Jr., and Collins, E.W., 2001, Austin, Texas and beyond – Geology and Environment: A field excursion in memory of L. Edwin Garner Austin, Texas, *Austin Geological Society Guidebook* 21, 120 p.
- Young, K.P., 1985, The Austin division of central Texas, *in* Young, K.P., and Woodruff, C.M., Jr., eds., *Austin Chalk in its type area-stratigraphy and structure*: Austin Geological Society Guidebook 7, p. 3-51.

Young, K.P., 1986, The Pleistocene terra rossa of central Texas, *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 63-70.

Young, K.P., and Snyder, F.R., 1986, The geology of Northwest Hills: *in* Snyder, F.R., et al., coords, The cityscape-geology, construction materials, and environment in Austin, Texas: Austin Geological Society Guidebook 9, p. 53-62.

Zeisloft, J., and Foley, D., 1983, Geologic evaluation, *in* Lawford, T.W., Malone, C.R., Allman, D.W., Zeisloft, J., and Foley, Duncan, eds., Characterization of the geothermal resource at Lackland Air Force Base, San Antonio, Texas: U.S. Department of Energy, Idaho Operations Office, DOE/ID-10114, p. 3-1-3-24.

### ► Economic Geology

Bebout, D.G., and Loucks, R.G., 1974, Stuart City trend Lower Cretaceous, south Texas, a carbonate shelf-margin model for hydrocarbon exploration: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 78, 80 p.

Collinge, R.A., Emerson, P.M., Griffin, R.C., McCarl, B.A., and Merrifield, J.D., 1993, The Edwards Aquifer: An economic perspective, *from* Div. Econ. and Finance: University of Texas, San Antonio, Texas, USA, Texas Water Resources Institute, Texas A & M University, College Station, Texas, v. 159, 12 p.

Feray, D.E., 1952, Edwards core study, Texas (summary): Tulsa Geological Society Digest, v. 20, p. 79. Descriptors: dolomite.

Foley, D., and Woodruff, C.M., Jr., 1986, Geothermal resources of Bexar County, Texas, *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 145-152. Descriptors: Hosston Formation.

Green, C.L., 1982, Subsurface geology of the Edwards and Georgetown Formations, south central Texas, and its relation to petroleum occurrence: Waco, Texas, Baylor University, M.S. thesis, 207 p. Descriptors: Georgetown Limestone, Edwards Limestone, Kiamichi Formation, San Marcos arch, Karnes Trough, Edwards reef, Stuart City reef, normal faults, Llano uplift, East Basin, Belton High.

Hovorka, S.D., Ruppel, S.C., Dutton, A., and Yeh, J., 1994, Revised estimates of the amount of water stored in the Edwards Aquifer, *from* Bureau of Economic Geology, University of Texas, Austin, Texas, USA: New Waves, v. 7, no. 1, p. 2.

Getzender, F.M., 1931, Mineral resources of Texas, Uvalde County, Bureau of Economic Geology Mineral Resources Pamphlet, Austin, University of Texas, Austin, Texas, p. 93-111.

- McGannon, D.E., Jr., ed., 1976, Economic geology of south central Texas - a guidebook for the 1976 South Texas Geological Society field trip: San Antonio, Texas, South Texas Geological Society, 104 p.
- Merkel, R.H., MacCary, L.M., and Chico, R.S., 1976, Computer techniques applied to formation evaluation: The Log Analyst, v. 17, no. 3, p. 3-10. Descriptors: Edwards Limestone, sandstone, dolostone.
- Merrifield, J., 1997, Sensitivity Analysis in benefit-cost analysis: A key to increased use and acceptance: Contemporary Economic Policy, v. 15, no. 3, p. 82-92.
- Moredock, D.E., and Van Siclen, D.C., 1964, Regional variations of hydrocarbons in the Edwards Limestone (Cretaceous) of south Texas: Gulf Coast Association of Geological Societies Transactions, v. 14, p. 253-261.
- Rodda, P.U., Fisher, W.L., Payne, W.R., and Schofield, D.A., 1966, Limestone and dolomite resources, Lower Cretaceous rocks, Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 56, 286 p.
- Simonds, F.W., 1903, The minerals and mineral localities of Texas: First topographic mineralogy of Texas: University of Texas Mineral Survey Bulletin 5, 104 p.
- South Texas Geological Society, 1957, South Texas Edwards symposium-pt. 1: Oil and Gas Journal, v. 55, no. 31, p. 152-153, 155, 158, 160-161.
- Stoessell, R.K., and Moore, C.H., Jr., 1983, Chemical constraints and origins of four groups of Gulf Coast reservoir fluids: American Association of Petroleum Geologists Bulletin, v. 67, no. 6, p. 896-906.
- Woodruff, C.M., Jr., 1982, Geothermal anomalies in central Texas - Darcy's law versus the heat flow equation, in Ruscetta, C.A., ed., Geothermal direct heat program, Salt Lake City, Utah, Roundup Technical Conference, Proceedings, v. 1: University of Utah, Salt Lake City, Utah, Research Institute, Earth Science Laboratory Report DOE/ID/12079-71-v.1, ESL-98-v.1, CONF-820491-v.1, p. 228-239.
- Woodruff, C.M., Jr., and Foley, D., 1985, Thermal regimes of the Balcones/Ouachita trend, central Texas: Gulf Coast Association of Geological Societies Transactions, v. 35, p. 287-292. Descriptors: Medina County, Bell County, Edwards Limestone, Ouachita Mountains, Kerr Basin.
- Woodruff, C.M., Jr., Henry, C.D., and Gever, C., 1982, Geothermal resource potential at military bases in Bexar, Travis, and Val Verde counties, Texas, in Woodruff, C.M., Jr., Caran, S.C., Gever, Christine, Henry, C.D., Macpherson, G.L., and McBride, M.W., eds., Geothermal resource assessment for the State of Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Final Report, 65 p.

Woodruff, C.M., Jr., and McBride, M.W., 1979, Regional assessment of geothermal potential along the Balcones and Luling-Mexia-Talco fault zones, central Texas-final report: Washington, D.C., Department of Energy, 245 p. [Available from National Technical Information Service, Springfield, VA 22161 as DOE/ET/28375-1.] Descriptors: Shingle Hills Formation, Hosston Formation, Trinity Group, Hensel Sand Member, Paluxy Sand, Woodbine Sand, Edwards Limestone, Paleozoic, Phanerozoic, Tertiary, Cenozoic, Cretaceous, Mesozoic.

Zeisloft, J., and Bruchhausen, P.M., 1983, Geothermal evaluation of the Hosston Formation, Lackland Air Force Base, San Antonio, Texas, Phase II report: Salt Lake City, Utah, University of Utah, Research Institute, Earth Science Laboratory Report DOE/ID/12079-110, 64 p.

### ► Environmental Geology

Coastal Ecosystems Management, Inc., 1975, Evaluation of impacts of a no-management plan on the San Antonio-Guadalupe River Basin: Fort Worth Texas: Coastal Ecosystems Management Inc., 445 p.

Collins, E.W., Prouty, J.S., Price, K.H., and Henderson, V.W., 1998, Environmental geology of urban growth areas within the Edwards Aquifer and Balcones fault zone, south central Texas, *in* 48<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies, American Association of Petroleum Geologist regional meeting and the 47<sup>th</sup> Annual Convention of the Gulf Coast Section of the Society of Economic Paleontologists and Mineralogists, Corpus Christi, Texas, United States, October 21-23, 1998: Gulf Coast Association of Geological Societies, v. 48, p. 537-538.

Crowe, J.C., and Sharp, J.M., Jr., 1997, Hydrogeologic delineation of habitats for endangered species: The Comal Springs-River system: Austin, Texas, Department of Geological Science, University of Texas, Environmental Geology (Berlin), v. 30, no. 1-2, p. 17-33.

Edwards Underground Water District, 1992, Blasting effects on engineered structures- a technical inventory for the Edwards Underground Water District: San Antonio, Texas, Edwards Underground Water District, 3 volumes, [variously paged].

Fletcher, S., 2000, Embattled Texas product pipeline takes major step forward: Oil & Gas Journal, v. 98, no. 50, p. 72-75.

Fox, T.P., Camann, D.E., Schultz, D.W., and Kunka, S.L., 1976, Review of hydrocarbon transmission lines crossing the Edwards underground: Southwest Research Institute Final Report, 36 p.

Garner, L.E., and Young, K.P., 1976, Environmental geology of the Austin area-an aid to urban planning: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 86, 39 p. Descriptors: Travis County, Williamson County, Hays County, Bastrop County

- Grimshaw, T.W., 1976, Environmental geology of urban and urbanizing areas-a case study from the San Marcos area: Austin, Texas, University of Texas, Ph.D. dissertation, 244 p.
- Gunter, J.A., 1988, Construction of grout columns in cavities in the Edwards Limestone: Texas Civil Engineer, v. 58, no. 2, p. 18-21.
- LaMoreaux, P.E., Powell, W.J., and LeGrand, H.E., 1997, Environmental and legal aspects of karst areas: Environmental Geology, v. 29, no. 1-2, p. 23-36.
- Larson, R.D., and Ferguson, D.V., 1982, The use of aerial reconnaissance/surveillance methods in locating, monitoring and evaluating municipal solid and hazardous waste disposal sites: A case study in the Edwards Aquifer region of central Texas: San Marcos, Texas, Edwards Aquifer Research and Data Center, Report Number R1-82, 18 p.
- Muncrief, G.E., 1983, Impact of New Crops, Row Damming, and Land Clearing on Groundwater Utilization, Net Revenue, and Land Use in the Texas Winter Garden: College Station, Texas, Texas A&M University, Ph.D. dissertation [Also available in Dissertation Abstracts International, v. 44, no. 06-A, page 1868, 189 p.]
- Reece, R., 1986, Earth, wind, water, and sun-a vision of self-reliance for Austin, *in* Snyder, F.R., De La Garza, Laura, and Woodruff, C.M., Jr., coordinators, The cityscape-geology, construction materials, and environment Austin, Texas: Austin Geological Society Guidebook 9, p. 30-32.
- Rose, P.R., 1986, The Edwards Aquifer and the All-American pipeline: Bulletin of the South Texas Geological Society, v. 27, no. 1, p. 9.
- Rose, P.R., 1986, Pipeline oil spills and the Edwards Aquifer, central Texas, *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 163-183.
- Russell, W.H., 1987, Edwards stratigraphy and oil spills in the Austin, Texas area: The Texas Caver, v. 32, no. 2, p. 27-31. Descriptors: Edwards Limestone, Glen Rose Formation, Walnut Formation, porosity, permeability, Midnight Cave, Grassy Cove Cave, Tom Miller Dam, McNeil Bat Cave, Kirschberg solution zone.
- Schuknecht, M.R., and Mikels, J.K., 1986, Hydrogeologic impact assessment of proposed urbanization atop a karst aquifer, in Environmental Problems in Karst Terranes and Their Solutions Conference, Bowling Green, KY., Proceedings: Dublin, Ohio, National Water Well Association, p. 435-451.
- Schueler, T., 2000, Further developments in sand filter technology - The practice of watershed protection, Center for Watershed Protection, Holland, Heather K. eds., p. 531-539.
- Shaw, S.L., 1974, Geology and land-use capability of the Castle Hills quadrangle, Bexar County, Texas: Austin, Texas, University of Texas, unpublished M.S. thesis, 130 p.

- Thomas, E.E., and U.S. Soil Conservation Service, 1974, Leona River Watershed, Uvalde County, Texas, Final Environmental Impact Statement/Edward E. Thomas Washington: Temple, Texas, U.S. Soil Conservation Service, 70 p.
- Veni, G., 1984, Hydrogeology and urbanized karst: The Texas Caver, v. 29, no. 6, p. 2-3. Descriptors: pollution, waste disposal.
- Wermund, E.G., 1975, Land resource units for planning in carbonate terranes - Les unites de ressource terrestre pour le planning dans les terrains calcaires, *in* Karst hydrogeology: Geological Survey of Alabama, p. 88.
- Wermund, E.G., Morton, R.A., Cannon, P.J., and Woodruff, C.M., Jr., 1974, Test of environmental geologic mapping, southern Edwards Plateau, southwest Texas: Geological Society of America Bulletin, v. 85, p. 423-432.
- Woodruff, C.M., Jr., 1975, Land capability in the Lake Travis vicinity, Texas - a practical guide for the use of geological and engineering data: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 84, 37 p.
- Woodruff, C.M., Jr., and Marsh, W.M., 1992, Soils, landforms, hydrologic processes, and land-use issues-Glen Rose Limestone terrains, Barton Creek watershed, Travis County, Texas: Society of Independent Professional Earth Scientists, Austin, Texas, Central Texas Chapter Field Report and Guidebook [variously paged], [Available from TerraSyn, Inc., 1119 Beard St., Flint, MI 48503].
- Young, K.P., and Snyder, F.R., 1986, The geology of Northwest Hills, in Snyder, F.R., De La Garza, Laura, and Woodruff, C.M., Jr., coordinators, The cityscape-geology, construction materials, and environment in Austin, Texas: Austin Geological Society Guidebook 9, p. 53-62. Descriptors: brachiopods, Travis County, Glen Rose Formation, Bull Creek Limestone, Bee Cave Marl, Cedar Park Limestone, Edwards Limestone, Buttercup Creek dolomite, Murchison Quarry.

### ► Paleontology

- Graham, R.W., 1976, Pleistocene and Holocene mammals, taphonomy and paleoecology of the Friesenhahn Cave local fauna, Bexar County, Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 233 p.
- Ikins, W.C., and Clabaugh, S.E., 1940, Some fossils from the Edwards Formation of Texas: Bulletin American Paleontology, v. 26, no. 96, 22 p. Descriptors: echinoids, foraminifera, Gastropoda
- Logan, J., and Murin, M., 1992, Zilker Gardens dinosaur trackways-a new look at the Edwards Formation: Journal of Vertebrate Paleontology, v. 12, no. 3 (suppl.), p. 40a. Copyright 1992, by Biological Abstracts, Inc. (BIOSIS). Descriptors: Ornithomimus, Gallator, turtles.

- Longley, G., 1986, The biota of the Edwards Aquifer and the implications for paleozoogeography, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 51-54: <http://www.lib.utexas.edu/geo/BalconesEscarpment/pages51-54.html>. Descriptors: Balcones escarpment, Gastropoda, Mollusca, crustaceans, Mandibulata, arthropods, Balcones fault zone, Brackettville, Salado, foraminifera, microfossils, Protista, San Marcos, San Antonio.
- Lundelius, E.L., Jr., 1967, Late Pleistocene and Holocene faunal history of central Texas, in Martin, P.S., and Wright, H.E., Jr., eds., Pleistocene extinctions-the search for a cause: Yale University Press, New Haven, Connecticut, p. 287-319.
- Lundelius, E.L., Jr., 1985, Pleistocene vertebrates from Laubach Cave, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, Laura, and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 41-45. Descriptors: Quaternary, *Platygonus compressus*, Mammalia, Aves, *Blarina carolinensis*, *Microtus*, *Cynomys ludovicianus*, *Dipodops elator*, *Microtus ochrogaster*.
- Lundelius, E.L., Jr., 1986, Vertebrate paleontology of the Balcones fault trend, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment- geology, hydrology, ecology, and social development in central Texas: Geological Society of America, p. 41-50.
- Matthews, W.H., 1956, The paleontology and paleoecology of the biostrome fauna of the Edwards Formation of Texas: Gulf Coast Association of Geological Societies Transactions, v. 6, p. 109-116.
- Person, C.P., and Daghlian, C.P., 1975, Isolated cuticles from the Middle Cretaceous of central Texas, in Miller, C.N., chairperson, Abstracts of papers to be presented at the meetings of the Botanical Society of America and certain affiliated groups at Oregon State University, Corvallis, Oregon: Columbus, Ohio, Botanical Society of America, p. 23.
- Sams, R.H., 1982, Newly discovered dinosaur tracks, Comal County, Texas: South Texas Geological Society Bulletin, v. 23, p. 19-23.
- Sanford, W.E., and Wood, W.W., 1995, Paleohydrologic record from lake brine on the Southern High Plains, Texas: Geology, v. 23, no. 3, p. 229-232.
- Stangl, F.J., Jr., 1927, Rudistid reef in the Edwards Limestone, near Belton, Texas: Fort Worth, Texas, Texas Christian University, M.S. thesis, 80 p. Descriptors: Bell County, rudists, mollusks.
- Taylor, A.J., 1982, The mammalian fauna from the mid-Irvingtonian Fyllan Cave local fauna, Travis County, Texas: Austin, Texas, University of Texas, M.S. thesis, 106 p.
- Toomey, III, R.S., 1993, Late Pleistocene and Holocene faunal and environmental changes at Hall's Cave, Kerr County, Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 561 p.

Wilson, D., 1986, Paleoenvironments of the Upper Cretaceous Anacacho Formation in Southwest Texas: *in* Stapp, W.L., ed., 1985: Contributions to South Texas Geology.

Young, K.P., 1959, Edwards fossils as depth indicators, *in* Lozo, F.E., Jr., ed., Symposium on Edwards Limestone in Central Texas: University of Texas, Austin, Texas, Publication 5905, p. 97-104. Descriptors: Comanche Peak Limestone, Edwards Limestone.

Young, K.P., 1979, Edwards Plateau ammonites, *in* Rose, P.R., ed., Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 59-75. Descriptors: mollusks, Edwards Limestone, Devils River Limestone, Fredericksburg Group, Washita Group, Tetrabranchiata, Cephalopoda.

### ► Sedimentation, Sedimentary Petrology

Ayora, C., Taberner, C., Saaltink, M.W., and Carrera, J., 1998, The genesis of dedolomites: a discussion based on reactive transport modeling: *Journal of Hydrology*, v. 209, iss. 2-4, p. 346-365.

Chafetz, H.S., and Butler, J.C., 1977, Petrology of recent vadose pisolites, Edwards Formation, Cretaceous of central Texas [abs.]: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 924.

Chafetz, H.S., and Butler, J.C., 1979, Single crystals of calcite exhibiting radial and concentric structure-spherulites after microcodium [abs.]: *Geological Society of America Abstracts with Programs*, v. 11, no. 7, p. 400.

Chafetz, H.S., and Butler, J.C., 1980, Petrology of recent caliche pisolites, spherulites, and speleothem deposits from central Texas: *Sedimentology*, v. 27, no. 5, p. 497-518.

Deike, R.G., 1991, Comparative petrology of cores from two test wells in the eastern part of the Edwards aquifer, south central Texas: U.S. Geological Survey Water-Resources Investigations Report 87-4266, 155 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB92-147750/XAB].

Ellis, P.M., 1985, Diagenesis of the Lower Cretaceous Edwards Group in the Balcones Fault Zone Area, South-Central Texas: Ph.D. dissertation, p. N/A.

Ellis, P.M., 1986, Post-Miocene carbonate diagenesis of the Lower Cretaceous Edwards Group in the Balcones fault zone area, south central Texas, *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 101-114.

Facundus, M.R., 1968, Diagenetic aspects of evaporite solution - Kirschberg evaporite: Louisiana State University, Baton Rouge, Louisiana, M.S. thesis, 87 p.



- Fisher, W.L., and Rodda, P.U., 1969, Edwards Formation (Lower Cretaceous), Texas-dolomitization in a carbonate platform system: American Association of Petroleum Geologists Bulletin, v. 53, no. 1, p. 55-72.
- Geno, K.R., 1976, Origin and distribution of chert in the Edwards Limestone (Lower Cretaceous), central Texas: Waco, Texas, Baylor University, B.S. thesis, 66 p.
- Geno, K.R., and Chafetz, H.S., 1980, Recent fluvial ooids and pisolites in central Texas [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 7, p. 433.
- Geno, K.R., and Chafetz, H.S., 1982, Petrology of Quaternary fluvial low magnesian calcite coated grains from central Texas, USA: Journal Sediment Petrology, v. 52, no. 3, p. 833-842.
- Halley, R.B., and Rose, P.R., 1977, Significance of fresh-water limestones in marine carbonate successions of Pleistocene and Cretaceous age, *in* Bebout, D.G., and Loucks, R.G., eds., Cretaceous carbonates of Texas and Mexico-applications to subsurface exploration: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 89, p. 206-215.
- Hobbs, A.E., 2003, Estimating the sediment budget for the Barton Springs segment of the Edwards Aquifer: Austin, Texas, University of Texas, M.S. thesis, 238 p.
- Hovorka, S.D., 1996, high frequency cyclicity during eustatic sea-level rise: Edwards Group of the Balcones Fault Zone: Gulf coast Geological Societies Transactions, v. 46, p. 455-456.
- Hovorka, S.D., Dutton, A.R., Ruppel, S.C., and Yeh, J., 1994, Sedimentologic and diagenetic controls on aquifer properties, Lower Cretaceous Edwards Carbonate Aquifer, Texas: Implications for aquifer management, *from* 44<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies and the 41<sup>st</sup> Annual Convention of the Gulf Coast Section of the Society of Economic Paleontologists and Mineralogists, Austin, Texas, USA, October 05-07, 1994, Major, R.P., (ed.), *in* Transactions – Gulf Coast Association of Geological Societies, v. 44, p. 277-284.
- Irwin, J.E., 1977, Petrographic analysis of a patch reef in the Edwards Limestone (Lower Cretaceous), central Texas: Nacogdoches, Texas, Stephen F. Austin State University, M.S. thesis, 98 p.
- Jacka, A.D., 1978, Occurrences of tertiary porosity in carbonate rocks [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 525.
- Jacka, A.D., 1984, Emplacement of nonevaporitic sulfates in McKnight Formation, Maverick Basin, and associated complex diagenesis: American Association of Petroleum Geologists, v. 68, no. 4, p. 491.
- Keyes, S.L., 1976, Petrology of the upper Edwards Limestone (Lower Cretaceous) - termination of a regressive cycle: Waco, Texas, Baylor University, B.S. thesis, 48 p.

- Lambert, G.B., 1976, Diagenesis in the Edwards Limestone (Lower Cretaceous), central Texas: Waco, Texas, Baylor University, B.S. thesis, 46 p.
- Lambert, G.B., 1979, Deposition and diagenesis of the Edwards Limestone in north central Texas: Waco, Texas, Baylor University, M.S. thesis, 130 p.
- Longman, M.W., and Mench, P.A., 1978, Diagenesis of Cretaceous limestones in the Edwards Aquifer system of south-central Texas-a scanning electron microscope study: *Sedimentary Geology*, v. 21, no. 4, p. 241-276.
- Loucks, R.G., and Mueller, H.W., III, 1979, Some diagenetic features of the Edwards Group, central Texas, in Rose, P.R., ed., *Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas* (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 40-43.
- Lozo, F.E., Jr., 1959, Stratigraphic relations of the Edwards Limestone and associated formations in north-central Texas: *in* Lozo, F.E., Jr., ed., *Symposium in Edwards Limestone in Central Texas*: Austin, Texas, University of Texas, Publication 5905, p. 1-19.
- Maclay, R.W., and MacCary, L.M., 1974, Geophysical and petrophysical study of porosity in the Edwards Limestone at the Randolph test site, San Antonio, Texas [abs.]: *Geological Society of America Abstracts with Programs*, v. 6, no. 7, p. 853.
- Mahler, B.J., 1997, *Mobile Sediments in a Karst Aquifer (Sediment Transport, Contaminant Transport, Texas)*: Austin, The University of Texas, Ph.D. dissertation, *Dissertation Abstracts International*, v. 58, no. 07-B, page 3523, 171 p.
- Mahler, B.J., and Bennett, P.C., 1996, Sediment mobility in a karst aquifer, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* *Geological Society of America Abstracts with Programs*, v. 28, no. 1, p. 51.
- Mahler, B.J., and Lynch, F.L., 1999, Muddy waters; temporal variation in sediment discharging from a karst spring: *Journal of Hydrology*, v. 214, no. 1-4, p. 165-178.
- Mahler, B.J., Lynch, L., and Bennett, P.C., 1999, Mobile sediment in an urbanizing karst aquifer; Implications for contaminant transport: *Environmental Geology*, v. 39, no. 1, p. 25-38.
- McGannon, D.E., Jr., 1977, Fluvial limestones in south central Texas- a unique geologic occurrence: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 1,088-1,089.
- Mench-Ellis, P.M., 1985, Diagenesis of the lower cretaceous Edwards Group in the Balcones fault zone area, south central Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 326 p.

- Mench, P.A., 1978, Diagenesis related to Miocene faulting in the Edwards Aquifer, San Antonio area, Texas: Geological Society of America Abstracts with Programs, v. 10, no. 1, p. 22.
- Moore, C.H., Jr., 1967, Stratigraphy of the Edwards and associated formations, west-central Texas: Gulf Coast Association of Geological Societies Transactions, v. 17, p. 61-75.
- Moore, C.H., Jr., 1978, Diagenetic controls over porosity distribution in ancient carbonate rock sequences: Canadian Society of Petroleum Geologists Reservoir, v. 5, no. 4, p. 1-3.
- Mueller, H.W. III, 1975, Centrifugal Progradation of Carbonate Banks: A Model for Deposition and Early Diagenesis, Fort Terrett Formation, Edwards Group, Lower Cretaceous, Central Texas. (Scott, A. J.), Ph.D. dissertation [variously paged].
- Nelson, H.F., 1959, Deposition and alteration of the Edwards Limestone, central Texas, in Lozo, F.E., Jr., ed., Symposium on Edwards Limestone in Central Texas: Austin, Texas, University of Texas, Publication 5905, p. 21-95. Descriptors: Bell County, Coryell County, McLennan County.
- Nelson, H.F., 1971, Cementation in the Edwards Formation, central Texas, in Carbonate cements: Baltimore, MD, Johns Hopkins University, Studies in Geology, v. 19, p. 155-158.
- Nelson, H.F., 1974, Paleoecology, distribution, and significance of circular bioherms in Edwards Limestone, central Texas [book review]: American Association of Petroleum Geologists Bulletin, v. 58, no. 2, p. 334-335.
- Prezbindowski, D.R., 1981, Burial diagenesis, Edwards Formation, Lower Cretaceous, south central Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 235 p.
- Roberson, D.S., 1971, The paleoecology, distribution and significance of circular Edwards Limestone (Cretaceous) bioherms in central Texas: Waco, Texas, Baylor University, M.S. thesis, 80 p.
- Roberson, D.S., 1972, Circular Edwards Limestone bioherms, central Texas [abs.], in Geological Society of America Abstracts with Programs, v. 4, no. 4, p. 291. Descriptors: Cretaceous, reefs, sedimentary rocks, lithofacies.
- Roberson, D.S., 1972, The paleoecology, distribution and significance of circular bioherms in the Edwards Limestone of central Texas: Baylor Geological Studies Bulletin 23, 27 p. Descriptors: mollusks, Pelecypoda, caprinids.
- Smith, H.B., 1992, Erosion and sedimentation control methodologies for construction activities over the Edwards Aquifer in central Texas: Ground Water Management, v. 10, p. 725-740. [Also available in Third Conference on Hydrogeology, Ecology, Monitoring, and Management of Ground Water in Karst Terranes, Nashville, TN (USA), December 4-6, 1991].

Southwestern Association of Student Geological Societies, 1979, Comanchean sedimentation of central Texas: Nacogdoches, Texas, Stephen F. Austin State University, Southwest Association of Student Geological Societies, Fall Field Trip, 90 p. Descriptors: Paluxy Sand, Walnut Formation, Edwards Limestone, Kiamichi Formation, Duck Creek Formation, Fort Worth Limestone, Denton Clay, Weno Clay, Pawpaw Formation, Main Street Limestone, Grayson Formation, Woodbine Sand, Pepper Shale Member of Woodbine Formation, Goodland Limestone, Mesozoic.

Trabelsi, A.S., and Jacka, A.D., 1989, Dolomitization patterns in the Lower Cretaceous Fort Terrett Formation [abs.]: Geological Society of America Abstracts with Programs, v. 21, no. 6, p. A78.

Warren, J.K., Havholm, K.G., Rowen, M.R., and Parsley, M.J., 1990, Evolution of gypsum karst in the Kirschberg evaporite member near Fredericksburg, Texas: Journal of Sedimentary Petrology, v. 60, no. 5, p. 721-734. Descriptors: Gillespie County, Fredericksburg Gypsum Quarry.

Wilson, W.F., 1981, Meteor impact site, asphalt deposits and volcanic plugs: South Texas Geological Society Guidebook, 53 p.

Wright, V.P., and Watts, N.L., 1978, Biofacies and development and differential occlusion of porosity in a Lower Cretaceous (Edwards) reef-a discussion: Journal of Sedimentary Petrology, v. 48, no. 4, p. 1,360-1,361. Descriptors: Scurry County, Ghyben-Herzberg model.

### ► Stratigraphy

Bebout, D.G., 1985, Lower Cretaceous regional setting, Texas crushed stone quarry, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, Laura, and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 38-40. Descriptors: Fredericksburg Group, Comanche Peak Limestone, Georgetown, Llano uplift, Balcones fault zone, Luling fault zone, Tyler Basin, Austin.

Brown, J.B., Ritch, K.D., and Yelderman, J.C., Jr., 1986, The stratigraphy, geomorphology and groundwater of the Edwards Plateau, Texas: Waco, Texas, Baylor Geological Society Field Conference Guidebook, 34 p.

Corpus Christy Geological Society, 1965, Upper Cretaceous asphalt deposits of the Del Rio Grande Embayment: Guidebook, Annual Field Trip.

Fisher, W.L., and Rodda, P.U., 1967, Stratigraphy and genesis of dolomite, Edwards Formation (Lower Cretaceous), of Texas: Kansas State Geological Survey Special Distribution Publication No. 34, p. 52-75.

Frost, J.G., 1963, Edwards Limestone (Lower Cretaceous) of central Texas: Waco, Texas, Baylor University, M.S. thesis, 122 p.

- Fullmer, S.M., Bellian, J.A., Calkins, C., Davis, M.H., Frost, E., Gracia-Fresca, B., Kerans, C., Kimball, J., and Loucks, R.G., 2004, Facies description and high-frequency cyclicity of the Upper Glen Rose and Edwards Formations, lower Cretaceous of Austin, Texas, *from 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, in Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 20.*
- Grubbs, D.M., 1934, The Edwards Limestone of Bell County, Texas, and surrounding territory: Norman, Oklahoma, University of Oklahoma, M.S. thesis, [46] p.
- Harris, M., 1980, A day in the Cretaceous: Waco, Texas, Baylor Geological Society Guidebook 146, 14 p.
- Harvard, P.O., 1962, Time-rock correlations and biofacies of the Lower Cretaceous "Edwards" Limestone, south central Texas: Fort Worth, Texas, Texas Christian University, M.S. thesis, 101 p.
- Hauwert, M.N., and Hanson, J.A., 1995, A look at the hydrostratigraphic members of the Edwards Aquifer in Travis and Hays counties, Texas: Austin, Texas, Austin Geological Society Guidebook 19, 81 p.
- Hawthorne, J.M., 1987, The stratigraphy and depositional environments of Lower Cretaceous dinosaur track bearing strata in Texas: Geological Society of America Abstracts with Programs, v. 19, no. 3, p. 169-170. Descriptors: Trinity Group, Fredericksburg Group, Glen Rose Formation, Paluxy Formation, Edwards Limestone, Fort Terrett Member, Stuart City reef, George's Creek Member, Eagle Mountain Member, Edwards Plateau.
- Hawthorne, J.M., 1990, Dinosaur track-bearing strata of the Lampasas Cut Plain and Edwards Plateau, Texas: Baylor Geological Studies Bulletin 49, 47 p. Descriptors: Fredericksburg Group, Trinity Group, Glen Rose Formation, Paluxy Formation, Comanchean, lebensspuren.
- Hertel, C., 1980, Stop 1-the Fredericksburg Group, in Harris, Maury, ed., A day in the Cretaceous: Waco, Texas, Baylor Geological Society Guidebook 146, p. 4-6. Descriptors: Paluxy Formation, Walnut Clay, Comanche Peak Limestone, Edwards Limestone, Mesozoic.
- Hudson, R.M., 1986, Progradation of a secondary shelf margin, upper Salmon Peak Formation, Maverick Basin, southwest Texas: Arlington, University of Texas at Arlington, Masters thesis, 120 p.
- Humphreys, C.H., 1984, Stratigraphy of the Lower Cretaceous (Albian) Salmon Peak Formation of the Maverick Basin, south Texas, *in Stratigraphy and structure of the Maverick Basin and Devils River trend, Lower Cretaceous, southwest Texas: San Antonio Geological Society, p. 34-59.*

- Jager, E.H., 1941, The Pre-Cretaceous Topography of the Western Edwards Plateau: Austin, Texas, University of Texas, M.A. thesis, p. N/A. [Also in American Association of Petroleum Geologists Bulletin, 1942, v. 26, no. 3, p. 380-386.]
- Jameson, J.B., and Davis, A.E., 1958, The Edwards Limestone, in Guide to the Mid-Cretaceous geology of central Texas: Waco, Texas, Baylor Geological Society, p. 56-59.
- Jones, R.A., 1931, Surface and subsurface character of Edwards Limestone (Balcones fault region, central Texas): Oil Weekly, v. 62, no. 13, p. 18-19.
- Kerr, R.S., 1976, Development and diagenesis of a Lower Cretaceous bank complex, Edwards Limestone, north central Texas: Austin, Texas, University of Texas, unpublished M.A. thesis, 203 p.
- King, G.L., Jr., 1960, The Edwards Limestone of central Texas, in Cretaceous stratigraphy of the Grand and Black Prairies, east central Texas: Waco, Texas, Baylor Geological Society Guidebook, p. 82-87.
- Lozo, F.E., Jr., 1959, Stratigraphic relations of the Edwards Limestone and associated formations in north-central Texas, in Lozo, F.E., Jr., ed., Symposium on Edwards Limestone in Central Texas: Austin, Texas, University of Texas, Publication 5905, p. 1-19.
- Lozo, F.E., Jr., and Smith, C.I., 1964, Revision of Comanche Cretaceous stratigraphic nomenclature, southern Edwards Plateau, southwest Texas: Gulf Coast Association of Geological Societies Transactions, v. 14, p. 285-306.
- McMillion, L.G., 1961, A review of the major ground water formations in Texas: *in* Ground water section, Western Resources Conference, Boulder, Colorado: Colorado Department of Natural Resources, Boulder, Colorado, scale 1:3,360,000.
- Miller, B.C., 1983, Physical stratigraphy and facies analysis, Lower Cretaceous, Maverick Basin and Devils River trend: Arlington, Texas, University of Texas, M.A. thesis, p. 217.
- Miller, B.C., 1984, Physical stratigraphy and facies analysis, Lower Cretaceous, Maverick Basin and Devils River trend, Uvalde and Real counties, Texas, *in* Smith C.L., ed., Stratigraphy and structure of the Maverick Basin and Devils River trend, Lower Cretaceous, southwest Texas- A field guide and related papers: San Antonio (South Texas) Geological Society, p. 3-33.
- Moore, C.H., Jr., 1964, Stratigraphy of the Fredericksburg division, south central Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 52, 48 p.
- Moore, C.H., Jr., 1967, Stratigraphy of the Edwards and associated formations, west central Texas: Gulf Coast Association of Geological Societies Transactions, v. 17, p. 61-75.
- Rose, P.R., 1959, Carboniferous Stratigraphy of the Hall Area, San Saba County, Texas: Austin, Texas, University of Texas, M.A. thesis, p. N/A.

- Rose, P.R., 1968, Edwards Formation, surface and subsurface, central Texas: Austin, Texas, University of Texas, Ph.D. dissertation, 387 p.
- Rose, P.R., 1969, Edwards Formation of Texas-the evolution of an Early Cretaceous carbonate bank-complex [abs.]: Geological Society of America Special Paper 121, p. 255.
- Rose, P.R., 1970, Stratigraphic interpretation of submarine versus subaerial discontinuity surfaces-an example from the Cretaceous of Texas: Geological Society of America Bulletin, v. 81, no. 9, p. 2,787-2,797.
- Rose, P.R., 1971, Stratigraphic revision-Edwards Group (Lower Cretaceous) of Texas, and regional surface-subsurface synthesis [abs.]: American Association of Petroleum Geologists Bulletin, v. 55, no. 2, p. 361.
- Rose, P.R., 1972, Edwards Group, surface and subsurface, central Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 74, 198 p.
- Rose, P.R., 1974, Edwards Group-surface and subsurface, central Texas: Houston Geological Society Bulletin 17, no. 1, p. 3. Descriptors: Fort Terrett Formation, Segovia Formation, Burt Ranch Member.
- Rose, P.R., 1979, Edwards Group and equivalents, eastern Edwards Plateau, Texas-field trip overview, *in* Rose, P.R., ed., Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 1-12.
- Rose, P.R., 1979, Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society Guidebook, 120 p.
- Roy, E.C., Jr., 1986, A summary of the Mesozoic geology of south central Texas: Compass of Sigma Gamma Epsilon, v. 63, no. 4, p. 145-153. Descriptors: sedimentation, lagoonal environment, Comanchean, Glen Rose Formation, Edwards Group, Del Rio Formation, Buda Limestone, Gulfian Series, Austin Chalk, Taylor Marl, Navarro Group, Balcones fault zone, Llano uplift, foraminifera, fossils, microfossils, mollusks, echinoids, limestone, dolostone.
- Schmidt-Chenault, D., and Lambert, L.L., A progress report on genetic correlation of the Edwards Group and Devils River Formation, south central Texas [abs.], *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 3 p.
- Smith, C.I., 1974, The Devils River trend and Maverick Basin sequence, *in* Rose, P.R., ed., Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 14-18. Descriptors: mollusks, foraminifera, Devils River Limestone, Fredericksburg Group, Washita Group, Nueces River, Chalk Bluff, Edwards Plateau, Gryphaea, bivalves, microfossils.

- Smith, C.I., 2004, A history of stratigraphic research and nomenclature, Edwards and related stratigraphic units, west central Texas: 1849-2000, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 31 p.
- Smith, C.I., Brown, J.B., Lozo, F.E., 2000, Regional Stratigraphic Cross Sections, Comanche Cretaceous (Fredericksburg–Washita Division), Edwards and Stockton Plateaus, West Texas: Interpretation of Sedimentary Facies, Depositional Cycles, and Tectonics: Austin, Texas, University of Texas, Bureau of Economic Geology 39 p., 18 figs., 6 pls.
- Smith, C.I., and Rose, P.R., 1979, First day road log-San Antonio to Kerrville, *in* Rose, P.R., ed., Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 76-104.
- Smith, C.I., and Rose, P.R., 1979, Second day road log-Kerrville to Uvalde, *in* Rose, P.R., ed., Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 106-121.
- Tartamella, N.J., 1982, An ecostratigraphic model for shelf platform development of Middle Cretaceous (Stuart City) limestones of south central Texas Gulf Coast: Gulf Coast Association of Geological Societies Transactions, v. 32, p. 483-495. Descriptors: Gulf Coastal Plain, Trinity Group, Fredericksburg Group, Washita Group, Glen Rose Formation, Edwards Limestone.
- Tucker, D.R., 1962, Subsurface Lower Cretaceous stratigraphy, central Texas, in Contributions to the geology of South Texas: San Antonio, Texas, South Texas Geological Society, p. 177-217. . [Also published as the University of Texas, Ph.D. dissertation, 137 p.]
- Whigham, L., 1979, The stratigraphy of Fredericksburg rocks, in Hazelwood, Richard, and Keyes, S.L., eds., The nature of the Cretaceous-pre Cretaceous contact, central Texas: Waco, Texas, Baylor Geological Society Guidebook 143, p. 18-19. Descriptors: Brown County, McCulloch County, San Saba County, Mills County, Lampasas County, Travis County, Hays County, Blanco County, Burnet County, Fredericksburg Group, Paluxy Formation, Edwards Limestone, Comanche Peak Limestone, Walnut Clay, Glen Rose Limestone.
- Williamson, E., 1963, Stop no. 3-Edwards Limestone, in The Hill Country: Baylor Geological Society Popular Geology of Central Texas, v. 8, p. 40-41. Descriptors: Turnersville area.
- Winter, J.A., 1961, Fredericksburg and Washita strata (subsurface Lower Cretaceous), southwest Texas: Austin, Texas, University of Texas, unpublished Ph.D. dissertation, 135 p.
- Winter, J.A., 1962, Fredericksburg and Washita strata (subsurface Lower Cretaceous), southwest Texas, in Contributions to the geology of south Texas: San Antonio, Texas, South Texas Geological Society, p. 81-115.



Young, K.P., 1977, Middle Cretaceous rocks of Mexico and Texas, in Bebout, D.G., and Loucks, R.G., eds., Cretaceous carbonates of Texas and Mexico-applications to subsurface exploration: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 89, p. 325-332. Descriptors: mollusks, Cephalopoda, Mesozoic, Del Rio Formation, Buda Limestone, Eagle Ford Formation, Glen Rose Formation, Austin Chalk, Pearsall Formation, Georgetown Limestone, Edwards Limestone, Cow Creek Formation Member of Pearsall Formation, Mainstreet Limestone, Weno Clay, Denton Clay, Duck Creek Formation, ammonites, Grayson Formation.

## ► Structural Geology

Alexander, K.B., 1990, Lineament and fracture trace analysis in the Edwards Aquifer, central Texas: Abstracts with Programs – Geological Society of America, v. 22, no. 7, p. 372.

Alexander, K. B., 1990, Correlation of Structural Lineaments and Fracture Traces to Water-Well Yields in the Edwards Aquifer, Central Texas: University of Austin, Austin Texas, M.A. thesis, p. 113.

Barker, D.S., Mitchell, R.H., and McKay, D. 1987, Late Cretaceous nephelinite to magmatism, Balcones province, Texas: *in* Morris, E.M., and Pasteris, J.E., eds., Mantle metasomatism and alkaline magmatism: Geological Society of America, Special Paper.

Caran, S.C., Woodruff, C.M., Jr., and Thompson, E.J., 1982, Lineament analysis and inference of geologic structure – Examples from the Balcones/Ouachita trend of Texas: Austin, Texas, University of Texas, Bureau fo Economic Geology Geological Circular 82-1, 11 p.

Cole, J.C., and Pantea, M.P., 2004, Three-dimensional structural modeling of displacements of the Edwards Aquifer within the Balcones Fault Zone in northern Bexar County, Texas, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 18

Collins, E.W., 1987, Characterization of fractures in limestones-northern segment of the Edwards Aquifer and Balcones fault zone, central Texas: Gulf Coast Association of Geological Societies Transactions, v. 37, p. 43-53. Descriptors: Comanche Peak Limestone, Edwards Limestone, Georgetown Limestone, Del Rio Clay, Buda Limestone, Eagle Ford Formation, Austin Chalk, petroleum deposits.

Collins, E.W., 1987, Characterization of fractures in limestones-northern segment of Edwards Aquifer and Balcones fault zone, central Texas [abs.]: American Association of Petroleum Geologists Bulletin, v. 71, no. 9, p. 1,115.

Collins, E.W., 1994, Geology of the Balcones fault zone along the growth corridor of San Antonio, Boerne, Wimberley, and New Braunfels, south central Texas, *from* 44<sup>th</sup> Annual Convention of

- the Gulf Coast Association of Geological Societies, American Association of Petroleum Geologists and the 41<sup>st</sup> Annual Convention of the Gulf Coast Section of the Society of Economic Paleontologists and Mineralogists, Austin, Texas, USA, October 05-07, 1994, Major, R.P., (ed.), *in* Transactions – Gulf Coast Association of Geological Societies, v. 44, p. 125-126.
- Collins, E.W., 1995, Structural framework of the Edwards Aquifer, Balcones fault zone, central Texas, *from* Transactions of the 45<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies, a section of the American Association of Petroleum Geologists regional meeting and the 42<sup>nd</sup> Annual Convention of the Gulf Coast Section of the Society of Economic Paleontologists and Mineralogists, Baton Rouge, LA, USA, October 25-27, 1995, John, Chacko J., and Byrnes, Mark R., (eds.), *in* Transactions - Gulf Coast Association of Geological Societies, v. 45, p. 135-142.
- Collins, E.W., 1996, San Antonio relay ramp: Area of stratal continuity between large-displacement barrier faults of the Edwards Aquifer and Balcones fault zone, central Texas, *from* American Association of Petroleum Geologists (AAPG) Gulf Coast Association of Geological Societies Meeting, San Antonio, Texas, USA, October 02-04, 1996, *in* AAPG Bulletin, v. 80, no. 9, p. 1499. [Also in Gulf Coast Association of Geological Society Transactions, v. 46, p. 455-456].
- Collins, E.W., 1993, Fracture zones between overlapping *en echelon* fault strands: outcropanalogs within the Balcones fault zone, central Texas: Gulf Coast Association of Geological Societies Transactions, v. 43, p. 77–85.
- Collins, E.W., 2005, Structural characteristics of the Balcones fault zone and Edwards Aquifer within the Austin-San Antonio-Del Rio region of central Texas, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 5.
- Collins, E.W., and Hovorka, S.D., 1997, Structure map of the San Antonio Segment of the Edwards Aquifer and Balcones Fault Zone, south central Texas: Structural framework of a major limestone aquifer: Kinney, Uvalde, Medina, Bexar, Comal, and Hays counties: Austin, Texas, University of Texas Bureau of Economic Geology, Miscellaneous, Map No. 38, 14 p.
- Collins, E.W., and Woodruff, C.M., 2001, Faults in the Austin area - -defining aspects of the local structural gain, *in* Woodruff, C.M., and Collins, E.W., trip coordinators, Austin, Texas and beyond – Geology and Environment: Austin Geological Society Guidebook 21, p. 15-26.
- Corbett, K.P., 1982, Structural stratigraphy of the Austin Chalk: College Station, Texas, Texas A&M University, M.S. thesis, 111 p.
- Ewing, T.E., 1991, Tectonic framework of Texas, with accompanying tectonic map of Texas: Austin, Texas, University of Texas Bureau of Economic Geology, 36 p.

- Ewing, T.E., 2005, Horst blocks and regional antithetic faults within the Balcones fault zone, south-central Texas, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 8.
- Faith, J.R., 2003, Strain and fractures in an extensional relay-ramp: Implications for determining structural framework controls on groundwater flow pathways in the Edwards Aquifer, south-central, Texas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 177.
- Faith, J.R., 2004, Strain and fractures in an extensional relay ramp, Sierra del Carmen, Black Gap Wildlife Management Area, Brewster County, Texas: Implications for determining structural controls on groundwater flow pathways in the Edwards Aquifer, South-Central Texas: San Antonio, Texas, University of Texas, Masters thesis, 88 p.
- Faith, J.R., Blome, C.D., Clark, A.K., and Smith, B.D., 2005, Structural geology and tectonic analysis of the Balcones fault zone in the upper Seco Creek area, Edwards Aquifer, south-central Texas, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 5.
- Faith, J.R., Blome, C.D., Clark, A.K., Ozuna, G.B., and Smith, B.D., Structural controls on karst development in fractured carbonate rock, Edwards and Trinity Aquifers, south-central Texas, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U.S. Geological Survey Scientific Investigations Report 05-5160, p. 45.
- Ferrill, D.A., and Morris, A.P., 2003, Dilational normal faults: *Journal of Structural Geology*, v. 25, no. 2, p. 183-196.
- Ferrill, D.A., Sims, D.W., Morris, A.P., Waiting, D.J., and Franklin, N., 2003, Structural controls on the Edwards Aquifer/Trinity Aquifer interface in the Camp Bullis Quadrangle, Texas: Report prepared for the Edwards Aquifer Authority and the U.S. Army Corps of Engineers by the Center for Nuclear Waste Regulatory Analyses, Southwest Research Institute, 120 p.
- Ferrill, D.A., Sims, D.W., Morris, A.P., Waiting, D.J., Franklin, N., and Schultz, 2004, Structural framework of the Edwards Aquifer Recharge Zone, South-Central Texas: *Geological Society of America Bulletin*, v. 116, no. 3-4, p. 407-418.
- Ferrill, D.A., Waiting, D.J., Sims, D.W., Morris, A.P., and Franklin, N., 2004, Structural architecture of the Edwards Aquifer south-central Texas, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 15 p.

- Foley, L.L., 1926, Mechanics of the Balcones and Mexia faulting: *Bulletin of the American Association of Petroleum Geologists*, v. 10, no. 12, p. 1,261-1,269.
- Ferguson, R.J., 2004, Seismic anisotropy in the Edwards Formation; Government Canyon State Natural Area, *Proceedings from the Symposium on the Application of Geophysics to Engineering and Environmental Problems*, Environmental and Engineering Society, Colorado Springs, CO, February 22-26, 2004, p. 944-957.
- Grimshaw, T.W., and Woodruff, C.M., Jr., 1986, Structural style in an en echelon fault system, Balcones fault zone, central Texas-geomorphologic and hydrologic implications, in Abbott, P.L., and Woodruff, C.M., Jr., eds., *The Balcones escarpment-geology, hydrology, ecology and social development in central Texas*: Geological Society of America, p. 71-76. Descriptors: Edwards Limestone, Taylor Marl, Austin Chalk, Georgetown Limestone, Del Rio Formation, Buda Limestone, Eagle Ford Formation, San Marcos, Onion Creek, San Antonio, New Braunfels, Austin.
- Harrell, L.L., and Harrell, J.E., 2003, Fracture density comparison of the Lower Cretaceous Kainer formation of the Edwards group and Upper Glen Rose formation, Comal County, Texas, *from 2003 Annual Meeting of the Geological Society of America*, Seattle, WA, USA, November 2-5, 2003, in *Geological Society of America Abstracts with Programs*, v. 34, no. 7, p. 571.
- Kastning, E.H., Jr., 1981, Tectonism, fractures, and speleogenesis in the Edwards Plateau, central Texas, in Beck, B.F., ed., *8<sup>th</sup> International Congress of Speleology*, Bowling Green, KY, July 18-24, 1981, *Proceedings: Huntsville, Alabama, National Speleological Society Bulletin*, v. 2, p. 692-695.
- Kleeman, T., and Woodruff, C.M., Jr., 1989, Lineament identification and the Edwards Aquifer of central Texas, in *Quantitative remote sensing-an economic tool for the nineties*, IGARSS '89 and Canadian Symposium on Remote Sensing, 12<sup>th</sup>, Vancouver, Canada, July 10-14, 1989, *Proceedings*, v. 1: New York, Institute of Electrical and Electronics Engineers, p. 105-107. Copyright, 1989, by the American Institute of Aeronautics and Astronautics (AIAA) - Reprinted with permission. Descriptors: thematic mappers (Landsat), edge detection.
- Muehlberger, W.R., and Kurie, A.E., 1956, Fracture study of central Travis County, Texas, a preliminary statement: *Gulf Coast Association of Geological Societies Transactions*, v. 6, p. 43-49.
- Pantea, M.P., and Cole, J.C., 2004, Three-dimensional geologic framework modeling of faulted hydrostratigraphic units within the Edwards Aquifer, Northern Bexar County, Texas: U.S. Geological Survey Scientific Investigations Report 2004-5226, 1 CD-ROM, 17 p.
- Pantea, M.P., and Cole, J.C., 2004, and Faith, J.R., 2004, Interactive viewing and manipulation of a three-dimensional faulted-stratigraphic model for the Edwards Aquifer, *from 2004 Annual Meeting of the Geological Society of America*, Denver, CO, USA, November 7-10, 2004, in *Geological Society of America Abstracts with Programs*, v. 36, no. 5, p. 578.

- Rogers, C.W., 1963, Structural geology of Round Rock quadrangle, Williamson County, Texas: Austin, Texas, University of Texas, M.S. thesis, 49 p.
- Sattel, D., and Slade, J., 2003, The conductivity structure above the Edwards Aquifer, Texas, derived from airborne EM data, *Proceedings from the Symposium on the Application of Geophysics to Engineering and Environmental Problems*, Environmental and Engineering Society, San Antonio, TX, April 6-10, 2003, p. 393-402.
- Sharp, J.M., Jr., and Mayer, J.R., 1996, Regional fracture systems in carbonates: a major control of groundwater flow systems, *from 30<sup>th</sup> Annual Meeting of the Geological Society of America, south central Section and associated societies*, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in Geological Society of America Abstracts with Programs*, v. 28, no. 1, p. 63.
- Shaw, S.L., 1978, Structural geology of the Edwards Aquifer in the Castle Hills quadrangle, northwestern San Antonio, Texas: *Texas Journal of Science*, v. 30, no. 2, p. 125-131.
- Simms, A.R., Halihan, T., Mace, R.E., 2001, Fracture modeling of the San Antonio segment of the Edwards Aquifer, central Texas, *from 53<sup>rd</sup> Annual Meeting of the Geological Society of America, Rocky Mountain Section; 35<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section*, *in Geological Society of America Abstracts with Programs*, South central Section, Geological Society of America, v. 33, no. 5, p. 60.
- Smart, K.J., Ferrill, D.A., and Green, R.T., 2005, Approaches to quantifying fault-controlled permeability and flow characteristics of the Edwards and Trinity Aquifers, *from 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section*, San Antonio, TX, USA, April 1-2, 2005, *in Geological Society of America Abstracts with Programs*, v. 37, no. 3, p. 8.
- Southwestern Association of Student Geological Societies, 1975, Structural geology of central Texas: Waco, Texas, Baylor University, 102 p.
- Wermund, E.G., and Cepeda, J.C., 1977, Regional relation of fracture zones to the Edwards Limestone Aquifer, Texas. *in Tolson, J.S., and Doyle, F.L. Proceedings of the Twelfth International Congress Karst Hydrogeology*, UAH Press, University of Alabama in Huntsville, Huntsville Alabama, USA, p. 239-253.
- Wermund, E.G., Cepeda, J.C., and Bell, A.E., 1974, Fracture patterns in the southern Edwards Plateau, Texas [abs.]: *Geological Society of America Abstracts with Programs*, v. 6, no. 2, p. 129.
- Wermund, E.G., Cepeda, J.C., and Bell, A.E., 1975, Relation of fracture zones to the Edwards Limestone aquifer, Texas-La relation des zones de fissure a la couche calcaire Edwards, Texas, *in Karst hydrogeology: Geological Survey of Alabama*, p. 89.
- Wermund, E.G., Cepeda, J.C., and Luttrell, P.E., 1978, Regional distribution of fractures in the southern Edwards Plateau and their relationship to tectonics and caves: Austin, Texas, University of Texas, Bureau of Economic Geology Geological Circular 78-2, 14 p.

Wittke, J.H., and Mack, L.E., 1993, OIB-like mantle source for continental alkaline rocks of the Balcones Province, Texas - Trace-element and isotopic evidence: *Journal of Geology* 101, p. 333-334.

Zahm, C.K., 1998, Use of outcrop fracture measurements to estimate regional groundwater flow: Barton Springs segment of Edwards Aquifer, Central Texas: University of Texas, Austin Texas, M.S. thesis, 154 p.

Zahm, C., and Sharp, J.M., Jr., 1998, Fracture roughness from stream loss, Edwards Aquifer, central Texas, *from* 1998 Annual Meeting of the Geological Society of America, Toronto, Canada, October 25-29, 1998, *in* Geological Society of America Abstracts with Programs, v. 30, no. 7, p. 568.

## **Geomorphology and Caves**

Banner, J.L., and Musgrove, M., 1997, Speleothems and cements as recorders of groundwater response to climate variability, *from* 1997 Annual Meeting of the Geological Society of America, Salt Lake City, Utah, USA, October 20 - 23, 1997, *in* Geological Society of America Abstracts with Programs, v. 29, no. 6, p. 237-238.

Banner, J.L., Guilfoyle, A., Musgrove, M., and James, E.W. 2004, Seasonal variations in modern speleothem calcite growth, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 305.

Elliot, W.R., and Veni, G., 1994, The Caves and Karst of Texas, National Speleological Society 1994 Convention guidebook, William R. Elliot and George Veni, eds., Bracketville, Texas, June 19-24, 1994, 324 p.

Ewing, T.E., 2002, Hypogene caves in the Edwards Aquifer?: *Bulletin of the South Texas Geological Society*, v. 62, no. 9, p. 9-13.

Elsiver Academic Press, 2005, Encyclopedia of Caves, *in* David C. Culver and William B. White, eds., Elsevier Inc., Burlington, MA, 654 p. Copyright 2005 by Elsevier Inc.

Fieseler, R.G., 1978, Cave and karst distribution of Texas, *in* Fieseler, R.G., Jasek, James, and Jasek, Mimi, eds., An introduction to the caves of Texas: National Speleological Society Annual Convention Guidebook 19, p. 15-53.

Fieseler, R.G., Jasek, J., and Jasek, M., 1978, An introduction to the caves of Texas: National Speleological Society Annual Convention Guidebook 19, 115 p.

- Fitzroy Dearborn, 2004, *Encyclopedia of Caves and Karst Science*, in John Gunn, editor, Published by Fitzroy Dearborn, New York, London, 902 p.
- Harrison, B., Sumbera, J., 1986, Cave report: Boggus – Buie tract, Unpublished report for Indian Creek Developers, Texas Cave Management Association, 59 p.
- Hawkins, A., Saribudka, M., and Stolker, K.R., 2005, Integrated geophysical surveys applied to karstic studies over transmission lines in San Antonio, Texas, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, in Geotechnical Special Publication, no. 144, p. 580-589.
- Heidemann, C.W., 1979, Natural Bridge Caverns [abs.]: National Speleological Society Bulletin, v. 41, p. 118-119. Descriptors: Comal County.
- Hjulstrom, F., 1935, Studies in the Morphological Activity Rivers as Illustrated by the River Fyris, University of Upsala Geological Institute Bulletin. 25, p. N/A.
- Jackson, R.B., Moore, L.A., Hoffman, W.A., Pockman, W.T., and Linder, C.R., 1999, Ecosystem rooting depth determined with caves and DNA, in Proceedings of the National Academic of Science of the United States of America, v. 96, no. 20, p. 11,387-11,392
- Kastning, E.H., Jr., 1980, Relict caves as evidence of landscape evolution in a deeply dissected carbonate terrain, southwest Edwards Plateau, Texas [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 7, p. 459. Descriptors: dolostone, Devils River Formation, Segovia Formation, Edwards-Trinity Aquifer, Rio Grande, speleothems.
- Kastning, E.H., Jr., 1980, Structural, lithologic, and topographic controls on the origin of Natural Bridge Caverns, Comal County, Texas [abs.]: National Speleological Society Bulletin, v. 42, p. 32.
- Kastning, E.H., Jr., 1983, Geomorphology and hydrogeology of the Edwards Plateau karst, central Texas: Austin, Texas, University of Texas, Ph.D dissertation, 714 p. Copyright 1983, by the American Institute of Aeronautics and Astronautics (AIAA) - @ Reprinted with permission.
- Kastning, E.H., Jr., 1983, Relict caves as evidence of landscape evolution in a deeply dissected carbonate terrain, southwest Edwards Plateau: Journal of Hydrology, v. 6, no. 1-3, p. 89-112.
- Kastning, E.H., Jr., 1986, Cavern development in the New Braunfels area, central Texas, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 91-100. Descriptors: Glen Rose Formation, Kainer Formation, Edwards Limestone, Walnut Formation, Comal County, Cibolo Creek, Edwards Plateau, San Marcos arch, Bat Cave fault, Tom Creek fault, speleothems.
- Knox, J., 1979, Natural Bridge Caverns, Texas [abs.]: The National Speleological Society Bulletin, v. 41, no. 4, p. 117. Descriptors: Comal County, speleothems.

- Knox, J., 1981, Natural Bridge Caverns: Texas Caver, v. 26, p. 84-87. Descriptors: Comal County.
- Knox, O., 1962, Natural Bridge Caverns claims title: Texas Caver, v. 7, p. 109-113. Descriptors: Comal County
- Koenig, J.B., 1940, A consideration of the Blanco River terraces north of San Marcos: Austin, Texas, University of Texas, M.S. thesis, 42 p. Descriptors: Hays County, Travis County.
- Lindley, A.L., and Hovorka, S.D., 2003, Applying statistical analysis to cave maps to infer controls on conduit development in the Edwards Aquifer of central and south Texas, *Journal of Cave and Karst Studies*, v. 65, no. 3, p. 186-187. [Also published *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 15 p.]
- Mathewson, C.C., Morris, L.E., and Neathery, J.S., 1997, The cave of the fourth dimension, *from* Proceedings of the 32<sup>nd</sup> symposium on Engineering geology and geotechnical engineering, Sharma, Sunil, and Hardcastle, James H., (eds.), *in* Proceedings of the Symposium on Engineering Geology and Geotechnical Engineering, v. 32, p. 231-241.
- Mike Wharton & Associates, 1993, Preliminary report of findings for the karst terrains feature known as Rugh Cavern, located along northern Seco Creek, northwestern Medina County, Texas: San Antonio, Texas, Edwards Underground Water District, [variously paged].
- Morisawa, M., 1968, Streams: Their Dynamic and Morphology, *in* McGraw-Hill, N.Y., eds.
- Musgrove, M., Banner, J.L., Mack, L.E., Combs, D.M., James, E.W., Deanna, M, Cheng, H., and Edwards, R.L., and 2001, Geochronology of late Pleistocene to Holocene speleothems from central Texas - implications for regional paleoclimate: *Geological Society of America Bulletin*, v. 113, no. 12, p. 1,532-1,543.
- Musgrove, M., 2000, Temporal links between climate and hydrology: insights from central Texas cave deposits and groundwater: Austin, Texas, University of Texas, Ph.D. dissertation, 432 p.
- Musgrove, M., Banner, J.L., and Mack, L.E., 1998, Cave speleothems as potential tracers of long-term variations in groundwater flow routes in a karst aquifer, Central Texas, USA, *in* Abstract of presentation at SEPM Research Conference on Fluid Flow in Carbonates, September 1998.
- Musgrove, M., Banner, J.L., and Mack, L.E., 1999, Temporal variations in cave dripwater geochemistry; implications for speleothems as recorders of long-term variations in groundwater chemistry: *Geological Society of America Abstract with Programs*, v. 31, no. 7, p. 90.
- Poole, G.A., and Passmore, C.G., 1978, Bexar County speleology: San Antonio, Texas, Ream and a Prayer Press, v. 1, 54 p.
- Reddell, J.R., ed., 1964, The caves of Comal County: Texas Speleological Survey, v. 2, no. 2, 60 p.



- Reddell, J.R., ed., 1967, The caves of Medina County: Texas Speleological Survey, v. 3, no. 1, 58 p.
- Robinson-Poteet, D., 1989, Using terrain conductivity to detect subsurface voids and caves in a limestone formation, in Beck, B.F., ed., Engineering and environmental impacts of sinkholes and karst, Third Multidisciplinary Conference, St. Petersburg Beach, Florida, October 2-4, 1989: Boston; Rotterdam, Netherlands, A.A. Balkema, p. 271-279.
- Russell, W.H., 1984, Caves, karst and city: The Texas Caver, v. 29, no. 6, p. 6-7. Descriptors: Travis County, Edwards Limestone, Austin, Colorado River, Balcones fault, Dead Dog Cave, Barton Springs, Shady Hollow subdivision, Wade Sink, Goat Cave fracture zone, Hideout Cave, urbanization.
- Vauter, B.K., 1992, Geology and its influence on cavern development in the area surrounding Natural Bridge Caverns, Comal County, Texas: Abstracts with Programs – Geological Society of America, v. 24, no. 1, p. 49.
- Veni, G., 1988, The caves of Bexar County, 2d ed.: Austin, Texas, University of Texas, Texas Memorial Museum Speleological Monograph 2, 300 p.
- Veni, G., 1994, Hydrogeology and evolution of caves and karst in the southwestern Edwards Plateau, Texas, *in* The Caves and Karst of Texas, William R. Elliot and George Veni, eds., National Speleological Society, p. 13-30.
- Veni, G., 1998, Cave morphology and hydrology as measures of karst aquifer evolution, *in* National Speleological Society - Annual Convention Program, August 3-7, 1998, p. 75.
- Veni, G., 1998, Hydrogeologic investigation of caves and karst along Palmer Lane near upper Walnut Creek, Travis County, Texas, Report for Hicks and Company: George Veni and Associates, San Antonio, Texas, 51 p.
- Veni, G., 1999, A geomorphological strategy for conducting environmental impact assessments in karst areas: *Geomorphology*, v. 31, no. 1-4, p. 151-180.
- Veni, G., and Associates, 1992, Geologic controls on cave development and the distribution of cave fauna in the Austin, Texas, region, Report for the U.S. Fish and Wildlife Service, Austin, Texas: George Veni and Associates, San Antonio, Texas, 77 p.
- Veni, G., and Associates, 1994, Geologic controls on cave development and the distribution of endemic cave fauna in the San Antonio, Texas, region, Report for the U.S. Fish and Wildlife Service, Austin, Texas: George Veni and Associates, San Antonio, Texas, 99 p., 14 plates.
- Veni, George (George Veni & Associates, San Antonio, TX, United States), 1998, Cave morphology and hydrology as measures of karst aquifer evolution: Johnson, Debby (Editor), 1998 NSS convention; program and abstracts, Annual Convention Program - National Speleological Society, 1998, p. 75, 1998. Meeting: 1998 NSS convention, Sewanee, TN, United States, August 3-7, 1998.

- Walsh, M., 1969, Index to the caves of Hays County, Southwest Texas State Grotto Newsletter, v. 3, no. 1, p. 5.
- Walsh, M., and Warton, M., 1986, Texas Cave Management Association, Texas Caver, v. 31, p. 56-57.
- White, P.J., 1948, Caves of central Texas: Huntsville, Alabama, National Speleological Society Bulletin, v. 10, p. 46-64.
- Widener, D.L., 1959, Bexar and Hays counties: Texas Cave Survey, v. 2, no. 3, p. 79-87.
- Woodruff, C.M., Jr., 1974, Evidence for stream piracy along the Balcones escarpment, central Texas [abs.]: Geological Society of America Abstracts with Programs, v. 6, no. 7, p. 1,010.
- Woodruff, C.M., Jr., 1977, Stream piracy near the Balcones fault zone, central Texas: Journal of Geology, v. 85, p. 483-490.
- Woodruff, C.M., Jr., 1985, Jollyville Plateau-geomorphic controls on aquifer development, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, Laura, and Slade, R.M., Jr., eds., Edwards aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 4-9. Descriptors: Austin, Mount Bonnell fault, Colorado River, Round Rock, Georgetown, Salado, Barton Springs, Berry Springs, Salado Springs.
- Woodruff, C.M., Jr., 1987, Edwards Plateau versus Grand Prairie-a reassessment of the boundary between two natural provinces of Texas, in Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 53-60. Descriptors: Lampasas Cut Plain, Black Prairie, Balcones escarpment, Hill Country, Jollyville Plateau, Colorado River.
- Woodruff, C.M., Jr., 1990, Jollyville Plateau, a relict landscape in central Texas: Abstracts with Programs – Geological Society of America, v. 22, no. 7, p. 373-374.
- Woodruff, C.M., Jr., and Abbott, P.L., 1979, Cavern development, stream piracy and aquifer evolution in the Edwards Limestone [abs.]: National Speleological Society Bulletin, v. 41, no. 4, p. 117. Descriptors: Guadalupe River, San Antonio River.
- Woodruff, C.M., Jr., and Abbott, P.L., 1979, Drainage-basin evolution and aquifer development in a karstic limestone terrain, south central Texas: Earth Surface Processes, v. 4, no. 4, p. 319-334. Descriptors: Nueces River Basin, San Antonio River Basin, Guadalupe River Basin, Balcones fault zone.
- Woodruff, C.M., Jr., and Abbott, P.L., 1986, Stream piracy and evolution of the Edwards Aquifer along the Balcones escarpment, central Texas, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central

Texas: Geological Society of America, p. 77-90. Descriptors: Edwards Plateau, Nueces River, San Antonio River, Guadalupe River.

Worthington, S.R.H., Schindel, G.M., and Alexander, E.C., Jr., 2002, Techniques for investigating the extent of karstification in the Edwards Aquifer, Texas from Proceedings of the Symposium on Karst Frontiers: Florida and related environments, Gainesville, FL, March 6-10, 2002, *in* Karst Waters Institute Special Publication, v. 7, p. 173-175.

## History

Baker, T.L., 1978, An interesting history-how San Antonio water planners can guarantee adequate supply for a fast-growing city: *Water*, v. 60, p. 12-15.

Chase, W.C., 1957, A study of the influence of water on the growth of San Antonio: San Antonio, Texas, Trinity University, M.S. thesis, 120 p.

Corner, W., 1890, San Antonio de Bexar, San Antonio: Bainbridge and Corner, p. N/A.

Cypher, R., 1992, History of the San Marcos River: Introduction in Texas Parks and Wildlife Department, 1992, San Marcos River: A Case Study: Contract Study No. 2, TPWD, p. 3-5.

Dobie, D.R., 1948, A brief history of Hays County and San Marcos, Texas: San Marcos Texas, p. N/A.

Ewing, T.E., 1997, Tierra y agua: The geography and geology of early settlement in San Antonio: San Antonio, Texas, *Bulletin of the South Texas Geological Society*, v. 38, no. 2, p. 7-14.

Ewing, T.E., 2000, Waters Sweet and Sulphurous: The First Artesian Wells in San Antonio: San Antonio, Texas, *Bulletin of the South Texas Geological Society*, v. 60, no. 6, p. 9-22.

Ewing, T.E., 2004, Discovery and early use of the Edwards confined aquifer in central Texas, and how geologists understood it, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 34 p.]

Fisher, L.F., 1997, Crown jewel of Texas: The story of San Antonio's River, San Antonio Texas: Maverick Publishing, 117 p.

Fox, A.A., and Highley, C.L., 1985, History and archaeology of the Hot Wells hotel site, BCC 237, Center of Archeological Research: San Antonio, Texas, University of Texas, Archeological Survey Report 152, 44 p.

Greater San Marcos Economic Development Council, 1994, San Marcos - An economic and demographic profile: Greater San Marcos Economic Development Council, 6 p.

- Gregory, R.L., and Goff, M.L.A., 1993, *New Braunfels, Comal County, Texas - A pictorial history*: Nuhn, Roger (Editor), The Donning Company Publisher, 192 p.
- Mace, R.E., Coker, D.B., and Mullican, W.F. III, 2004, *The Evolution of Texas' Aquifers: A history of aquifer designations and boundaries, from 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, in Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 31.*
- McGehee, A.S., 1982, *A river reflects on Peppers' past - fact, lore, legend about the San Marcos River, the Mill Tract, and the old ice house: San Marcos, Texas, p. N/A.*
- McGehee, A.S., 1989, *The Inn at the head of the river history: San Marcos, Texas, p. N/A.*
- McGown, N., 1979, *A history of Hays County, Texas, 1900 to 1940: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 183 p.*
- Morgan, B.W., 1961, *George W. Brackenridge: his control of San Antonio's water supply, 1869-1905: San Antonio, Texas, Trinity University, M.S. thesis, p. N/A.*
- Palmer, E.C., 1986, *Land use and cultural change along the Balcones escarpment, 1718-1986, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 153-162.*
- Ridgeway, C. and Petrini, H., 1999, *Changes in groundwater conditions in the Edwards and Trinity aquifers, 1987-1997, for portions of Bastrop, Bell, Burnet, Lee, Milam, Travis, and Williamson Counties, Texas: Texas Water Development Board Report 350, 38 p.*
- Specht, J.H., 1995, *History of the Edwards aquifer controversy, in 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas, August 14-18, 1995.*
- Stovall, F., Storm, M., Simon, L., Johnson, G., Schwartz, D., and Kerbow, D.W., 1986, *Clear springs and limestone ledges, a history of San Marcos and Hays County for the Texas sesquicentennial: San Marcos, Texas, Hays County Historical Commission, 645 p.*
- Theis, C.F., 1987, *1912 - the Salado well, an historical perspective: San Antonio, Texas, Bulletin of the South Texas Geological Society, v. 27, no. 8, p. 25-31.*
- Therrell, M.D., 2000, *The historic and paleoclimatic significance of log buildings in south central Texas: Historical Archaeology, v. 34, no. 2, p. 25-37.*
- Thomas, A., 1992, *River of innocence, river of progress: A brief environmental history of the San Marcos River: San Marcos, Texas, Southwest Texas State University, p. 2-31.*

Thomas, A., 1996, Property rights in Texas: the Edwards Aquifer story, *Irrigation business & technology*, Nov 1996, v. 4, no. 6, p. 8.

Veni, G., 2004, Karst research in Texas: Past, present, and future, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 17 p.

Wimberley, L. A., 2001, The sole source: A history of San Antonio, south central Texas, and the Edwards Aquifer, 1800's-1900's: College Station, Texas, Texas A&M University, Ph.D. dissertation, 274 p.

## **Hydrology and Hydrogeology**

Abbott, P.L., 1975, On the hydrology of the Edwards Limestone, south central Texas: *Journal of Hydrology*, v. 24, p. 251-269.

Abbott, P.L., and Woodruff, C.M., Jr., 1986, Geologic history of the Edwards Aquifer [abs.]: *Geological Society of America Abstracts with Programs*, v. 18, no. 6, p. 521. Descriptors: Balcones fault zone, Nueces River Basin, San Antonio River Basin, Guadalupe River Basin, Edwards Group.

Alexander, W.H., Jr., and Dale, O.C., 1964, Reconnaissance investigations of the ground-water resources of the Guadalupe, San Antonio, and Nueces River Basins, Texas: *Texas Water Commission Bulletin 6409*, 106 p.

Allen, S. R., 1997, Hydrogeology of the Lower Cretaceous Edwards and Trinity Group Formations near Junction (Kimble County) Texas: San Antonio, Texas, University of Texas, M.A. thesis, 154 p.

Anaya, R., 2004, Conceptual model for the Edwards-Trinity Plateau aquifer system, *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., *Aquifers of the Edwards Plateau*, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 2, p. 21-62.

Andrews, J.R., 2005, Hydrodynamics of small springs, Edwards-Trinity Aquifer, Bandera County, Texas: Waco, Texas, Baylor University, Masters thesis, 60 p.

Ardis, A.F., and Barker, R.A., 1993, Historical Saturated Thickness of the Edwards-Trinity Aquifer System and Selected Contiguous Hydraulically-Connected Units, west-central Texas: U.S. Geological Survey, Water-Resources Investigations Report 92-4125, 13 p.

Ardis, A.F., Slagle, D.L., and Snyder, F.R., 1985, Delineation of the outcrop of the Edwards Aquifer hydrologically associated with Barton Springs in the Austin area, Texas: U.S.

- Geological Survey Open-File Report 85-643, 1 sheet. Descriptors: Travis County, Hays County.
- Arnow, T., 1963, Ground-water geology of Bexar County, Texas: U.S. Geological Survey Water-Supply Paper 1588, 36 p. [Also published as Texas Board of Water Engineers Bulletin 5911, 62 p., 1959].
- Ashworth, J.B., 1983, Ground-water availability of the Lower Cretaceous Formations in the Hill Country of south central Texas: Texas Department of Water Resources Report 273, 173 p. Descriptors: Medina County, Bexar County, Comal County, Hays County, Kendall County, Kerr County, and Bandera County.
- Ashworth, J.B., and Flores, R.R., 1991, Delineation criteria for the major and minor aquifer maps of Texas: Texas Water Development Board Report LP-212, 27 p.
- Ashworth, J.B., and Hopkins, J., 1995, Aquifers of Texas: Texas Water Development Board Report 345, 69 p.
- Austin Geological Society, 1984, Hydrogeology of the Edwards Aquifer-Barton Springs segment, Travis and Hays counties, Texas: Austin Geological Society Guidebook 6, 96 p.
- Austin Geological Society, 1985, Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, 104 p.
- Bader, R.W., 1984, The Edwards Aquifer: South Texas Geological Society Bulletin, v. 25, no. 4, p. 27-34. Descriptors: Georgetown Limestone, Edwards Limestone, Comanche Peak Limestone, San Antonio, Balcones fault zone, Leona Springs, San Antonio Springs, San Pedro Springs, Comal Springs, Hueco Springs, San Marcos Springs.
- Baker, E.T., Jr., Slade, R.M., Jr., Dorsey, M.E., Ruiz, L.M., and Duffin, G.L., 1984, Geohydrology of the Edwards Aquifer in the Austin area, Texas: Texas Water Development Board Report 293, 215 p. [Also published as U.S. Geological Survey Open-File Report 84-864.] Descriptors: Travis County, Hays County, Williamson County, Bell County.
- Barker, R.A., and Ardis, A.F., 1992, Configuration of the base of the Edwards-Trinity aquifer system and hydrogeology of the underlying pre-Cretaceous rocks, west central Texas: U.S. Geological Survey Water Resources Investigations Report 91-4071, 25 p.
- Barker, R.A., and Ardis, A.F., 1996, Hydrogeological framework of the Edwards-Trinity aquifer system, west central Texas, U.S. Geological Survey Professional Paper, Report No. P 1421-B, p. B1-B61, 8 sheets.
- Barker, R.A., Bush, P.W., and Baker, E.T., Jr., 1994, Geologic history and hydrogeologic setting of the Edwards-Trinity aquifer system, west central Texas, U.S. Geological Survey, Water-Resources Investigations Report 94-4039, 51 p.

- Barrett, M.E., and Charbeneau, R.J., 1996, A groundwater model of the Barton Springs/Edwards Aquifer, *from 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996*, Cloos, Mark, (ed.), *in Geological Society of America Abstracts with Programs*, v. 28, no. 1, p. 3.
- Bennett, R.R., and Sayre, A.N., 1962, Geology and ground-water resources of Kinney County, Texas: Texas Water Commission Bulletin 6216, 176 p.
- Bentley, M.E., 1985, Hydraulic properties of a part of the Edwards Aquifer near Pflugerville, Texas, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, Laura, and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 46-52.
- Boghici, R., 2004, Hydrogeology of the Edwards-Trinity Aquifer of Texas and Coahuila in the border region, *in Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., Aquifers of the Edwards Plateau, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 4, p. 91-114.*
- Brown, J.B., Rogers, L.T., and Baker, B.B., 1965, Reconnaissance investigation of the ground-water resources of the middle Rio Grande Basin, Texas: Texas Water Commission Bulletin 6502, [variously paged].
- Brune, G., and Duffin, G.L., 1983, Occurrence, availability, and quality of ground water in Travis County, Texas: Texas Department of Water Resources Report 276, 219 p.
- Burr, J.G., 1943, Rivers of the Edwards Limestone (Texas) [abs.]: Texas Academy of Sciences Proceedings, v. 26, p. 129.
- Bush, P.W., 1986, Planning report for the Edwards-Trinity Regional Aquifer-System Analysis in central Texas, southeast Oklahoma, and southwest Arkansas: U.S. Geological Survey Water-Resources Investigations Report 86-4343, 15 p.
- Bush, P.W., 1988, Overview of the Edwards-Trinity Regional Aquifer-System Analysis: Geological Society of America Abstracts with Programs, v. 20, no. 2, p. 93.
- Bush, P.W., Ardis, A.F., and Wynn, K.H., 1993, Historical potentiometric surface of the Edwards-Trinity aquifer system and contiguous hydraulically connected units, west-central Texas: U.S. Geological Survey, Water-Resources Investigations Report 92-4055, 3 sheets, p. N/A.
- Calow, P., and Petts, G.E., 1994, The Rivers handbook: hydrological and ecological principles, *in Blackwell Scientific Publications, Oxford, Boston, 1992-1994, 2 volumes, [variously paged].*
- Campana, M.E., 1986, Groundwater age distributions in the Edwards Aquifer [abs.]: Geological Society of America Abstracts with Programs, v. 18, no. 6, p. 556. Descriptors: Comal County, Kinney County, Uvalde County, Hueco Springs, Comal Springs.

- Campana, M.E., and Mahin, D.A., 1985, Model-derived estimates of groundwater mean ages, recharge rates, effective porosities and storage in a limestone aquifer: *Journal of Hydrology*, v. 76, no. 3-4, p. 247-264.
- Cannata, S.L., and Collins, A.D., 1987, The hydrogeologic assessment of the Edwards Aquifer in the Washita Prairie [abs.]: *Geological Society of America Abstracts with Programs*, v. 19, no. 3, p. 147.
- Cannata, S.L., and Yelderman, J.C., Jr., 1987, Hydrogeology of the Edwards Aquifer in the Washita Prairie-Bosque, Coryell, Hamilton, and McLennan Counties, Texas, in *Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas*, Baylor University, p. 83-96. Descriptors: Trinity aquifer, Georgetown Limestone, Del Rio Clay, Grand Prairie, Eagle Ford Prairie, Hog Creek, Childress Creek, Black Prairie, Walnut Clay.
- Charbeneau, R.J., 1982, Groundwater resources of the Texas Rio Grande Basin: *Natural Resources Journal*, v. 22, no. 4, p. 957-971.
- Chowdhury, A.H., Mace, R.E., Anaya, R., Way, T. Shao-Chi, 2000, A numerical groundwater flow model for the Trinity Aquifer of southcentral Texas; a tool to estimate water availability, *in Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000*, p. 72.
- City of San Antonio, City Water Board, 1963, The role of the Edwards reservoir in the San Antonio water story: San Antonio, Texas, City Water Board.
- Collins, E.W., Woodruff, C.M., and Tremblay, T.A., 2002, Geologic framework of the northern Edwards aquifer, Central Texas, *from SEPM 52<sup>nd</sup> Annual Convention of the GCAGS/Gulf Coast Section, Technical Abstracts and Papers, Austin, Texas, October 30-November 1, 2002*, v. 52, p. 135-138.
- Copeland, R., 1972, The San Marcos River - a reconnaissance study: Austin, Texas, University of Texas, School of Architecture Report, 171 p.
- Crowe, J.C., 1994, Detailed hydrogeologic maps of the Comal and San Marcos rivers for endangered species habitat definition, Texas: Austin, Texas, University of Texas, M.S. thesis, 153 p.
- Dasgupta, S., Mohanty, B., Munster, C.L., Owens, M.K., Shade, B., Taucer, P.I., and Wilcox, B.P., 2005, Large plot tracing of subsurface flow in the Edwards Aquifer epikarst, *from Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005*, *in Geotechnical Special Publication*, no. 144, p. 207-215.



- DeCook, K.J., 1963, Geology and ground-water resources of Hays County, Texas: U.S. Geological Survey Water-Supply Paper 1612, 72 p. [Also published as Texas Board of Water Engineers Bulletin 6004, 167 p., 1960].
- De La Garza, L., and Slade, R.M., Jr., 1986, Relations between areas of high transmissivity and lineaments - the Edwards Aquifer, Barton Springs segment, Travis and Hays Counties, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 131-144, <http://www.lib.utexas.edu/Libs/GEO/BalconesEscarpment/pages131-144.html>. Descriptors: Georgetown Limestone, Oak Hill quadrangle, Austin West quadrangle, Signal Hill quadrangle, Buda quadrangle, Mountain City quadrangle, Driftwood quadrangle.
- De La Garza, L., and Slade, R.M., Jr., 1987, Relations between areas of high transmissivity and lineaments for part of the northern Edwards Aquifer-a preliminary study, in Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 45-52. Descriptors: Colorado River, Travis County, Hays County, Barton Springs, Jollyville quadrangle, Round Rock quadrangle.
- Duffin, G.L., and Musick, S.P., 1991, Evaluation of water resources in Bell, Burnet, Travis, Williamson and parts of adjacent counties, Texas: Texas Department of Water Resources Report 326, 105 p. Descriptors: Bastrop County, Milam County, Trinity Group, Trinity Aquifer.
- Dutton, A.R., 1994, Toxic Substances and the Hydrologic Sciences: a selection of papers presented at the conference held in Austin, Texas, April 10-13, 1994: American Institute of Hydrology, Meeting (1994: Austin, Texas), v. xiv, 729 p., ill., maps, 26 cm.
- Edwards Underground Water District, 1993, Leak detection/location survey report for San Antonio water system service area within the city limits of the City of Leon Valley, June 28, 1993-August, 1993: San Antonio, Texas, Edwards Underground Water District, [variously paged].
- Espey, Huston & Associates, Inc., 1986, Water availability study for the Guadalupe and San Antonio River Basins: San Antonio, Texas, Espey, Huston & Associates, Inc., x 2 v., [variously paged].
- Espey, W.H., Jr., Morgan, C.W., and Masch, F.D., 1966, Study of some effects of urbanization on storm runoff from a small watershed: Texas Water Development Board Report 23, 110 p. Descriptors: Waller Creek, Austin.
- Garza, S., 1966, Ground-water resources of the San Antonio area, Texas - a progress report on studies, 1960-1964: Texas Water Development Board Report 34, 31 p. Descriptors: Medina County, Uvalde County, Kinney County, Bexar County, Comal County, Hays County.
- George, W.O., 1943, Ground water resources of Leon Springs Military Reservation and vicinity: U.S. Geological Survey Open-File Report, 16 p. Descriptors: Bexar County, Camp Bullis, Camp Stanley, Travis Peak Formation, Glen Rose Formation.

- George, W.O., 1952, Geology and ground-water resources of Comal County, Texas: U.S. Geological Survey Water-Supply Paper 1138, 126 p.
- George, W.O., Wood, L.A., and Reeves, R.D., 1962, Hydrogeology of the Edwards and associated limestones, field excursion no. 11, in Geology of the Gulf Coast and central Texas and guidebook of excursion, Geological Society of America, 1962 Annual Meeting: Houston, Texas, Houston Geological Society, p. 354-384.
- Getzendorfer, F.M., 1938, Some ground water problems of Uvalde, Medina, and Bexar counties: U.S. Geological Survey Open-File Report, 9 p.
- Guadalupe-Blanco River Authority, 1988, The Edwards Aquifer: underground river of Texas, Seguin, Texas: Guadalupe-Blanco River Authority.
- Guyton, W.F., 1979, Geohydrology of Comal, San Marcos, and Hueco springs: Texas Department of Water Resources (present Texas Water Development Board) Report 234, 85 p. Descriptors: Comal County, Hays County, Kinney County, Medina County, Bexar County, Uvalde County, Atascosa County, Guadalupe County, Person Formation, Edwards Group, Georgetown Limestone, Kainer Formation, Walnut Clay, New Braunfels, Balcones fault zone, tritium.
- Halihan, T., 2000, Permeability structure in fractured aquifers: Austin, Texas, University of Texas, Ph. D. dissertation, 132 p.
- Hammond, W.W., Jr., 1985, Regional hydrogeology of the Edwards Aquifer, south central Texas, in Smerdon, E.T., and Jordan, W.R., eds., Issues in groundwater management: Austin, Texas, University of Texas, Center for Research in Water Resources, Water Resources Symposium Twelve, p. 53-68.
- Hammond, W.W., Jr., 1995, Hydrogeology of the Edwards aquifer, in 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas, August 14-18, 1995.
- Hammond, W.W., Jr., and Longley, Glenn, 1989, On-going research: South Texas Geological Society Bulletin, v. 30, no. 4, p. 31-33. Descriptors: Edwards Aquifer Research and Data Center (SWT), Center for Ground-Water Research and Technology (UTSA).
- Harden, R.W., 1988, The Edwards connection, in The Edwards Aquifer-underground river of Texas: Seguin, Texas, Guadalupe-Blanco River Authority, p. 13-17.
- Harringer, T.L., 1985, Development of the northern segment of the Edwards Aquifer as a major water supply, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, Laura, and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 25-37. Descriptors: Georgetown, Round Rock, Brushy Creek.

- Harringer, T.L., 1987, Development of the northern segment of the Edwards Aquifer as a major water supply, in Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 27-42.
- Hauwert, N.M., Johns, D.A., and Aley, T.J., 1998, Preliminary report on groundwater tracing studies within the Barton Creek and Williamson Creek watersheds, Barton Springs/Edwards Aquifer, Austin Texas: Barton Springs/Edwards Aquifer Conservation District, 56 p.
- Hauwert, N.M., Johns, D.A., Aley, T.J., and Sansom, J.W., 2000, Groundwater tracing of the of the groundwater flow through the Barton Springs Edwards Aquifer Austin, Texas, *from* Southwest Focus Ground Water Conference, Austin, Texas, May 17-18, 2000, p. 30.
- Hauwert, N.M., Johns, D.A., Sansom, J.W., and Aley, T.J., 2002, Groundwater tracing of the Barton Springs Edwards Aquifer, Travis and Hays counties, *from* SEPM 52<sup>nd</sup> Annual Convention of the GCAGS/Gulf Coast Section, Austin, Texas, October 30–November 1, 2002, v. 52, p. 377-384.
- Hauwert, N. M., Sansom, J. W, Jr., Johns, D. A., and Aley, T. A., 2002, Groundwater tracing study of the Barton Springs segment of the Edwards aquifer, Southern Travis and northern Hays Counties, Texas: Barton Springs/ Edwards Aquifer Conservation District and City of Austin Watershed Protection Department, 96.
- Hayes, J.M., 1977, Trichlorofluoromethane in ground water-a possible indicator of ground-water age: Lafayette, Indiana, Purdue University, Water Resource Research Center, Technical Report 90, 25 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB-265 170].
- Holt, C.L.R., Jr., 1959, Geology and ground-water resources of Medina County, Texas: U.S. Geological Survey Water-Supply Paper 1422, 213 p. [Also published as Texas Board of Water Engineers Bulletin 5601, 278 p., 1956].
- Horton, J., 1984, Three-dimensional computer graphic representations of the internal structure of the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R2-84, 133 p.
- Hovorka, S.D., and Dutton, A.R., 2001, Aquifers of Texas: Austin, University of Texas, Bureau of Economic Geology, Paged-sized color map and text, scale: 1 inch = 100 miles.
- Hovorka, S.D., Ruppel, S.C., Dutton, A.R., and Yeh, J.S., 1993, Edwards Aquifer storage assessment, Kinney County to Hays County, Texas: San Antonio, Texas, Edwards Underground Water District, 109 p.
- Hovorka, S.D., Dutton, A.R., Ruppel, S.C., and Yeh, J.S., 1996, Edwards Aquifer ground-water resources; geologic controls on porosity development in platform carbonates, South Texas: Austin, University of Texas, Bureau of Economic Geology Report of Investigations 238, 75 p.

- Hovorka, S.D., Mace, R.E., 1997, Interplay of karst, fractures, and permeability in Cretaceous Edwards Aquifer: Analogs for fractured reservoirs: Society of Petroleum Engineers Geological Field Trip Guidebook, Bureau of Economic Geology, 35 p.
- Hovorka, S.D., Mace, R.E., and Collins, E.W., 1995, Regional distribution of permeability in the Edwards Aquifer: Austin, Texas, University of Texas Bureau of Economic Geology Final Report prepared for Edwards Underground Water District Report 95-02, 128 p. [Also in Gulf Coast Association of Geological Societies Transactions, v. 45, p. 259-266].
- Hovorka, S.D., Mace, R.E., and Collins, E.W., 1998, Permeability structure of the Edwards Aquifer, South Texas - Implications for Aquifer Management: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigation, v. 250, 55 p.
- Hovorka, S.D., Mace, R.E., and Marrett, R.A., 2005, Fractal scaling of secondary porosity in Karstic exposures of the Edwards Aquifer, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 178-187.
- Jennings, M.E., and Bush P.W., and Nalley, G.M., 1992, Generalized hydrologic characteristics of the Edwards Aquifer, *in* American Water Resources Association, Texas section fall meeting, Wet and Wild, Texas Water Issues—Ground Water and Surface Water, Irving, Texas, December 4, 1992, Proceedings: American Water Resources Association, p. 19-26.
- Jennings, M.E., Martin , Q.W., and Knowles, T.R., 1995, Texas water '95 *in* Proceedings Texas Section of the American Society of Civil Engineers: San Antonio, Texas, August 16-17, 1995, v. 8, p. 393.
- Jiang, Y., 2002, A Bayesian approach to the groundwater inverse problem for steady state flow and heat transfer: Manitoba, Canada, University of Manitoba, M.S. thesis, 107 p.
- Jiang, Y., Woodbury, A.D., and Painter, S.L, 2004, Full-Bayesian Inversion of the Edwards Aquifer: Ground Water, v. 42, no. 5, p. 724-733.
- Johnson, S.B.; Schindel, G., 2004, Analysis and modeling of July 2003 hydrographs from the Edwards Aquifer recharge zone, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 32.
- Jones, E.R., 1995, The hydrogeology of Uvalde Co., Texas, *from* 29<sup>th</sup> Annual Meeting of the Geological Society of America North central section, Lincoln, NE, April 27-28, 1995, *in* Geological Society of America Abstracts with Programs, v. 27, no. 3, p. 61.
- Kabir, J., 1987, Underground drainage of urban runoff from natural depressions, *in* Feldman, A.D., ed., Symposium on Engineering Hydrology, Williamsburg, Virginia, Proceedings: New York, American Society of Civil Engineers, p. 359-363. Descriptors: West Lake Hills, Travis County.

- Kastning, E. H., 1983, *Geomorphology and Hydrogeology of the Edwards Plateau Karst, Central Texas*: Austin, Texas, University of Texas, Ph.D. dissertation, 2 Vols, p. N/A.
- Klemt, W.B., Knowles, T.R., Elder, G.R., and Sieh, T.W., 1979, Ground-water resources and model applications for the Edwards (Balcones fault zone) aquifer in the San Antonio region, Texas: Texas Department of Water Resources Report 239, 94 p. Descriptors: Medina County, Uvalde County, Kinney County, Bexar County, Comal County, Hays County.
- Knisel, W.G., Jr., 1965, Groundwater studies in the Edwards Plateau of Texas: ARS 41-100, 12 p.
- Knowles, T.R., and Klemt, W.B., 1978, Calibration of the Edwards Aquifer model: verification of mathematical and physical models in hydraulic engineering: 26<sup>th</sup> Annual Hydraulics Division Specialty Conference, Maryland University, College Park, August 9-11, 1978, Proceedings: p. 94-100.
- Knox, J., 1975, Solution features of upper Cibolo Creek basin [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 2, p. 180. Descriptors: Kerr County, Wilson County, Bexar County, Comal County, Edwards Limestone, San Antonio.
- Konikoc, L., and Bredehoeft, L.A., 1978, Computer model of two-dimensional solute transport and dispersion of groundwater: U.S. Geological Survey Water-Resources Investigations, Book 7, Chapter C2.
- Khorzad, K., 2002, Kinney County groundwater study: letter to the Kinney County Groundwater Conservation District dated July 25, 2002 from Wet Rock Groundwater Services, 13 p.
- Khorzad, K., 2003, Edwards Aquifer Evaluation - Kinney County, Texas: Journal of the American Water Resources Association, v.9, no. 5, p. 1093-1107.
- Kreitler, C.W., Davidson, T., Hamilton, M., Schindel, G., and Johnson, S., 2004, Hydrogeologic characterization of Comal Springs during low flow periods, Edwards Aquifer, Texas - implications to sustaining spring flow through aquifer management and spring augmentation *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 391.
- Kreitler, C.W., Senger, R.K., and Collins, E.W., 1987, Geology and hydrology of the northern segment of the Edwards aquifer with an emphasis on the recharge zone in Georgetown, Texas, area: Austin, Texas, University of Texas, Bureau of Economic Geology contract report prepared for the Texas Water Development Board under Interagency Contract no. IAC(86-87)-1046, 115 p.
- Kreitler, C.W., and Sharp, J.M., 1990, Hydrogeology of Trans-Pecos Texas: Bureau of Economic geology Guidebook eds., GB0025, 120 p.

- Kuniansky, E.L., 1989, Precipitation, streamflow, and baseflow in west central Texas, December 1974 through March 1977: U.S. Geological Survey Water-Resources Investigations Report 88-4218, 2 sheets.
- Kuniansky, E.L., 1990a, Potentiometric surface of the Edwards-Trinity aquifer system and contiguous hydraulically connected units, west central Texas, Winter 1974-75: U.S. Geological Survey Water-Resources Investigations Report 89-4208, 2 sheets.
- Kuniansky, E.L., 1990b, A finite-element model for simulating of two dimensional steady-state ground-water flow in confined aquifers: U.S. Geological Survey Open-File Report 90-187, 77 p.
- Kuniansky, E.L., 1994, Multi-layer finite element model of the Edwards and Trinity aquifers central Texas, *in* Dutton, A.R., ed., Toxic Substances and the Hydrologic Sciences: Minneapolis, Minnesota, American Institute of Hydrology, p. 234-249.
- Kuniansky, E.L., 1995, Multi-layer finite-element model of the Edwards aquifer and catchment area, Central Texas, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas, August 14-18, 1995.
- Kuniansky, E.L., 1995, Multilayer finite-element model of a heterogeneous karst aquifer system in central Texas, *from* 1995 Annual Meeting of the Geological Society of America, New Orleans, Louisiana, USA, November 6-9, 1995, *in* Geological Society of America Abstracts with Programs, v. 27, no. 6, p. 182.
- Kuniansky, E.L., 1996, Finite-element simulating of the Edwards Aquifer system, central Texas, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 24, 49.
- Lambert, R.B., 1995, Hydrogeologic investigations by the U.S. Geological Survey in the Edwards aquifer region, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas, August 14-18, 1995.
- Lambert, R.B., Grimm, K.C., and Lee, R.W., 2000, Hydrogeology, Hydrologic Budget, and Water Chemistry of the Medina Lake Area, Texas: Austin Texas, U.S. Geological Survey Water-Resources Investigations Report 00-4148, 53 p.
- Land, L.F., 1984, Proposed 10-year plan for continuation of hydrologic studies of the Edwards aquifer, San Antonio area, Texas: U.S. Geological Survey Open-File Report 84-817, 26 p.
- Land, L.F., and Dorsey, M.E., 1988, Reassessment of the Georgetown Limestone as a hydrologic unit of the Edwards aquifer, Georgetown area, Texas: U.S. Geological Survey Water-Resources Investigations Report 88-4190, 49 p.

- Lang, J.W., 1953, Ground water in the Trinity Group in the San Antonio area, Texas: U.S. Geological Survey Open-File Report, 5 p.
- Lang, J.W., 1954, Ground-water resources of the San Antonio area, Texas - a progress report of current studies: Texas Board of Water Engineers Bulletin 5412, 30 p.
- LBG-Guyton Associates, 1995, Edwards Aquifer ground-water divides assessment, San Antonio region, Texas: Austin, Texas, LBG-Guyton Associates, Report prepared for the Edwards Underground Water District, Report 95-01, 35 p.
- LBG-Guyton Associates, 1995, Edwards/Glen Rose Hydrologic Communication, San Antonio Region, Texas: Final report for the Edwards Underground Water District, 38 p. with 7 Tables, 13 Figures, and 4 appendices. [Also published as Edwards Underground Water District, Report 95-03, 38 p.]
- LBG-Guyton Associates, 2001, Ground-water resources of the Edwards Aquifer in the Del Rio area, Texas: Austin, Texas, LBG-Guyton Associates, Report prepared for Plateau Regional Water Planning Group, Texas Water Development Board, and City of Del Rio, v. 1, [variously paged].
- Livingston, P.P., 1947, Ground-water resources of Bexar County, Texas: Texas Board of Water Engineers Miscellaneous Publication 13, 240 p.
- Livingston, P.P., Sayre, A.N., and White, W.N., 1936, Water resources of the Edwards Limestone in the San Antonio area, Texas: U.S. Geological Survey Water-Supply Paper 0773-B, p. 59-113.
- Lock, B.E., and Sanchez, F.C., 2004, Edwards porosity and permeability: Observations based on Interstate Highway 10 exposures, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 11 p.
- Long, A.T., 1958, Ground-water geology of Real County, Texas: Texas Water Commission Bulletin 5803, 47 p.
- Long, A.T., 1963, Ground-water geology of Edwards County, Texas: U.S. Geological Survey Water-Supply Paper 1619-J, 129 p. [Also published as Texas Water Commission Bulletin 6208, 128 p., 1962].
- Longley, G., 1991, Status and trends of the Edwards (Balcones fault zone) aquifer in the San Antonio region, in South Texas Irrigation Conference, Hondo, Texas, January 15, 1991, Proceedings: College Station, Texas, Texas Agricultural Extension Service, p. 4-18.
- Longley, G., and Luckens, B., 1983, Perspectives on the Edwards Aquifer, proceedings: San Marcos, Texas, Southwest Texas State University Report @ R2-83, 108 p.

- Longley, G., and Rose, P.R., 1986, The Edwards Aquifer “Balcones fault zone Edwards Aquifer” and San Marcos Springs, *in* Longley, Glenn, ed., Physical aspects of the Edwards Aquifer- a field guide: San Antonio, Texas, South Texas Geological Society, v. 63, 3 p.
- Lowther, R.A., and Kuniandy, E.L., 1992, Documentation of finite-element mesh generation programs using a geographic information system: U.S. Geological Survey Water-Resources Investigations Report 92-4155, 188 p., 1 diskette. Descriptors: Edwards-Trinity aquifer.
- Mace, R.E., 1995, Geostatistical Description of Hydraulic Properties in karst aquifers: a case study in the Edwards Aquifer, *from* Proceedings of the International Symposium on Groundwater Management, San Antonio, Texas, USA, August 14-16, 1995, *in* International Symposium on Groundwater Management - Proceedings 1995, ASCE, New York, NY, USA, p. 193-198.
- Mace, R.E., 1996, Distribution of specific capacity and transmissivity in the Edwards Aquifer, *in* Woodruff, Jr., C.M., and Sherrod, C.L., Urban Karst, Geologic excursions in Travis and Williamson counties: Austin Geological Society Guidebook 16, p. 11-15.
- Mace, R.E., 1997, Determination of Transmissivity from Specific Capacity tests in a karst aquifer: Ground Water, v. 35, no. 5, p. 738-742.
- Mace, R.E., 2001a, Estimating Transmissivity using Specific-Capacity data: Austin, Texas, University of Texas, Bureau of Economic Geology Geological Circular, no. 01-2, 44 p., 18 figs.
- Mace, R.E., 2001b, Regional groundwater flow modeling in Texas: Texas Water Development Board, Unpublished paper, 27 p.
- Mace, R.E., and Anaya, R., 2004, Discussion – “Edwards Aquifer evaluation: Kinney County, Texas,” by Kaveh Khorzad, Journal of the American Water Resources Association, v. 40, no. 4, p. 1099-1100.
- Mace, R.E., and Anaya, R., 2003, Hydrogeology of Shield Ranch, Travis and Hays counties, Texas, *from* Time, land, and Barton Creek: an excursion to Shield Ranch, Travis and Hays counties, Texas, *in* Austin Geological Society Guidebook, v. 22, p. 41-54.
- Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., 2004, Aquifers of the Edwards Plateau, *in* Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, 18 Chapters, 366 p.
- Mace, R.E., and Hovorka, S.D., 1996, Karst-conduit characterization of the Edwards Aquifer outcrop, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 51.



- Mace, R.E., and Hovorka, S.D., 1997, Quantification and spatial distribution of matrix and conduit porosity and permeability in a karst aquifer, *from 1997 Annual Meeting the Geological Society of America, Salt Lake City, Utah, USA, October 20-23, in Geological Society of America Abstracts with Programs, v. 29, no. 6, p. 183.*
- Mace, R.E., and Hovorka, S.D., 2000, Estimating porosity and permeability in a karstic aquifer using core plugs, well tests, and outcrop measurements, *in Wicks, C.M., and Sasowsky, I.D., eds., Groundwater flow and contaminant transport in carbonate aquifers, Rotterdam, Netherlands, Belkema, p.93-112.*
- Mace, R.E., Chowdhury, A.H., Anaya, R., and Way, S-C, 2000a, A numerical groundwater flow model of the Upper and Middle Trinity aquifer, Hill Country area, Texas: Texas Water Development Board Open File Report 00-02, 62 p.
- Mace, R.E., Chowdhury, A.H., Anaya, R., and Way, S-C, 2000b, Groundwater availability of the Middle Trinity Aquifer, Hill Country area – Numerical simulations through 2050: Texas Water Development Board Report 353, 117 p.
- Mace, R.E., Chowdhury, A.H., Anaya, R., and Way, S-C, 2001, The future availability of groundwater in the Texas Hill Country under drought conditions, *Bulletin of the South Texas Geological Society, v. 42, no. 2, p. 17-24.*
- Maclay, R.W., 1979, Hydrogeology of the Edwards Limestone reservoir, in Rose, P.R., ed., *Stratigraphy of the Edwards Group and equivalents, eastern Edwards Plateau, Texas (2d ed.): San Antonio, Texas, South Texas Geological Society, p. 51-57.*
- \_\_\_\_\_, 1981, Hydrogeologic investigation of the Edwards Aquifer [abs.]: *Geological Society of America Abstracts with Programs, v. 13, no. 5, p. 241.*
- \_\_\_\_\_, 1989, Edwards Aquifer in the San Antonio region - its hydrogeology and management: *South Texas Geological Society Bulletin, v. 30, no. 4, p. 11-28.*
- \_\_\_\_\_, 1992, Edwards Aquifer in the San Antonio region; a water distribution system needing a management: *Geological Society of San Antonio, Texas, Bulletin of the South Texas Geological Society, v. 33, no. 1, p. 11-25.*
- \_\_\_\_\_, 1995, Geology and hydrology of the Edwards Aquifer in the San Antonio area, Texas: *U.S. Geological Survey Water-Resources Investigations Report 95-4168, 69 p., 12 sheets.*
- Maclay, R.W., and Land, L.F., 1987, Simulation of flow in the Edwards aquifer, San Antonio region, Texas, and refinement of storage and flow concepts: *U.S. Geological Survey Open-File Report 86-532, 86 p.*

- Maclay, R.W., and Rettman, P.L., 1972, Hydrologic investigations of the Edwards and associated limestones in the San Antonio area, Texas, Progress Report, 1970-71: U.S. Geological Survey Open-File Report 72-244, 24 p. [Also published as Edwards Underground Water District Report, 24 p., 1972.]
- Maclay, R.W., and Rettman, P.L., 1973, Regional specific yield of the Edwards Aquifer and associated limestones in the San Antonio, Texas, area: U.S. Geological Survey Open-File Report 73-172, 14 p. [Also published as Edwards Underground Water District Report, 10 p., 1973].
- Maclay, R.W., and Small, T.A., 1979, Hydrostratigraphic subdivisions of the Edwards aquifer in the San Antonio, Texas area: South Texas Geological Society Bulletin, v. 20, no. 4, p. 9-18. Descriptors: Hays County, Blanco County, Comal County, Bexar County, Kendall County, Bandera County, Medina County, Uvalde County, Kinney County, Real County, Maverick Basin, San Marcos platform, Devils River, Edwards Group, Kainer Formation, Pearson Formation, Georgetown Limestone, Glen Rose Formation, Devils River Formation, Del Rio Clay, Salmon Peak Formation, McKnight Formation, West Nueces Formation, permeability, porosity.
- Maclay, R.W., and Small, T.A., 1983, Hydrostratigraphic subdivisions and fault barriers of the Edwards Aquifer, south central Texas: Journal of Hydrology, v. 61, no. 1-3, p. 127-146.
- Maclay, R.W., and Small, T.A., 1984, Carbonate geology and hydrology of the Edwards aquifer in the San Antonio area, Texas: U.S. Geological Survey Open-File Report 83-537, 72 p. [Also published as Texas Water Development Board Report 296, 90 p., 1986].
- Maderak, M.L., and Slade, R.M., Jr., 1979, Lithology of the Edwards aquifer, in Geological Survey Research 1979: U.S. Geological Survey Professional Paper 1150, p. 211.
- Mahin, D.A., and Campana, M.E., 1983, Discrete-state compartment model of a limestone groundwater reservoir-the Edwards Aquifer near San Antonio, Texas: University of Nevada, Reno, Nevada, Water Resources Center, Desert Research Institute Publication 41077, 41 p.
- McCray, K.B., 1982, The nation's water: Water Well Journal, v. 36, no. 7, p. 48-52.
- McMillion, L.G., 1961, A review of the major ground water formations in Texas, in Ground water section, Western Resources Conference, Boulder, Colorado: Colorado Department of Natural Resources, Boulder, Colorado, scale 1:3,360,000. Descriptors: Trinity Aquifer, Wilcox Aquifer, Gulf Coast Aquifer, Ogallala Aquifer, Edwards Aquifer.
- Miller, K., 2002, Hydrogeologic characterization and potentiometric surface mapping using ArcView (GIS) Comal and Kendall counties, Texas, *from Proceedings of the Symposium on Karst Frontiers: Florida and related environments*, Gainesville, FL, March 6-10, 2002, in Karst Waters Institute Special Publication, p. 168.

- Montgomery, P., 1964, Effects of Alaskan earthquake on water levels in the Edwards underground reservoir in Bexar County: South Texas Geological Society Bulletin, v. 4, no. 8, p. 6-10.
- Mount, J.R., Rayner, F.A., Shamburger, V.M., Jr., Peckham, R.C., and Osborne, F.L., Jr., 1967, Reconnaissance investigation of the ground-water resources of the Colorado River Basin, Texas: Texas Water Development Board Report 51, 107 p.
- Muir, A.H., 1911, The geology of the artesian water supply of the San Antonio area: St. Louis, Missouri, A.R. Fleming Printing Co., 42 p.
- Myers, B.N., 1969, Compilation of results of aquifer tests in Texas: Texas Water Development Board Report 98, 537 p.
- Myrick, M.K., Dahl, S.L., Cannata, S.L., and Yelderman, J.C., Jr., 1988, The effect of fractures on porosity and anisotropy in a portion of the Edwards Aquifer, Texas, *in* International Conference on Fluid Flow in Fractured Rocks, Atlanta, Georgia, May 15-18, 1988, Proceedings: Washington, D.C., American Geophysical Union, p. 38-51.
- Nance, H.S., and Sharp, J.M., 2002, Hydrogeological trends in the Edwards-Trinity aquifer system, Edwards Plateau, Texas, *from* 36<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section, *in* Geological Society of America Abstracts with Programs, v. 34, no. 3, p. 33.
- Nativ, R., and Gutierrez, G.N., 1989, The hydrogeology and hydrogeochemistry of Cretaceous aquifers, Southern High Plains, U.S.A.: Journal of Hydrology, v. 108, no. 1-4, p. 79-109.
- Kresic, N., 2000, Evaluation of the karst hydrogeology of Texas, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. N/A.
- Ockerman, D.J., Petri, B.L., and Slattery, R.N., 1999, Stormwater runoff for selected watersheds in the Edwards aquifer recharge zone, Bexar County, Texas, 1996-1998: U.S. Geological Survey Fact Sheet FS-172-98, 6 p.
- Ogden, A.E., Quick, R.A., Lundsford, D.L., and Rothermel, S.R., 1986, Hydrogeological and hydrochemical investigation of the Edwards Aquifer in the San Marcos area, Hays County, Texas: Edwards Aquifer Research and Data Center Report, no. R1-86, p. 364.
- Painter, S., Jiang, Y., and Woodbury, A., 2002, Edwards aquifer parameter estimation project: Final Report: Southwest Research Institute, [variaiously paged].
- Pavlicek, D., Small, T.A., and Rettman, P.L., 1987, Hydrologic data from a study of the freshwater zone/saline water zone interface in the Edwards Aquifer, San Antonio Region, Texas: U.S. Geological Survey Open-File Report 86-4036, 117 p.

- Pearson, F.J., Jr., 1973, The evaluation and application of carbon-14 dating of ground water, Final Report: Army Research Office, Durham Project ARO-D, No. 5830-EN, 70 p.
- Pearson, F.J., Jr., Rettman, P.L., and Wyerman, T.A., 1974, Environmental tritium in the Edwards aquifer, central Texas: U.S. Geological Survey Open-File Report 74-362, 32 p. [Also published as Edwards Underground Water District Report, 32 p.].
- Petitt, B.M., Jr., and George, W.O., 1956, Ground-water resources of the San Antonio area, Texas: Texas Board of Water Engineers Bulletin 5608, v. 1, 85 p.; v. 2, pt. 1, 255 p.; pt. 2, 288 p.; pt. 3, 231 p.
- Quick, R.A., 1985, A hydrogeological and hydrochemical investigation of the Edwards Aquifer in the San Marcos area, Hays County, Texas: University of Arkansas, Fayetteville, Arkansas, M.S. thesis, 183 p.
- Randall, J.H., Schultz, T.R., and Davis, S.N., 1977, Suitability of fluorocarbons as tracers in ground water resources evaluation: University of Arizona, Tucson, Arizona, 37 p.
- Rees, R., and Buckner, A.W., 1980, Occurrence and quality of groundwater in the Edwards-Trinity (Plateau) aquifer in the Trans-Pecos region of Texas: Texas Department of Water Resources Report 255, 41 p.
- Reeves, R.D., 1967, Ground-water resources of Kendall County, Texas: Texas Water Development Board Report 60, 101 p.
- Reeves, R.D., 1969, Ground-water resources of Kerr County, Texas: Texas Water Development Board Report 102, 58 p.
- Reeves, R.D., and Lee, F.C., 1962, Ground-water geology of Bandera County: Texas Water Commission Bulletin 6210, 73 p.
- Reeves, R.D., Maclay, R.W., Grimm, K.C., and Davis, M.F., 1981, Records of ground-water recharge, discharge, water levels, and chemical quality of water for the Edwards aquifer in the San Antonio area, Texas, 1934-79: San Antonio, Texas, Edwards Underground Water District, Bulletin 39, 133 p.
- Reeves, R.D., Maclay, R.W., Grimm, K.C., and Davis, M.F., 1982, Records of ground-water recharge, discharge, water levels, and chemical quality of water for the Edwards aquifer in the San Antonio area, Texas, 1934-80: San Antonio, Texas, Edwards Underground Water District, Bulletin 40, 128 p.
- Reeves, R.D., Maclay, R.W., and Ozuna, G.B., 1984, Records of ground-water recharge, discharge, water levels, and chemical quality of water for the Edwards aquifer in the San Antonio area, Texas, 1934-81: San Antonio, Texas, Edwards Underground Water District, Bulletin 41, 135 p.

- Reeves, R.D., and Ozuna, G.B., 1985, Records of ground-water recharge, discharge, water levels, and chemical quality of water for the Edwards aquifer in the San Antonio area, Texas, 1934-82, with 1934-82 summary: San Antonio, Texas, Edwards Underground Water District, Bulletin 42, 131 p.
- Rettman, P.L., 1966, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1965: San Antonio, Texas, Edwards Underground Water District, Bulletin 12, 8 p.
- Rettman, P.L., 1991, World's largest flowing well, *in* Twichell Hydrology Symposium, Austin, Texas, November 8, 1991, Proceedings: Austin, Texas, American Water Resources Association, Texas State Section, p. 64.
- Rettman, P.L., and Pearson, F.J., Jr., 1975, Environmental tritium in the Edwards Aquifer of central Texas [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 2, p. 228-229.
- Ritsema, D.M., 1996, Development of cell definitions for simulation of management options with the Edwards Aquifer mode: San Antonio, University of Texas, M.S. thesis, 187 p.
- Ross, L., 1996, Deposition of Lauren Ross re. Springflow and pumpage (Sierra v. City of San Antonio, et al.): August 1996, p. 80-142.
- Rothermel, S.R., 1984, Hydrogeological, and hydrochemical investigation of springs in Hays and Comal counties, Texas: Arkansas, University of Arkansas, M.S. thesis, 347 p.
- Saenz de Ormijana, F.A., 1989, Stochastic analysis of nonlinear, nonstationary water storage systems in continuous and discrete time (continuous time): Austin, Texas, University of Texas, Ph.D. dissertation, 237 p. Copyright 1989, by University Microfilms Inc., order no. AAD90-16969.
- Sayre, A.N., 1936, Geology and ground-water resources of Uvalde and Medina counties, Texas: U.S. Geological Survey Water-Supply Paper 678, 146 p.
- Sayre, A.N., and Bennett, R.R., 1942, Recharge, movement and discharge in the Edwards Limestone reservoir, Texas: Transactions of American Geophysical Union, pt. 1, p. 19-27.
- Scheerhorn, J.D., 1993, Hydrogeological Characterization of the Childress Creek Basin, central Texas using aquifer testing and geophysical methods, *from* 27<sup>th</sup> Annual Meeting of the Geological Society of America (GSA), South central Section meeting, Fort Worth, Texas, USA, March 15-16, 1993, *in* Geological Society of America Abstracts with Programs, v. 25, no. 1, p. 41.

- Schindel, G.M., Hoyt J.R., Johnson, S.B., Veni, G., Wilcox, B.P., Munster, C.L., Hovorka, S.D., Kreitler, C.W., and Shade B.L., 2005, An introduction to the Balcones Fault Zone segment of the Edwards Aquifer in south-central Texas, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005. [Also a guidebook for the 10<sup>th</sup> Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts of Karst, San Antonio, TX, September 24-28, 2005,.]
- Schindel, G.M., Worthington, S.R.H., Alexander, E.C., Jr., and Veni, G., 2000, An overview of the San Antonio segment of the Edwards (Balcones fault zone) Aquifer in south-central Texas, *in* Deem, K.L., and Molina Deem, L., NSS Convention 2000; cave the millennium, Annual Convention Program – National Speleological Society, v. 2000, p. A18.
- Schindel, G.M., Worthington, S.R., and Lovingood, D., 2001, The use of discharge balancing to quantify the assimilative capacity of a karst aquifer, *from* 2001 Annual Meeting Geological Society of America (GSA), November 1-10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 132.
- Senger, R.K., Collins, E.W., and Kreitler, C.W., 1990, Hydrogeology of the northern segment of the Edwards Aquifer, Austin region, Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 192, 58 p. [reprinted 1996].
- Senger, R.K., and Kreitler, C.W., 1983, Hydrogeology of the Edwards Aquifer, Austin area, central Texas [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 6, p. 683. [Also published by Bureau of Economic Geology Report of Investigations 141, 35 p., 1984; reprinted 1997]. Descriptors: Hays County, Travis County, Glen Rose Formation, Mount Bonnell fault, Balcones fault zone, Barton Springs, water chemistry.
- Senger, R.K., and Kreitler, C.W., 1984, Hydrogeology of the Edwards Aquifer, Austin area, central Texas: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 141, 35 p.
- Senger, R.K., and Kreitler, C.W., 1994, Hydrologic and Hydrochemical Characteristics of the northern segment of the Edwards Aquifer - Austin region: Dutton, Alan R. (Editor), Toxic Substance Hydrologic Science, Select Papers Conference, p. 250-267.
- Seward, L.B., Knowles, T.R., and Klemt, W.B., 1974, Groundwater models for Texas, *in* Water for Texas Conference, Texas A&M University, College Station, Texas, September 19, 1974: College Station, Texas, Texas A&M University, 29 p.
- Shah, S.D., 2005, Water-level altitudes in wells completed in the northern segment of the Edwards Aquifer, Travis, Williamson, and Bell Counties, Texas, March-June 2005: U.S. Geological Survey Data Series Report 125, 12 p.

- Sharp, J.M., Jr., Kreitler, C.W., and Lesser, J., 1991, Ground water, in Salvador, Amos, ed., The Gulf of Mexico Basin: Boulder, Colo., Geological Society of America, Geology of North America, Decade of North American Geology Project, v. J, p. 529-543. Descriptors: Gulf of Mexico, Gulf Coastal Plain, Chattahoochee River, Alabama River, Mississippi River, Sabine River, Trinity River, Brazos River, Colorado River, Rio Grande, Grijalva River, Edwards Aquifer, Yucatan Peninsula, Quaternary, ground-water pollution.
- Slade, R.M., Jr., 1987, Hydrogeology of the Edwards Aquifer in Bell, Williamson, and northern Travis Counties, Texas, in Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 9-25. Descriptors: Trinity Group.
- Slade, R.M., Jr., 1987, Transmissivities of the northern Edwards Aquifer, in Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 43-44. Descriptors: pumping, ground-water level, faults, guidebooks.
- Slade, R.M., Jr., 2003, An evaluation of buffer zones and land-surface slope on runoff in the Edwards Aquifer area, *from* Time, Land, and Barton Creek: an excursion to Shield Ranch, Travis and Hays counties, Texas, *in* Austin Geological Society Guidebook, v. 22, p. 31-36.
- Slade, R.M., Jr., Dorsey, M.E., and Stewart, S.L., 1986, Hydrology and water quality of the Edwards Aquifer associated with Barton Springs in the Austin area, Texas: U.S. Geological Survey Water-Resources Investigations Report 86-4036, 117 p. Descriptors: bacteria, fluorides, urbanization.
- Small, T.A., 1986, Hydrogeologic sections of the Edwards aquifer and its confining units in the San Antonio area, Texas: U.S. Geological Survey Water-Resources Investigations Report 85-4259, 52 p.
- Small, T.A., Hanson, J.A., 1998, Geologic Framework and hydrogeologic characteristics of the Edwards Aquifer outcrop, Comal County, Texas: Bulletin of the South Texas Geological Society, v. 39, no. 4, 9-17.
- Smith, B.D., Clark, A.K., Faith, J.R., and Stanton, G.P., 2005, Characterization of hydrostratigraphic units of the capture, recharge, and confining zones of the Edwards Aquifer using electrical and natural gamma signatures, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U. S. Geological Survey Scientific Investigations Report 05-5160, p. 41.
- Steger, R.D., 1973, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1971: U.S. Geological Survey Open-File Report, 109 p.
- Steger, R.D., 1974, Hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1972: U.S. Geological Survey Open-File Report, 102 p.

- Steger, R.D., 1975, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1973: U.S. Geological Survey Open-File Report, 127 p.
- Stein, W.G., and Ozuna, G.B., 1995, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer recharge zone, Bexar County, Texas: U.S. Geological Survey, Water-Resources Investigations Report 95-4030, 8 p., 1 sheet.
- Stein, .G., and Ozuna, G.B., 1998, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer recharge zone, Bexar County, Texas: Bulletin of the South Texas Geological Society, v. 39, no. 3, 9-16.
- Sterbenz, A.A., 1997, Development of a model for the evaluation of regional long term water plans: San Antonio, University of Texas, M.S. thesis, 178 p., plus 3 computer disks.
- Stoker, K.R., 1992, Hydrogeology and geochemistry of the lower Smithson Valley and upper Bat Cave Quadrangles, south central Comal and northeastern Bexar Counties: San Antonio, Texas, University of Texas, M.S. thesis, 177 p. [Also published in Bulletin of the South Texas Geological Society, 1994, v. 34, no. 6, p. 27-36].
- Stringfield, V.T., Rapp, J.R., and Anders, R.B., 1979, Effects of karst and geologic structure on the circulation of water and permeability in carbonate aquifers: Journal of Hydrology, v. 43, no. 1-4, p. 313-332.
- Swanson, G.J., 1991, Super well is deep in the heart of Texas: Water Well Journal, v. 45, no. 7, p. 56-58.
- Taylor, T.U., 1904, The water power of Texas: U.S. Geological Survey Water-Supply and Irrigation Paper 105, 116 p.
- Taylor, T.U., 1907, Underground waters of the Coastal Plain of Texas: U.S. Geological Survey Water-Supply Paper 190, 73 p.
- Texas Department of Water Resources, 1979, Records of wells, chemical analyses, and water levels of selected Edwards Aquifer wells, Bexas County, Texas: TDWR Report 237.
- Texas Department of Water Resources, 1979, Ground water resources and model applications for the Edwards Aquifer in San Antonio region: TDWR Report 239.
- Texas Register, 1992, Edwards Underground River: 31 TAC ##298.1-289.7, September 25, 17 TexReg 6605.
- Texas Water Commission, 1991, Management evaluation model for the Edwards Aquifer: Austin, Texas, Texas Water Commission, Report LP 91-08.
- Thompson, G.M., and Hayes, J.M., 1979, Trichlorofluoromethane in groundwater-a possible tracer and indicator of groundwater age: Water Resources Research, v. 15, no. 3, p. 546-554.



- Thorkildsen, D.F., and McElhaney, P.D., 1992, Model refinement and applications for the Edwards (Balcones Fault Zone) Aquifer in the San Antonio Region, Texas: Texas Water Development Board Report 340, 31 p.
- Thornhill, P.D., 1988, The multiple watersheds of the Guadalupe River, *in* Thornhill, P.D., Harden, R.W., and Nevola, Roger, eds., The Edwards Aquifer-underground river of Texas: Seguin, Texas, Guadalupe-Blanco River Authority, p. 3-11.
- Thornhill, P.D., Harden, R.W., and Nevola, Roger, eds., 1988, The Edwards Aquifer-underground river of Texas: Seguin, Texas, Guadalupe-Blanco River Authority, 63 p.
- Todd Engineers and Edwards Aquifer Authority, 1999, Optimization technical studies in support of the Edwards Aquifer Optimization Program: Todd Engineers and Edwards Aquifer Authority, 40 p.
- Tomasko, D., Fisher, A.M, Gustavious, P.W., and Pentecost, E.D., 2001, Final Report: A statistical study of the hydrological character of the Edwards Aquifer, October 2001, Argonne National Laboratory – Environmental Assessment Division, Argonne Illinois, 23 p.
- Tomasko, D., Williams, G.P., Pentecost, E.D., Fisher A., and Johnson, S., 2002, A statistical study of the hydrological character of a karst aquifer in response to a major precipitation event , *from* 2002 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 27-30, 2002, *in* Geological Society of America Abstracts with Programs, v. 34, no. 6, p. 227.
- Tsoflias, G.P., and Sharp, J.M., Jr., 1998, Three dimensional hydrogeologic characterization of fractured carbonate aquifers using ground-penetrating radar, *from* the 1998 AAPG Gulf Coast Association of Geological Societies and the Gulf Coast Section of SEPM Abstracts, AAPG Bulletin, v. 82, n. 9, p. 1793. [Also in Coast Section of the SEPM, Corpus Christi, Texas, United States: October 21-23, 1998, Gulf Coast Association of Geological Societies, v. 48, p. 439-447.
- Tyson, A.K., 1924, The Source of the Water along the Balcones Fault Escarpment: Austin, Texas, Univesity of Texas, M.A. thesis, p. N/A.
- University of Texas, 1993, Regional water supply management decision support tools for the San Antonio region-Phase II, Technical report: San Antonio, Texas, University of Texas, Center for Water Research, 197 p.
- Upper San Marcos Watershed Reclamation and Flood Control District, 1978, Upper San Marcos River watershed, Comal and Hays Counties, Texas: Temple, Texas, U.S. Soil Conservation Service Report USDA-SCS-EIS-WS-(ADM)-78-2-(D)-(TX), [variously paged].
- U.S. Army Corps of Engineers, 1965, Survey report on Edwards underground reservoir, Guadalupe, San Antonio, and Nueces Rivers and tributaries, Texas: U.S. Army Corps of Engineers, Fort Worth District and San Antonio, Texas, Edwards Underground Water District, 2 volumes, [variously paged].

- U.S. Army Corps of Engineers, 1966, The Edwards Underground Water District and Edwards Underground Reservoir: U.S. Army Corps of Engineers, p. N/A.
- U.S. Bureau of Reclamation, 1978, San Antonio, Guadalupe River Basins study, Texas basins project-summary of special report, November 1978: Amarillo, Texas, U.S. Bureau of Reclamation, [variously paged].
- U.S. Geological Survey, 1978, Effects of carbonate facies and faulting on hydrogeology of the Edwards aquifer, in Geological Survey Research 1978: U.S. Geological Survey Professional Paper 1100, p. 223-224. Descriptors: Uvalde County, Bexar County, Comal County, San Antonio.
- Vauter, B., and Yelderman, J.C., Jr., 1993, The hydrogeology of the Balcones fault zone Edwards aquifer San Antonio Region: Association of Engineering Geologist Annual Meeting Guidebook, 87 p.
- W.F. Guyton and Associates, 1955, The Edwards Limestone reservoir: William F. Guyton and Associates, Report prepared for the City Water Board, San Antonio, Texas, 30 p.
- \_\_\_\_\_, 1958, Report on Hueco Springs: William F. Guyton and Associates, Report prepared for the City Water Board, San Antonio, Texas, p. N/A.
- \_\_\_\_\_, 1962, Possible development of Edwards Limestone reservoir northeast of San Antonio: William F. Guyton and Associates, Report prepared for the City Water Board, San Antonio, Texas, p. N/A.
- \_\_\_\_\_, 1963, Estimates of future water levels in the Edwards Limestone reservoir: William F. Guyton and Associates, Report prepared for the City Water Board, San Antonio, Texas, p. N/A.
- \_\_\_\_\_, 1986, Drilling, construction, and testing of monitor wells for the Edwards Aquifer bad-water-line experiment: Report prepared for the City Water Board, San Antonio, Texas, p. N/A.
- Walker, L.E., 1979, Occurrence, availability, and chemical quality of ground water in the Edwards Plateau region of Texas: Texas Department of Water Resources Report 235, 346 p. Descriptors: Uvalde County, Kinney County, Kerr County, Edwards County, Bandera County.
- Wanakule, N., 1996, Karst aquifer simulation using a lumped parameter model, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 67-68.
- Wanakule, N., and Mays, L.W., 1986, Optimal management of large-scale aquifers-methodology and applications: Austin, Texas, University of Texas, Center for Research and in Water Resources Technical Report 217, 137 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB86-186210].

- Waterreus, P.A., 1992, Hydrogeology of the Camp Bullis area, northern Bexar County, Texas: San Antonio, Texas, University of Texas, M.S. thesis, 186 p.
- Waugh, J.R., and Walthour, S.D., 1993, Government Canyon geologic and hydrologic assessment: San Antonio, Texas, Edwards Underground Water District Report 93-10, [variously paged].
- Welborn, C.T., and Veenhuis, J.E., 1987, Effects of runoff controls on the quantity and quality of urban runoff at two locations in Austin, Texas: U.S. Geological Survey Water-Resources Investigations Report 87-4004, 101 p.
- Welder, F.A., and Reeves, R.D., 1964, Geology and ground-water resources of Uvalde County, Texas: U.S. Geological Survey Water-Supply Paper 1584, 49 p. [Also in Texas water Commission Bulletin 6212, 263 p.]
- White, W.N., 1933, The water supply at Randolph Field, near San Antonio, Texas: U.S. Geological Survey Open-File Report, 16 p. Descriptors: Georgetown Limestone, Austin Chalk, Glen Rose Formation, Bexar County, Travis Peak Formation.
- White, W.N., 1935, Summary report on the survey of the underground waters of Texas: Texas Board of Water Engineers and Engineering Experiment Station, Texas A&M, in cooperation with the U.S. Geological Survey, 28 p. Descriptors: Uvalde County, Medina County, Bexar County.
- White, W.N., and Livingston, P.P., 1941, Water resources of Austin, Texas: U.S. Geological Survey Open-File Report, p. N/A.
- Wight, M.G., 1981, The Edwards Aquifer, its waters and where they go: San Marcos, Texas, Buckner Printing, 8 p.
- Woodbury, A.D., and Painter, S., 2003, Full-Bayesian Inversion of the Edwards Aquifer, Texas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2 - 5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 612.
- Woodruff, C.M., Jr., De La Garza, L., and Snyder, F.R., 1989, Lineaments and the Edwards Aquifer-Barton Springs segment, Travis and Hays Counties, Texas: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-89, 45 p.
- Woodruff, C.M., Jr., Henry, C.D., and Gever, C., 1981, Regional hydrodynamics within the Edwards Limestone, south central Texas: Gulf Coast Association of Geological Societies Transactions, v. 31, p. 454-455.

- Woodruff, C.M., Jr., Henry, C.D., and Gever, C., 1982, Geothermal resource potential at military bases in Bexar, Travis, and Val Verde Counties, Texas: *in* Woodruff, C.M., et al., eds., Geothermal resource assessment for the State of Texas: University of Texas, Austin, Texas, Bureau of Economic Geology Final Report, 65 p.
- Worthington, S.H.R., Schindel, G.M., and Alexander, E.C., Jr., 2001, Aquifer-scale properties for hydraulic characterization of carbonate aquifers, *from* 2001 Annual Meeting of the Geological Society of America (GSA), November 1 – 10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 169.
- Worthington, S.H.R., Schindel, G.M., and Alexander, E.C., Jr., 2001, Hydraulic characterization of carbonate aquifers focusing on water level data, *in* 2001 National Speleological Society Convention, Mount Vernon, KY, *Journal of Cave and Karst Studies*, v. 63, no 3, p. 115.
- Yelderman, J.C., Jr., 1987, Stillhouse Hollow Reservoir emergency spillway-Edwards diagenesis, *in* Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Waco, Texas, Baylor University, p. 105-108. Descriptors: Edwards Limestone, Bell County, Lampasas River, Kirschberg evaporite lagoon.
- Yelderman, J.C., Jr., Slade, R.M., Jr., Sharp, J.M., Jr., and Woodruff, C.M., Jr., 1987, Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Austin Geological Society Guidebook 11, 91 p.
- Zeisloft, J., and Foley, D., 1983, Geologic evaluation: *in* Lawford, T.W., et al., eds., Characterization of the geothermal resource at Lackland Air Force Base, San Antonio, Texas: U.S. Department of Energy, Idaho Operation Office, DOE/ID-10114, p. 3-1 - 3-24.

### ► Floods and Droughts

- Anonymous, 1996, Stability analysis for nonnormal and flood loadings: Medina Main Dam for Bexar, Medina, Atascosa water control and Improvement District No. 1: Bureau of Reclamation, Denver, CO, Technical Service Center, Report # PB97157424, 87 p.
- Asquith, W.H., 1998, Depth-duration frequency of precipitation for Texas: U.S. Geological Survey Water-Resources Investigations Report 98-4044, 107 p.
- Asquith, W.H., and Slade, R.M., Jr., 1971, Blanco River and San Marcos River and its Tributaries, USCE Report, p. N/A.
- Asquith, W.H., and Slade, R.M., Jr., 1995, Documented and potential extreme peak discharges and relation between potential extreme peak discharges and probable maximum flood peak discharges in Texas: U.S. Geological Survey Water-Resources Investigation Report 95-4249, 58 p.

- Asquith, W.H., and Slade, R.M., Jr., 1997, Regional equations for estimation of peak-streamflow frequency for natural basins in Texas: U.S. Geological Survey Water-Resources Investigation Report 96-4037, 68 p.
- Asquith, W.H., and Slade, R.M., Jr., 1999, Site-specific estimation of peak-streamflow frequency using generalized least-squares regression for natural basins in Texas: U.S. Geological Survey Water-Resources Investigation Report 99-4172, 19 p.
- Baker, V.R., 1975, Flood hazards along the Balcones escarpment in central Texas-alternative approaches to their recognition, mapping, and management: Austin, Texas, University of Texas, Bureau of Economic Geology Geological Circular 75-5, 22 p. Descriptors: Pedernales River Valley, Blieders Creek, Comal River.
- Baker, V.R., 1977, Stream-channel response to floods, with examples from central Texas: Geological Society of America Bulletin, v. 88, no. 8, p. 1,057-1,071.
- Baker, V.R., Holz, R.K., and Patton, P.C., 1975, Flood hazard studies in central Texas using orbital and suborbital remote sensing machinery, *in* National Aeronautics and Space Administration, Earth Resources Survey Symposium, Houston, Texas, June 8-12, 1975, v. 1-D [abs.]: Houston, Texas, National Aeronautics and Space Administration, Lyndon B. Johnson Space Center, p. 2,253-2,294. Copyright 1975, by the American Institute of Aeronautics and Astronautics (AIAA) - Reprinted with permission.
- Benson, M.A., 1964, Factors affecting the occurrence of floods in the southwest: U.S. Geological Survey Water-Supply Paper 1580-D, 72 p.
- Bernard Johnson Engineers, Inc., 1969, Flood control considerations for urban renewal areas, San Marcos, Texas: Houston, Texas, Bernard Johnson Engineers, Inc., 22 p.
- Bomar, G.W., 1978, An analysis of weather conditions relative to the occurrence of flash flooding in central Texas (during the period of July 30 to August 4, 1978): Texas Department of Water Resources @ LP-69, 37 p.
- Bomar, G.W., 1981, Report on meteorological aspects of the Austin flash flood of May 24-25, 1981, *in* Moore, W.L., ed., The Austin, Texas, flood of May 24-25, 1981-Appendix: Washington, D.C., National Academy Press, p. 39-49.
- Caran, S.C., and Baker, V.R., 1986, Flooding along the Balcones escarpment, central Texas, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 1-14.
- Carroll, G., and Annin, P., 1996, Another dust bowl? (Severe drought in the Southwestern U.S.): Newsweek, v. 128, no. 1, p. 34-36.
- Colwick, A.B., McGill, H.N., and Erichsen, F.P., 1973, Severe floods at New Braunfels, Texas: American Society of Agricultural Engineers Paper 73-206, 8 p.

- Ellsworth, C.E., 1923, The floods in central Texas in September 1921: U.S. Geological Survey Water-Supply Paper 488, 56 p.
- Fisher, D.L., 1992, Drought and depletion-Hays County, Texas in the 1950's: San Marcos, Texas, Southwest Texas State University, Master thesis, 98 p.
- Gatewood, J.S., Wilson, A., Thomas, H.E., and Kister, L.R., 1964, General effects of drought on water resources of the Southwest: U.S. Geological Survey Professional Paper 372-B, p. 1-55.
- Hansen E.M., 1979, Study of the reported 48+ inch rainfall in the storm of August 1-3, 1978, near Medina, Texas: Silver Springs, MD, National Oceanic and Atmospheric Administration, Weather Service, unpublished report, 12 p.
- Hurlburt, S., 1988, Drought-proofing the Edwards Aquifer: Water Well Journal, v. 42, no. 10, p. 67-73.
- Kelton, E., 1996, Bone dry, Texas Monthly (ITXM), v. 24, no. 7, p. 74-75+.
- Lanning-Rush, J., Asquith, W.H., and Slade, R.M., Jr., 1998, Extreme precipitation depths for Texas, excluding the Trans-Pecos region: U.S. Geological Survey Water-Resources Investigations Report 98-4099, 38 p.
- Longley, G., 1995, The relationship between long term climate change and Edwards Aquifer levels, with an emphasis on droughts and spring flows: Water for Texas, p. 109-120, *in* Texas Water Resources Institute Conference, January 24, 1995, Austin, Texas.
- Lowry, R.L., Jr., 1959, A study of droughts in Texas: Texas Board of Water Engineers Bulletin 5914, 76 p.
- Massey, B.C., Reeves, W.E., and Lear, W.A., 1982, Floods of May 24-25, 1981, in the Austin, Texas, metropolitan area: U.S. Geological Survey Hydrologic Investigations Atlas HA-656, 2 sheets.
- Mauldin, R.P., 2003, Exploring drought in the San Antonio area between 1700 and 1979, *prepared for* the Edwards Aquifer Authority: Center for Archeological Research, San Antonio, University of Texas, Texas, Special Report, no. 29, 16 p.
- Mays, S.L., Teinert, C.A., Glass, P.W., and Fox, T.P., 1989, Drought management plan-managing and protecting a resource, in Conference on Water Laws and Management, Tampa, FL, September 17-22, 1989, Proceedings: Bethesda, MD, American Water Resources Association, p. 12B-11-12B-25.
- Moore, W.L., Cook, E., Gooch, R.S., and Nordin, C.F., 1982, The Austin, Texas, flood of May 24-25, 1981: Washington, D.C., National Academy Press, 54 p.

- Nace, R.L., and Pluhowski, E.J., 1965, Drought of the 1950's - with special reference to the midcontinent: U.S. Geological Survey Water-Supply Paper 1804, 88 p.
- Raines, T.H., Asquith, W.H., and Brown, D.S., 1998 Floods in south central Texas, June 1997: U.S. Geological Survey Fact Sheet FS-053-98, 4 p.
- Riggio, R.F., Bomar, G.W., and Larkin, T.J., 1987, Texas drought - its recent history (1935-1985): Texas Water Commission LP 87-04, 74 p.
- Saenz de Ormijana, F.A., and Maidment, D.R., 1988, Reliability of water supply from the Edwards Aquifer [abs.]: American Geophysical Union, EOS Transactions, v. 69, no. 44, p. 1,184.
- San Antonio River Authority, 1996, Salado Creek watershed protection and flood prevention project: San Antonio River Authority Fact Sheet, 2 p.
- Schindel, G.M., Johnson, S., Donnelly, A.C.A., and Kreitler, C.W., 2001, A proposed program to regulate groundwater withdrawal to minimize the impact on endangered species habitat during drought in the Balcones fault zone section of the Edwards Aquifer of south-central Texas, *in* 2001 National Speleological Society Convention, Mount Vernon, KY, Journal of Cave and Karst Studies, v. 63, no 3, p. 114.
- Schroeder, E.E., Massey, B.C., and Waddell, K.M., 1979, Floods in central Texas, August 1978: U.S. Geological Survey Open-File Report 79-682, 121 p.
- Slade, R.M., Jr., 1986, Large rainstorms along the Balcones escarpment in central Texas: *in* Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology, and social development in central Texas: Geological Society of America, p. 15-20.
- Slade, R.M., and Patton, J., 2003, Major catastrophic storms and floods in Texas: U.S. Geological Survey Open File Report 03-193, CD Version 1.1.
- Slade, R.M., and Persky, K., 1999, Floods in the Guadalupe and San Antonio Basins in Texas, October 1998: U.S. Geological Survey Fact Sheet FS-147-99, 4 p.
- Slattery, R.N., 2004, Recharge to the Edwards aquifer in the San Antonio area, Texas, 2003, June 2004: U.S. Geological Survey Fact Sheet, 2 p.
- Slattery, R.N., and Brown, D.S., 1999, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 1998, September 1999: U.S. Geological Survey Fact Sheet, 4 p.
- Slattery, R.N., Patton, J.T., and Brown, D.S., 1998, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 1997, April 1998: U.S. Geological Survey Fact Sheet, 4 p.
- Slattery, R.N., and Thomas, D.E., 2000, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 1999, December 2000: U.S. Geological Survey Fact Sheet, 4 p.

- Slattery, R.N., and Thomas, D.E., 2001, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 2000, August 2001: U.S. Geological Survey Fact Sheet, 4 p.
- Slattery, R.N., and Thomas, D.E., 2002, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 2001, October 2002: U.S. Geological Survey Fact Sheet, 4 p.
- Slattery, R.N., and Thomas, D.E., 2004, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 2002, April 2004: U.S. Geological Survey Fact Sheet, 4 p.
- Stahle, D.W., and Cleaveland, M.K., 1988, Texas drought history reconstructed and analyzed from 1698 to 1980: *Journal of Climate*, v. 1, p. 59-74.
- Texas Board of Water Engineers, 1959, Summary of peak flood flow measurements and other measurements of stream discharge in Texas at points other than gaging stations: Texas Board of Water Engineers Bulletin 5807C, 255 p.
- Thomas, H.E., 1962, The meteorologic phenomenon of drought in the Southwest: U.S. Geological Survey Professional Paper 372-A, p. 1-43.
- Thomas, H.E., et. al, 1963, Effects of drought in central and south Texas: U.S. Geological Survey Professional Paper 372-C, p. 1-31.
- Thompson, J.W., 1993, Relationship of the Salado Creek flood control project in northern Bexar County to recharge of the Edwards Limestone Formation: Annual Meeting – Association of Engineering Geologists, v. 36, p. 74-75.
- U.S. Army Corps of Engineers, 1971, Flood hazard information-San Marcos and Blanco Rivers, San Marcos, Texas: Fort Worth, Texas, U.S. Army Corps of Engineers, 35 p.
- U.S. Department of Agriculture, 1978, Upper San Marcos River watershed, Comal and Hays counties, Texas: Temple, Texas, Soil Conservation Service, Upper San Marcos watershed reclamation and flood control district IV, 27, 99 p.
- Urban Drainage and Flood Control District, 1992, Urban storm drainage criteria manual. Volume 3: Best Management Practices, Stormwater Quality, Urban Drainage and Flood Control District, Denver, Colorado.
- Wanakule, N., 1990, Stochastic drought analysis of the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-90, 32 p.
- Williamson, W.H., 1978, The response of groundwater systems to drought: *in* Water management and development, United Nations Water Conference, Mar del Plata, Argentina, March 1977, Proceedings: New York, Pergamon Press, v. 1, pt. 4, p. 2,125-2,141.



Yost, I.D., 1963, Floods of April-June 1957 in Texas and adjacent States: U.S. Geological Survey Water-Supply Paper 1652-B, 321 p.

### ► Groundwater Movement

Abbott, P.L., 1977, Effect of Balcones faults on groundwater movement, south central Texas: Texas Journal of Science, v. 29, no. 1-2, p. 5-14.

Barton Springs/Edwards Aquifer Conservation District, 2003, Summary of groundwater dye tracing studies (1996-2002), Barton Springs segment of the Edwards Aquifer; fact sheet Barton Springs/Edwards Aquifer Conservation District.

Barrett, M.E., 1996, A parsimonious model for simulation of flow and transport in a karst aquifer: Austin, The University of Texas at Austin, Ph.D. dissertation, 180 p.

Barrett, M.E., and Charbeneau, R.J., 1997, A parsimonious model for simulation of flow and transport in a karst aquifer: Austin, University of Texas, Center for Research in Water Resources, Bureau Engineering Research, Technical Report 269, 149 p. [Also in Journal of Hydrology (Amsterdam), v. 196, no. 1-4, p. 47-65].

Buszka, P.M., Rose, D.L., Ozuna, G.B., and Groschen, G.E., 1995, Determination of Nanogram per Liter concentrations of Volatile Organic Compounds in water by Capillary Gas Chromatography and Selected Ion Monitoring Mass Spectrometry and its use to define groundwater flow directions in Edwards Aquifer, Texas: Analytical Chemistry, v. 67, no. 20, p. 3,659-3,667.

Buszka, P.M., Zaugg, S.D., and Werner, M.G., 1990, Determination of trace concentrations of volatile organic compounds in ground water using closed-loop stripping, Edwards Aquifer, Texas: Bulletin of Environmental Contamination and Toxicology, v. 45, no. 4, p. 507-515. Copyright 1990, by Biological Abstracts, Inc. (BIOSIS).

Campana, M.E., 1975, Finite-state models of transport phenomena in hydrologic systems: University of Arizona, Ph.D. dissertation, 252 p. Descriptors: sediment transport, model studies, steady flow, unsteady flow.

Dutton, A.R., Hovorka, S.D., Lindgren, K.J., Painter, S., Worthington, S.R.H., 2005, Conceptualization and simulation of the Edwards Aquifer, San Antonio region, Texas, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 122-130. [Also *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 234-235; and *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U.S. geological Survey Scientific Investigations Report 05-5160, p. 48-57.]

- Fahlquist, L., and Kuniansky, E.L., 1996, Travel times along selected flowpaths of the Edwards Aquifer, central Texas, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 13. [Also published as U.S. Geological Survey Water Resources Investigation 01-4011, p. 69-77, *from* Meeting U.S. Geological Survey Karst Interest Group Proceedings, St. Petersburg, FL, February 13-16, 2001.]
- Green, R.T., Painter, S.L., and Sun, A.Y., 2005, Modeling Barton Springs segment of the Edwards Aquifer using MODFLOW-DCM, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 163-177.
- Groschen, G.E., 1996, Hydrogeologic factors that affect the flowpath of water in selected zones of the Edwards Aquifer, San Antonio region, Texas: U.S. Geological Survey, Water Resources Investigations Report 96-4046, 73 p.
- Halihan, T., Mace R.E., and Sharp, J., Jr., 1997, Using laboratory scale permeability to interpret well test data in a fractured karst aquifer, *from* 1997 Annual Meeting of the Geological Society of America, Salt Lake City, Utah, USA, October 20-23, *in* Geological Society of America Abstracts with Programs, v. 29, no. 6, p. 227.
- Halihan, T., Mace R.E., and Sharp, J., Jr., 2000, Flow in the San Antonio segment of the Edwards Aquifer; matrix, fractures, or conduits?, *in* Wicks, C.M., and Sasowsky, I.D., eds., Groundwater flow and contaminant transport in carbonate aquifers, Rotterdam, Netherlands, Belkema, p.129-146.
- Halihan, T., Mace R.E., Marrett, R.A., Sharp, J., Jr., and Simms, R.A., 2001, A simple model of fractured aquifer permeability, *from* 2001 Annual Meeting of the Geological Society of America (GSA), November 1-10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 168.
- Halihan, T., Sharp, J.M., Jr., and Mace, R.E., 1999, Interpreting flow using permeability at multiple scales, *in* Palmer, A.N., Palmer, M.V., and Sasowsky, I.D., eds., Karst Modeling Special Publication No. 5, Karst Waters Institute, Charles Town, West Virginia, p. 82-96.
- Hauwert, N.M., Johns, D.A., and Sharp, J, 2002, Evidence of discrete flow in the Barton Springs segment of the Edwards Aquifer, *from* *Proceedings of the Symposium on Karst Frontiers: Florida and related environments*, Gainesville, FL, March 6-10, 2002, *in* Karst Waters Institute Special Publication, v. 7, p. 162-167.
- Hauwert, N., Johns, D., Hunt, B.B., Beery, J., Smith, B.A., and Shrap, J.M, Jr., 2004, Flow systems of the Edwards Aquifer Barton Springs Segment interpreted from tracing and associated field studies, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 13 p.

- Hawkins, J.L., Calhoun, G.G., 2001, Groundwater seems not to influence BTEX surface geochemistry: *Oil and Gas Journal*, v. 99, no. 41, p. 32-36.
- Hovorka, S.D., and Green, R.T., 2004, Role of conduit in flow in the Edwards Aquifer: Results and questions, *in* *Edwards Water Resources in Central Texas: Retrospective and Prospective*, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 10 p.
- Hovorka, S.D., Mace, R.E., and Collins, E.W., 1995, Regional distribution of permeability in the Edwards Aquifer, *from* *Transactions of the forty-fifth Annual Convention of the Gulf Coast Association of Geological Societies*, a section of the American Association of Petroleum Geologists regional meeting and the forty-second Annual Convention of the Gulf Coast Section of the Society of Economic Paleontologists and Mineralogists, Baton Rouge, LA, USA, October 25-27, 1995, John, Chacko J., and Byrnes, Mark R., (eds.), *in* *Transactions - Gulf Coast Association of Geological Societies*, v. 45, p. 259-265.
- Hovorka, S.D., Paine, J.G., Reedy, R.C., Collins, E.W., and Lindley, A., 2002, Evaluation of the potential for cross contamination of the Edwards Aquifer from dissolved contaminants in the shallow groundwater zone in the vicinity of Kelly AFB via faults and wells: Austin, Texas, University of Texas, Bureau of Economic Geology, Final Report, 47 p.
- Hovorka, S.D., Schindel, G.M., Nicot, J.P., Worthington, S.R.H., Johnson, S.B., and Lindley, A., 2004, Improving the conceptual model for flow in the Edwards Aquifer, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* *Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM*, San Antonio, Texas, v. LIV, p. 24.
- Hovorka, S.D., Thandar, P., Nicot, P.T., and Lindley, A., 2004, Refining the conceptual model for flow in the Edwards Aquifer – Characterizing the role of fractures and conduits in the Balcones Fault Zone segment: Austin, Texas, University of Texas, Bureau of Economic Geology, Final Contract Report to Edwards Aquifer Authority, 53 p.
- Hunt, A.G., Lambert, R.B., Landis, G.P., and Waugh, J.R., 2005, Use of helium isotopes to discriminate between flow paths associated with the freshwater/saline water transition zone of the Edwards Aquifer, south-central Texas, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U. S. Geological Survey Scientific Investigations Report 05-5160, p. 42.
- Hunt, B.B., Smith, B.A., Beery, J., Hauwert, N.M., and Johns, D.A., 2005, Structural influence on groundwater flow as evidenced by groundwater dye tracing in the Barton Springs segment of the Edwards Aquifer, central Texas; implications for modeling conduits, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* *Geological Society of America Abstracts with Programs*, v. 37, no. 3, p. 8.

- Hunt, B.B, Schindel, G.M., Smith, B.A., Groundwater flow in the Edwards Aquifer: Comparison of groundwater modeling and dye trace results, 2005, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 131-141.
- Johnson, S.B., Schindel G.M., and Veni G., 2005, Tracing flowpaths in the Edwards Aquifer Recharge Zone in northern Bexar County, Texas, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 230-231.
- Jones, I.C., 2002, Northern segment of the Edwards Aquifer, Texas: Groundwater availability modeling, *from* SEPM 52<sup>nd</sup> Annual Convention of the GCAGS/Gulf Coast Section, Technical Abstracts and Papers, Austin, Texas, October 30-November 1, 2002, v. 52, p. 455-468.
- Jones, I.C., 2003, Groundwater availability model: Northern segment of the Edwards aquifer, Texas: Texas Water Development Board Report 358, 75 p.
- Jones, I.C., 2004, Groundwater availability in the northern segment of the Edwards aquifer, Texas, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 8 p.
- Klingler, T.H., 1993, An Analysis of Adding Land Cover as a Variable to the DRASTIC Ground-Water Model, North Texas State University, Masters Abstracts, v. 32, no. 03, p.927, M.S. thesis, 79 p.
- Kresic, N., and Busbey, A.B., III, 1994, Morphometric Neotectonic analysis of preferential groundwater flow paths in a karst aquifer, *from* 28<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section, Little Rock, AR, March 21-22, 1994, *in* Geological Society of America Abstracts with Programs, v. 26, no. 1, p. 9.
- Kuniansky, E.L., and Holligan, K.Q., 1994, Simulations of flow in the Edwards-Trinity aquifer systems and Contiguous Hydraulically Connected Units, west-central Texas, U.S. Geological Survey, Earth Science Information Center, Water Resources Investigations Report 93-4039, 40 p.
- LBG-Guyton Associates, 1996, A regionwide evaluation of GWSIM-IV model results for the Edwards Aquifer: Memorandum Report, 3 p.
- Lambert, R.B., 2003, Fluid Logging and discrete sampling of the freshwater/saline-water interface of the Edwards Aquifer, south-central Texas: Implications for groundwater flow and origin of salinity (PART 1 – Fluid Logging), *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 280.

- Lambert, R.B., Hunt, A.G., Stanton, G.P., and Waugh, J.R., 2005, Borehole geophysical techniques to determine groundwater flow in the freshwater/saline-water transition zone of the Edwards Aquifer, south-central Texas, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U. S. Geological Survey Scientific Investigations Report 05-5160, p. 39
- Land, L.F., 2004, Evolution of groundwater flow modeling of the Edwards Aquifer, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 8 p.
- Lindgren, R.J., Dutton, A.R., Hovorka, S.D. Worthington, S.R.H., and Painter, S., 2004, Conceptualization and Simulation of the Edwards Aquifer, San Antonio Region, Texas: U.S. Geological Survey Scientific Investigations Report 2004-5277, 142 p
- Long, A., and Miller, L.D., 2005, Modeling Edwards Aquifer water levels with a transfer-function model, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 238-239.
- Lunsford, D.L., and Ogden, A.E., 1986, Hydrochemistry as a means of defining flow regimes within a fractured limestone aquifer, in Association of Ground Water Scientists and Engineers Southern Regional Groundwater Conference, Proceedings: Worthington, Ohio, National Water Well Association, p. 33-49. Descriptors: San Marcos Springs, chlorides, sulfates.
- Maclay, R.W., 1986, Geologic controls on ground-water circulation within the Edwards Aquifer [abs.]: Geological Society of America Abstracts with Programs, v. 18, no. 6, p. 678.
- Maclay, R.W., 2004, Conceptualization of flow and storage within the Edwards Aquifer, San Antonio region [abs.], *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 1 p.
- Maclay, R.W., and Groschen, G.E., 1992, Barrier faults control flowpaths within the Edwards Aquifer in the Balcones fault zone, San Antonio area, Texas [abs.]: Geological Society of America Abstracts with Programs, v. 24, no. 1, p. 17. Descriptors: Uvalde County, Bexar County.
- Maclay, R.W., and Land, L.F., 1988, Simulation of flow in the Edwards aquifer, San Antonio region, Texas, and refinement of storage and flow concepts: U.S. Geological Survey Water-Supply Paper 2336-A, 48 p.
- Maclay, R.W., Land, L.F., and Woodward, D.G., 1986, Influence of barrier faults on ground-water-flow in the Edwards Aquifer, San Antonio region, Texas, in Association of Ground Water Scientists and Engineers Southern Regional Groundwater Conference, Proceedings: National Water Well Association, Worthington, Ohio, p. 1-13.

- Maclay, R.W., and Small, T.A., 1980, Effects of faults on the direction of flow in the Edwards aquifer, in Geological Survey Research, 1980: U.S. Geological Survey Professional Paper 1175, p. 139-140. Descriptors: Bexar County, Edwards Limestone.
- Maclay, R.W., and Small, T.A., 1980, Hydrostratigraphic subdivisions and faults of the Edwards Aquifer-their significance to permeability and direction of ground-water movement: Geological Society of America Abstracts with Programs, v. 12, no. 7, p. 474. Descriptors: Edwards Limestone, micrite, Maverick Basin, San Marcos platform.
- Maclay, R.W., and Small, T.A., 1982, Effect of faults on ground-water circulation in the Edwards aquifer in the San Antonio, Texas, area, in Geological Survey Research, 1981: U.S. Geological Survey Professional Paper 1275, p. 184.
- Mahin, D.A., 1978, Analysis of groundwater flow in the Edwards Limestone Aquifer, San Antonio area, Texas: University of Nevada, Reno, Nevada, M.S. thesis, 56 p.
- Ogden, A.E., 1986, Dye tracing, its application to ground water law for defining "subterranean streams" in karst terranes, in Environmental Problems in Karst Terranes and Their Solutions Conference, Bowling Green, Ky., Proceedings: National Water Well Association, Dublin, Ohio, p. 151-162. Descriptors: Glen Rose Limestone, Camp Wood, infiltration, velocity, subsidence, percolation, sediments, clastic sediments, Balcones fault zone, springs, Cretaceous, faults, San Marcos Springs, Comanche Springs, Real County, Old Faithful Spring.
- Ogden, A.E., and Pearce, E.W., 1984, A comparison between fluorescein dye and amorphous silica for groundwater tracing, in Dougherty, P.H., ed., Water tracing: National Speleological Society Bulletin, v. 46, no. 2, p. 36-40. Descriptors: San Marcos Springs, faults, Camp Wood.
- Otero, C., L., 2004, Investigation of lateral inter-aquifer communication between the middle Trinity and Edwards aquifers in northern Bexar County, Texas: San Antonio, Texas, University of Texas, Masters thesis, 71 p.
- Painter, S.L., and Sun, A.Y., 2004, A MODFLOW-based approach for modeling flow in karst aquifers, from 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, in Geological Society of America Abstracts with Programs, v. 36, no. 5, p 30.
- Quick, R.A., and Ogden, A.E., 1986, Hydrochemistry as a means of delineating groundwater flow patterns in the Edwards Aquifer, San Marcos, Texas, in Karst water resources: International Association of Hydrological Sciences Publication 161, p. 497-508.
- Quinlan, J.F., Davies, G.J., Jones, S.W., and Huntoon, P.W., 1996, The applicability of numerical models to adequately characterize ground-water flow in karstic and other triple-porosity aquifers, from Symposium on Subsurface fluid-flow (ground-water and vadose zone) modeling, Denver, CO, USA, June 22-23, 1996, in Subsurface Fluid-flow (ground-water and vadose zone) Modeling, Ritchey, Joseph D., and Rumbaugh, James O., (eds.), American Society for Testing and Materials Special Technical Publication, v. 1288, p. 114-133.

- Ridgeway, C., and Mace, R.E., 2004, Groundwater availability modeling in south Texas, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 38.
- Rothermel, S.R., and Ogden, A.E., 1988, Investigation of ground water flow patterns from comparison of fault, joint and photo-lineament trends in the Edwards Limestone, Texas, in Fourth Canadian/American Conference on Hydrogeology, Fluid Flow, Heat Transfer and Mass Transport in Fractured Rocks, Banff, Alberta, Canada, June 21-24, 1988, Proceedings: Dublin, Ohio, National Water Well Association, p. 114-122.
- Scanlon, B.R., Mace, R.E., and Barrett, M.E., 2001, Comparison of distributed and lumped approaches to simulating water flow in a karst aquifer, *from* 2001 Annual Meeting of the Geological Society of America (GSA) annual meeting, November 1-10, 2001, Boston, MA, *in* Geological Society of America Abstracts with Programs, v. 33, no. 6, p. 411.
- Schindel, G.M., Johnson, S.B., Worthington, S.R., Alexander, E.C., Alexander, S., and Schnitz, L., 2002, Groundwater flow velocities for the deep artesian portion of the Edwards Aquifer, near Comal Springs, Texas, *from* 2002 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 27-30, 2002, *in* Geological Society of America Abstracts with Programs, v. 34, no. 6, p. 347. [Also published as Journal of Cave and Karst Studies, v. 64, no. 3, p. 185, December 2002.]
- Schultz, T.R., 1979, Trichlorofluoromethane as a ground-water tracer for finite-state models: Tucson, Arizona, University of Arizona, Ph.D. dissertation, 198 p. Descriptors: Bexar County, Edwards Limestone, Cretaceous, Mesozoic, San Antonio, model studies, tritium, chlorinated hydrocarbons.
- Schultz, A.L., Halty, S.R., Snyder, G.L., and Nixon, K.M., 2004, The Edwards Aquifer freshwater/saline-water interface and its relationship to downdip anhydrite beds (Del Rio to Kyle, Texas) [abs.], *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 2 p.
- Slade, R.M., Jr., Ruiz, L.M., and Slagle, D.L., 1985, Simulation of the flow system of Barton Springs and associated Edwards aquifer in the Austin area, Texas: U.S. Geological Survey Water-Resources Investigations Report 85-4299, 49 p. Descriptors: transmissivity, hydraulic properties, conductivity, specific yield, discharge, potentiometric level.
- Smith B.A., Hunt, B.B., 2005, Groundwater availability modeling of the three major segments of the Edwards Aquifer, central Texas, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 17-20.

- Smith, D.V., Pratt, D., Miggins, D.P., Webring, M.W., Waugh, J.R., Blome, C.D., and Smith, D.B., 2003, Implications from the distribution of intrusive igneous rocks for groundwater development and flow in the central and western Edwards Aquifer, Texas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2 - 5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p. 69
- Sun, A.Y., Painter, S.L., and Green, R., 2004, Assessment of smeared conduit approach for modeling karst conduit flows, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 31.
- Thompson, G.M., 1976, Trichlorofluoromethane, a new hydrologic tool for tracing and dating ground water: Indiana University, Bloomington, Indiana, Ph.D. dissertation, 94 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB-288 978].
- United States Geological Survey, 1997, Ground-water flow and storage concepts in the Edwards Aquifer, San Antonio Area, Texas, Information Sheet, 4p.
- Waterreus, P.A., and Hammond, W.W., Jr., 1989, Permeable faults-coupled underflow between two structurally juxtaposed aquifers in northern Bexar County [abs.]: Geological Society of America Abstracts with Programs, v. 21, no. 1, p. 43. Descriptors: Glen Rose Formation, Edwards Group, en echelon faults, Balcones fault zone, Camp Bullis quadrangle, Castle Hills quadrangle, San Antonio, normal faults.
- Wermund, E.G., and Cepeda, J.C., 1976, Toward solving regional movement of ground water through fractured limestones in the Edwards Aquifer [abs.]: Geological Society of America Abstracts with Programs, v. 8, no. 6, p. 1,164-1,165.
- Woodward, D.G., 1989, Flow pattern in regional aquifers and flow relations between the Lower Colorado River Valley and regional aquifers in six counties of southeastern Texas: U.S. Geological Survey Water-Resources Investigations Report @ 88-4154, 24 p. Descriptors: Bastrop County, Colorado County, Fayette County, Matagorda County, Travis County, Wharton County.
- Worthington, S.R.H., 2003, Conduits and turbulent flow in the Edwards Aquifer, Worthington Groundwater, Report prepared for Edwards Aquifer Authority, 42 p.
- Zahm, C.K., and Marrett, R., 1998, Regional permeability estimates from fracture apertures in outcrop, Edwards Aquifer, Central Texas: Presented at SEPM – Fluid Flow in Carbonates Research Conference, September 1998.



Zahm, C.K., Marrett, R., and Sharp, J., 1998, Prediction of regional groundwater flow and permeability anisotropy using fractured outcrop exposures, Edwards Aquifer, central Texas, *in* Proceedings of the Joint Meeting of the Congress of the International Association of Hydrologists and the Annual Meeting of the American Institute of Hydrologists, v. 28, p. 697-705.

### ► Groundwater Recharge, Recharge Zone

Abburu, S., 1995, Development of initial conditions and recharge matrices for simulation with the Edwards Aquifer model: San Antonio, University of Texas, M.S. thesis, 117 p.

Brown, D.S., and Patton, J.T., 1996, Recharge to and discharge from the Edwards aquifer in the San Antonio area, Texas, 1995: U.S. Geological Survey Open-File Report 96-181, 1 sheet.

Brune, G., 1966, Recharge of the Edwards Limestone reservoir, *in* Association of Engineering Geologists Annual Meeting, Anaheim, California, October 19-23, 1966, Proceedings: Association of Engineering Geologists, 26 p.

Brune, G., and Wyatt, A.W., 1970, A study of artificial recharge in Texas: Texas Water Development Board, 90 p.

Carney, J., Smith, A.J., and Forester, R.M., 1996, Identifying modern analogs for Holocene recharge history of the Edwards Aquifer, central Texas using ostracodes, *from* AMQUA 1996: 14<sup>th</sup> biennial meeting of the American Quaternary Association, Flagstaff, AZ, May 20-22, 1996, *in* Program and Abstracts - American Quaternary Association Conference, v. 14, p. 70.

Choffel, K.L., and Vaughn, S.K., 1993, Historical recharge of the Edwards Aquifer in the Nueces, San Antonio, and Guadalupe River basins, *from* Texas sections joint spring meeting and Texas hydrology roundup, Austin, Texas, USA, April 16, 1993, *in* Jennings, Marshall E., Proceedings: Texas sections joint spring meeting and Texas hydrology roundup, American Institute of Hydrology, 5 p.

City of San Antonio, 1988, Petro chemical storage inventory: Edwards Aquifer Recharge Zone: San Antonio, Texas, Department of Water Resources Management, City of San Antonio, 1 v., [variously paged].

Couch, B.E., 1993, Employing Best Management Practices to Preserve, Protect, and Enhance Recharge in Streambed Caves in Onion Creek, Hays County, Texas, *from* Barton Springs/Edwards Aquifer Conservation District, *in* Proceedings of Conservation 93: The New Water Agenda, Las Vegas, NV, December 12-16, 1993, AWWA, p. 1,165-1,176.

Dolan, C., 1996, A risk assessment of the existing underground storage tanks located within the recharge and transition zones of the Edwards Aquifer in Bexar County, Texas: San Marcos, Texas, Southwest Texas State University, Master thesis, 51 p.

- Dorsey, M.E., and Slagle, D.L., 1991, Hydrologic and geologic data for the Edwards aquifer recharge zone near Georgetown, Williamson County, Texas, 1986-87: U.S. Geological Survey Open-File Report 87-691, 66 p.
- Edwards Underground Water District, 1993, Edwards Aquifer storage assessment, Kinney County to Hays County, Texas: Edwards Underground Water District, Preliminary Draft Report, October 8, 1993.
- Edwards Underground Water District, 1993, Urban development on the Edwards Aquifer recharge zone: Edwards Underground Water District Report 93-09, 40 p.
- Garcia-Fresca, B., 2004, Urban effects on groundwater recharge in Austin, Texas: Austin, University of Texas, Master thesis, 175 p.
- Garcia-Fresca, B., and Sharp, J.M., Jr., 2004, Urban-enhanced groundwater recharge in Austin, Texas, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 6 p.
- Garcia-Fresca, B., Sharp, J.M., Jr., and Pierce, S., 2004, Hydrogeology in a rapidly growing urban area and urban-enhanced recharge, *from* 32<sup>nd</sup> Congres Geologique Internationale, Florence, Italy, August 20 – 28, *in* International Geological Congress, Abstract #M-Congres Geologique Internationale, Resumes, v. 32, Part 1, p.193.
- Garza, S., 1966, Ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1964: San Antonio, Texas, Edwards Underground Water District Bulletin 9, 2 p.
- Ging, P.B., 1999, Quality of stormwater runoff from an urbanizing watershed and a rangeland watershed in the Edwards aquifer recharge zone, Bexar and Uvalde counties, Texas, 1996-1998: U.S. Geological Survey Open-File Report 99-245, 2p.
- Ging, P.B., Van Metre, P.C., and Callender, E., 1999, Bottom sediments of Lorence Creek Lake, San Antonio, Texas, Reflect contaminant trends in an urbanizing watershed: U.S. Geological Survey Fact Sheet FS-149-99, 4p.
- Gregory, L., Munster, C., Owens, K., Shade, B., Veni, G., and Wilcox, B.P., 2005, Quantifying recharge via fractures in an ashe juniper dominated karst landscape, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 216-223.
- Groschen, G.E., 1993, Estimation of recharge by the U.S. Geological Survey, *from* Texas sections joint spring meeting and Texas hydrology roundup, Austin, Texas, (USA), April 16, 1993, Jennings, Marshall E., (ed.), *in* Proceedings: Texas sections joint spring meeting and Texas hydrology roundup, American Institute of Hydrology, 4 p.

- Grubb, H., 1995, Water supplied to supplement the Edwards aquifer, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Guyton, W.F. and Associates, 1958, Recharge to the Edwards reservoir between Kyle and Austin: Report prepared for the City Water Board, San Antonio, Texas, 9 p.
- Hammond, W.W., Jr., 1993, Enhanced Recharge and karst, Edwards Aquifer, south central Texas, *from* 27<sup>th</sup> Annual Meeting of the Geological Society of America (GSA), South central Section meeting, Fort Worth, Texas, (USA), March 15-16, 1993, *in* Geological Society of America, Abstracts with Programs (United States), v. 25, no. 1, p. 12.
- Hauwert, N.M., Litvak, M.E., Sharp, J.M., Jr., 2005, Characterization and water balance of internal drainage sinkholes, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 188-200.
- HDR Engineering, Inc., and Espey, Huston & Associates, Inc., 1993, Guadalupe-San Antonio River Basin recharge enhancement study: San Antonio, Texas, Edwards Underground Water District, 3 v.
- HDR Engineering, Inc., and Espey, Huston & Associates, Inc., 1994, Edwards Aquifer recharge enhancement project Phase IVA, Nueces River Basin, Prepared for the Edwards Underground Water District, [variously paged].
- Huang, Y., and Wilcox, B.P., 2005, How karst features affect recharge? - Implication for estimating recharge to the Edwards Aquifer, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 201-206.
- Kipp, G.K., Farrington, P.T., and Albach, M.J., 1993, Staff report to Board of Directors of the Edwards Underground Water District - Urban development on the Edwards Aquifer recharge zone: San Antonio, Texas, Edwards Underground Water District Report 93-09, [variously paged].
- Klemt, B., and Donnelly, A.C.A., 1996, Indian Creek recharge study, Uvalde County, Texas, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 23.
- LBG-Guyton Associates, and Aqua Terra Consultants, 2005, HSPF Recharge Models for the San Antonio Segment of the Balcones Fault Zone Edwards Aquifer, Report prepared for the Edwards Aquifer Authority, EAA Contract 02-87-AS, [variously paged].
- Land, L.F., Boning, C.W., Harmsen, L., and Reeves, R.D., 1983, Streamflow losses along the Balcones fault zone, Nueces River Basin, Texas: U.S. Geological Survey Water-Resources Investigations Report 83-4168, 78 p.

- Lee, J.Y., Krishnamurthy, G., 2005, Groundwater recharge estimation using ArcGIS-chloride mass balance approach, *Water Engineering Research*, v. 1, no. 6, p. 31-38.
- Lee, M.M., 2002, Successful mining of the Edwards Aquifer recharge zone – the sole source of drinking water for San Antonio, Texas, *from* 2002 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 27-30, 2002, *in* Geological Society of America Abstracts with Programs, v. 34, no. 6, p. 417.
- Lindley, A.L., 2005, Infiltration at small sinkholes in the uplands of the Edwards Aquifer recharge zone of central and south Texas, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 6.
- Lindley, A.L., 2005, The hydrologic function of small sinkholes in the Edwards Aquifer recharge zone: Austin, Texas, University of Texas, Master thesis, 112 p.
- Lindley, A.L., 2005, The hydrologic function of the soil and bedrock system at upland sinkholes in the Edwards aquifer recharge zone of south-central Texas, *from* Proceedings of the 10<sup>th</sup> Multidisciplinary Conference, San Antonio, TX, September 24-28, 2005, *in* Geotechnical Special Publication, no. 144, p. 224-229.
- Lorenzo-Rigney, B., and Sharp, J.M., Jr, 1999, Urban recharge in the Edwards Aquifer, South central Section, *from* 33<sup>rd</sup> Annual Meeting of the Geological Society of America, Lubbock, Texas, United States March 15-16, 1999, *in* Geological Society of America Abstracts with Programs, v. 31, no. 1, p. 12.
- Lowry, R.L., Jr., 1955, Recharge to Edwards ground-water reservoir: San Antonio, Texas, City Water Board Report, 66 p.
- Mace, R. E., and Anaya, R., 2003, Estimate of recharge to the Edwards (Balcones Fault Zone) and Edwards-Trinity (Plateau) aquifers in Kinney County, Texas: Unpublished report delivered to the Kinney County Groundwater Conservation District by the Texas Water Development Board, Austin, Texas, 26 p. [Also published *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., *Aquifers of the Edwards Plateau*, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 18, p. 345-366].
- Miller, E.G., Hammond, W.W. Jr., Pearce, P., and Shultz, A.L., 2005, Edwards Aquifer recharge zone limits – Bexar County, Texas, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 228-229.
- Morton, R.A., 1974, Delineation and environmental application of active processes mapped in recharge area of the Edwards Aquifer, *in* Approaches to environmental geology: Austin, Texas, University of Texas, Bureau of Economic Geology Report of Investigations 81, p. 204-219.

- Ockerman, D.J., 2002, Simulation of runoff and recharge and estimation of constituent loads in runoff, Edwards Aquifer Recharge Zone (Outcrop) and Catchment Area, Bexar County, 1997-2000: U.S. Geological Survey Water-Resources Investigations Report 02-4241, 31 p.
- Pope, C., 2002, Control is sought over TxDOT's aquifer action: *Austin Business Journal*, v. 22, no. 29, p. 5.
- Pope, S.R., 2000, Post-development assessment of point recharge feature protective buffers, Austin, Texas, *from* 2000 Conference Proceedings; NWQMC national monitoring conference: National Water Quality Monitoring Council, April 25-27, 2000, p. 383-396.
- Puente, C., 1978, Method of estimating natural recharge to the Edwards aquifer in the San Antonio area, Texas: U.S. Geological Survey Water-Resources Investigations Report 78-10, 34 p. [Available from National Technical Service, Springfield, Virginia 22161 as NTIS report PB-284 364].
- Reeves, R.D., 1972, Maps showing outcrops of the Edwards and associated limestones in the principal recharge area of the Edwards aquifer in Bexar County, Texas: U.S. Geological Survey Open-File Report 72-310, 6 sheets.
- Schindel, G.M., and Walthour, S.D., 2000, The Edwards Aquifer Authority artificial recharge, storage, and recovery program, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. 54-55.
- Scanlon, B. R., Dutton, A. R., and Sophocleous, M., 2003, Groundwater recharge in Texas: Austin, Texas, The University of Texas Bureau of Economic Geology, contract report submitted to Texas Water Development Board, 80 p..
- Schulman, A.E., 1993, Stochastic generation of synthetic recharge sequences for the Edwards Aquifer in central Texas: Austin, Texas, University of Texas, M.A. thesis, 58 p.
- Schulman, A.E., McKinney, D.C., and John, P.W.M., 1995, Stochastic Recharge Model for the Edwards Aquifer in central Texas: *Journal of Water Resources Planning and Management*, v. 121, no. 6, p. 479-489.
- Slade, R.M., Jr., 1992, Potential effects of a proposed recharge enhancement reservoir on the potentiometric surface of the Edwards Aquifer in the Austin area, Texas, *in* American Water Resources Association, Texas Section fall meeting, Wet and Wild, Texas Water Issues—Ground Water and Surface Water, Irving, Texas, December 4, 1992, Proceedings: American Water Resources Association, p. 8-12.
- Slagle, D.L., Ardis, A.F., and Slade, R.M., Jr., 1986, Recharge zone of the Edwards aquifer hydrologically associated with Barton Springs in the Austin area, Texas: U.S. Geological Survey Water-Resources Investigations Report 86-4062, 1 sheet.

- Stein, W.G., 1991, Hydrogeologic characteristics of the Edwards Aquifer recharge zone in northern Bexar County, Texas: Abstracts with Programs – Geological Society of America, p. N/A
- Stein, W.G., 1993, Hydrogeologic map and characteristics of the recharge zone of the Edwards Aquifer, Bexar County, Texas: San Antonio, Texas, University of Texas, M.S. thesis, 84 p.
- Stein, W.G., Ozuna, G.B., 1998, Geologic framework and hydrogeologic characteristics of the Edwards Aquifer recharge zone, Bexar County, Texas: Bulletin of the South Texas Geological Society, p. 14
- Texas Natural Resource Conservation Commission, 1993, Index of Edwards Aquifer recharge and transition zone maps: Austin, Texas, Texas Natural Resource Conservation Commission, Report RG-11 A, 1 sheet.
- Texas Natural Resource Conservation Commission, 2001, Rules protecting the Edwards Aquifer Contributing Zone: Austin, Texas, Texas Commission on Environmental Quality, Field Operations Division, RG-362, 2 p.
- Texas Natural Resource Conservation Commission, 2001, Rules protecting the Edwards Aquifer Recharge and Transition zones: Austin, Texas, Texas Commission on Environmental Quality, Field Operations Division, RG-011, 2 p.
- Todd Engineers, 2004, Analysis of recharge and recirculation – Edwards Aquifer Phase I: Report prepared for Edwards Aquifer Authority, 17 p.
- Todd Engineers, 2005, Analysis of recharge and recirculation – Edwards Aquifer Phase II: Report prepared for Edwards Aquifer Authority, 208 p.
- Vaugh, S.K., Choffel, K.L., and Kaatz, K.J., 1994, Historical and Enhanced Edwards Aquifer Recharge, *from* Proceedings of the 21<sup>st</sup> Annual Conference on Water Policy and Management: Solving the Problems, Denver, Colorado, USA, May 23-26, 1994, *in* Proceedings of the 21<sup>st</sup> Annual Conference on Water Policy and Proc. 21 Annual Conf. on Water Policy Management: Solving the Problems, ASCE, New York, NY, USA, p. 380-383.
- Veni, G., 1993, The use of caves for recharge enhancement of the Edwards Aquifer, Texas, *from* American Water Resources Association, Texas Section fall meeting on Man's effect on hydrologic systems, Austin, Texas, USA, December 10, 1993, *in* Kuniatsky, Eve L., Man's effect on hydrologic systems, Balcones Research Center, Austin, Texas, 4 p.
- Veni, G., 1995, Revising the boundaries of the Edwards (Balcones fault zone) Aquifer recharge zone: Bulletin of the South Texas Geological Society, v. 35, no. 8, p. 9. [Also in Jordan, W., and Jensen, R., eds., 24<sup>th</sup> Water for Texas Conference, College Station, TX, January 26-27, 1995, Proceedings: Texas Water Resources Institute, p. 99-107].

- Veni, G., 1985, Effects of urbanization on the quantity and quality of storm-water runoff recharge through caves into the Edwards Aquifer, Bexar County, Texas: Bowling Green, KY, Western Kentucky University, M.S. thesis, 233 p., 1 plate.
- United States Geological Service Program in Texas Website, 1998, Estimation of Volume and Quality of stormwater runoff and associated recharge within the Edwards Aquifer Recharge Zone, <http://tx.usgs.gov/program/TX173.html>.
- University of Texas, 2000, Stream Piracy and Evolution of the Edwards Aquifer along the Balcones Escarpment, Central Texas: The General Libraries, UT at Austin, P.O. Box P, Austin, Texas 78713-8916, USA, <http://www.lib.utexas.edu/Libs/GEO/BalconesEscarpment/pages77-90.html>.
- Wermund, E.G., 1973, Conduits in the Edwards Limestone recharge and aquifer beds [abs.]: Geological Society of America Abstracts with Programs, v. 5, no. 7, p. 860.
- William F. Guyton and Associates, 1965, Report on recharge to the Edwards ground-water reservoir, 1962-1963, Austin, Texas: Austin, Texas, William F. Guyton and Associates, unpublished report to City Water Board, San Antonio, 22 p.
- Woodruff, C.M., Jr., 1984, Stream piracy-possible controls on recharge/discharge geometry, in Woodruff, C.M., Jr., and Slade, R.M., Jr., eds., Hydrogeology of the Edwards Aquifer-Barton Springs segment, Travis and Hays Counties, Texas: Austin Geological Society Guidebook 6, p. 61-66.
- Woodruff, C.M., Jr., 1984, Water budget analysis for the area contributing recharge to the Edwards Aquifer, in Woodruff, C.M., Jr., and Slade, R.M., Jr., eds., Hydrogeology of the Edwards Aquifer-Barton Springs segment, Travis and Hays Counties, Texas: Austin Geological Society Guidebook 6, p. 36-42.
- Zahm, C.K., Marrett, R., and Sharp, J.M., 2000, Prediction of regional groundwater flow and permeability anisotropy using fractured outcrop exposures, Edwards Aquifer, Central Texas, from IAH/AIH conference in Las Vegas, Nevada, p. N/A.

### ► Springs, Groundwater Discharge

- Bluntzer, R.L., 1992, An overview of Comal and San Marcos Springs, Texas: Texas Water Development Board, Unpublished Report, 13 p.
- Brune, G., 1975, Major and historical springs of Texas: Texas Water Development Board Report 189, 103 p. [Available from National Technical Information Service, Springfield, Virginia 22161 as NTIS report PB-296 524/ 2.]
- Brune, G., 1981, Springs of Texas, v. 1: Fort Worth, Texas, Branch-Smith Inc., 566 p.

- Cedillo, R.Q., and Carroll, W.E., 1993, The Edwards Aquifer Water Demands, *from* San Antonio Water System, San Antonio, Texas, *via* Black & Veatch, Dallas, Texas, *in* 1993 Annual Conference Proceedings, American Water Works Association, Water Resources, San Antonio, Texas, June 6-10, 1993, p. 103-106.
- City of Austin, 1985, Barton Springs water quality trend analysis: City of Austin, Environmental and Conservation Services Department Water Quality Report 4.
- Collins, A.D., 1989, Geochemistry and flow characteristics of springs discharging from the Edwards Aquifer-Washita Prairie, central Texas: Waco, Texas, Baylor University, M.S. thesis, 137 p. Descriptors: calcite, Hog Creek, Bosque River Basin.
- Edwards Aquifer Research and Data Center, 1988, San Marcos and Comal Springs Symposium, Proceedings: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, 74 p.
- Espey, Huston & Associates, Inc., 1975, Investigation of flow requirements from Comal and San Marcos Springs to maintain associated aquatic ecosystems, Guadalupe River Basin: Austin, Texas, Espey, Huston & Associates, 141 p.
- Garza, S., 1963, Ground-water discharge from the Edwards and associated limestones, 1955-62, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 2, 4 p.
- Garza, S., 1964, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 5, 3 p.
- Garza, S., 1966, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1965: San Antonio, Texas, Edwards Underground Water District Bulletin 11, 4 p.
- George, W.O., 1943, Kelly Field, Bexar County, Texas, well location: U.S. Geological Survey Open-File Report, 5 p.
- Livingston, P.P., 1939, Test on flowing well of San Antonio Public Service Co. near Roosevelt Park in San Antonio, Texas: U.S. Geological Survey Open-File Report, 8 p.
- Mahler, B.J., 2003, Quality of sediment discharging from the Barton Springs System, Austin, Texas, 2000-2002: U.S. Geological Survey Fact Sheet FS-089-03, 6 p.
- Lalmansingh, D, Tisso, P., and Hay, R., 2005, Forecasting spring flows of the Comal Springs in the Edwards Aquifer (Balcones Fault Zone) using an artificial neural network model, from National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, in Abstract Book of the 2005 Ground Water Summit, p. 287-288.



- Livingston, P.P., 1942, A few interesting facts regarding the natural flow from artesian well 4 owned by the San Antonio Public Service Co.: Texas Board of Water Engineers Miscellaneous Publication 240, 10 p.
- Meinzer, O.E., 1927, Large springs in the United States: U.S. Geological Survey Water-Supply Paper 557, 94 p.
- Mumma, M.T., Cichra, C.E., Canfiels, D.E., Addicks, V.K., and Sowards, J.T., 2000, Monitoring water quality in spring systems-the need for accurate sampling, *from* 2000 Florida Springs Conference.
- Ogden, A.E., 1984, Discharge and seasonal effects on the water chemistry of the San Marcos Springs, Edwards Aquifer, Texas [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 2, p. 111.
- Ogden, A.E., 1988, Distinguishing flow regimes of springs in carbonate rock terranes, in Ground Water Geochemistry Conference, Denver, Colo., Proceedings: Dublin, Ohio, National Water Well Association, p. 53-73. Descriptors: West Virginia, water quality, Monroe County, wells, Sprouse's Spring, Travis County, Hays County, Comal County, San Marcos Springs.
- Ogden, A.E., and Quick, R.A., 1986, Delineation of separate flow regimes in the Edwards Aquifer-a means of sustaining the San Marcos Springs discharge, in Association of Ground Water Scientists and Engineers Southern Regional Groundwater Conference, Proceedings: Worthington, Ohio, National Water Well Association, p. 14-32.
- Ogden, A.E., Quick, R.A., and Rothermel, S.R., 1986, Hydrochemistry of the Comal, Hueco, and San Marcos Springs, Edwards Aquifer, Texas, in Abbott, P.L., and Woodruff, C.M., Jr., eds., The Balcones escarpment-geology, hydrology, ecology and social development in central Texas: Geological Society of America, p. 115-130. Descriptors: Barton Springs, Balcones escarpment, New Braunfels, Comal County, Hays County, Travis County, tracers, dissolved materials, Tarbuttons Cave, Blanco River, Kyle, water temperature, conductivity.
- Ogden, A.E., and Spinelli, A.J., 1983, Seasonal and discharge effects on the water chemistry of Hueco Springs, Texas: National Speleological Society Bulletin, v. 45, no. 2, [variously paged]. Descriptors: Comal County, Edwards Limestone, New Braunfels, faults, storms, ground-water recharge, runoff.
- Ogden, A.E., Spinelli, A.J., and Polk, T., 1982, On the classification of carbonate springs-comparisons between Texas and West Virginia [abs.]: American Geophysical Union, EOS Transactions, v. 63, no. 18, p. 327. Descriptors: West Virginia, Comal County, Hueco Springs, tracers, water chemistry.
- Pinkus, J.R., 1987, Tahuaya Springs, in Yelderman, J.C., Jr., coordinator, Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Austin Geological Society Guidebook 11, p. 61-68. Descriptors: Comanche Peak Formation, Lake Boyd Callan, runoff, hydrographs, precipitation, seasonal variations, water chemistry, conductivity.

- Pipkin, T., and Frech, M., 1993, Barton Springs eternal: Austin, Texas, Softshoe Publishing, Hill Country Foundation, 136 p.
- Puente, C., 1969, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1968: San Antonio, Texas, Edwards Underground Water District Bulletin 20, 5 p.
- Puente, C., 1969, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1969: San Antonio, Texas, Edwards Underground Water District Bulletin 23, 9 p.
- Puente, C., 1971, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1970: San Antonio, Texas, Edwards Underground Water District Bulletin 26, 7 p.
- Puente, C., 1972, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1971: San Antonio, Texas, Edwards Underground Water District Bulletin 29, 8 p.
- Puente, C., 1973, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1972: San Antonio, Texas, Edwards Underground Water District Bulletin 31, 8 p.
- Quick, R.A., and Ogden, A.E., 1985, The effect of recharge events on the hydrochemistry and discharge of the San Marcos Springs [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 3, p. 188. Descriptors: sulfates, Hays County, nitrates, ions, bacteria
- Rappmund, R.A., 1974, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1973: San Antonio, Texas, Edwards Underground Water District Bulletin 32, 9 p.
- Rappmund, R.A., 1975, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1974: San Antonio, Texas, Edwards Underground Water District Bulletin 34, 8 p.
- Rappmund, R.A., 1976, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1975: San Antonio, Texas, Edwards Underground Water District Bulletin 35, 7 p.
- Rappmund, R.A., 1977, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1976: San Antonio, Texas, Edwards Underground Water District Bulletin 36, 8 p.

- Rettman, P.L., 1965, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1964: San Antonio, Texas, Edwards Underground Water District Bulletin 8, 4 p.
- Rettman, P.L., 1967, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1966: San Antonio, Texas, Edwards Underground Water District Bulletin 14, 4 p.
- Rettman, P.L., 1968, Ground-water discharge from the Edwards and associated limestones, San Antonio area, Texas, 1967: San Antonio, Texas, Edwards Underground Water District Bulletin 17, 4 p.
- Rettman, P.L., 1969, Records of wells and springs, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District, 28 p.
- Rothermel, S.R., and Ogden, A.E., 1983, Time-series analysis of the water chemistry of Comal Springs, Texas: National Speleological Society Bulletin, v. 45, no. 2, [variously paged]. Descriptors: New Braunfels, storms.
- Rothermel, S.R., and Ogden, A.E., 1986, Time-series analysis of Edwards Aquifer springs in Comal County, Texas, in Environmental Problems in Karst Terranes and Their Solutions Conference, Proceedings: Dublin, Ohio, National Water Well Association, p. 115-148. Descriptors: fault springs, ground-water movement, water chemistry, ground-water recharge, dye tracers, dams, streamflow, seasonal variations, water temperature, hardness, sulfates, nitrates, chlorides, magnesium, calcium.
- Rothermel, S.R., Ogden, A.E., and Snider, C.C., 1987, Hydrochemical investigation of the Comal and Hueco Spring systems, Comal County, Texas: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-87, 182 p.
- Schulman, A., 1993, Stochastic generation of Edwards Aquifer recharge sequences: Proceedings: Texas sections joint spring meeting and Texas hydrology roundup, 1 p.
- Schwab, G., 1973, Performance of the Edwards Aquifer when subjected to a rapid increase in well discharge: Amarillo, Texas, U.S. Bureau of Reclamation Memorandum, 9 p.
- Senger, R.K., 1983, Hydrogeology of Barton Springs, Austin, Texas: Austin, Texas, University of Texas, M.S. thesis, 119 p. Descriptors: Hays County, Kyle, potentiometric level, Rollingwood, seasonal variations, transmissivity, chemical composition, ground-water movement, infiltration, faults, Barton Creek, two-dimensional models, Travis County.
- Slade, R.M., Jr., 1984, Hydrogeology of the Edwards Aquifer discharged by Barton Springs, in Woodruff, C.M., Jr., and Slade, R.M., Jr., eds., Hydrogeology of the Edwards Aquifer-Barton Springs segment, Travis and Hays Counties, Texas: Austin Geological Society Guidebook 6, p. 36-42.

- Snyder, F.R., 1985, Springs in the northern segment of the Edwards Aquifer, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, L., and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin, Texas, Austin Geological Society Guidebook 8, p. 53-60. Descriptors: Comanche Peak Limestone, Walnut Formation, Glen Rose Formation, Trinity aquifer, Del Rio, Balcones fault zone, drainage, Kyle, Colorado River, water chemistry.
- Uliana, M.M., 1995, The potential for springflow augmentation at Comal and San Marcos springs, central Texas: Austin, Texas, University of Texas, M.S. thesis, 146 p.
- Uliana, M.M., and Sharp, J.M., Jr., 1996, Springflow augmentation possibilities at Comal and San Marcos springs, Edwards Aquifer, *from* AAPG Gulf Coast Association of Geological Societies, San Antonio, Texas, October 2-4, 1996, *in* AAPG Bulletin, v. 80, no. 9, p. 1516.
- U.S. Bureau of Reclamation, 1972, San Marcos pool of the Edwards underground aquifer: U.S. Bureau of Reclamation Memorandum, 8 p.
- Wanakule, N., 1988, Regression analysis of the San Marcos Spring flows and water levels of the index well in San Antonio: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-88, 72 p.
- Watkins, G.M., 1930, Vegetation of San Marcos Springs: Austin, Texas, University of Texas, M.S. thesis, 38 p.
- William F. Guyton and Associates, 1958, Report on Hueco Springs: Austin, Texas, William F. Guyton and Associates, report prepared for City Water Board, San Antonio, Texas.
- Yelderman, J.C., Jr., and Collins, A.D., 1987, Springs of the northern Balcones and Washita Prairie segments of the Edwards Aquifer, in Yelderman, J.C., Jr., coordinator, Hydrogeology of the Edwards Aquifer in the northern Balcones and Washita Prairie segments: Austin Geological Society Guidebook 11, p. 36-46. Descriptors: Edwards Limestone, Georgetown Limestone, Austin Chalk, Brazos River, Indian Springs, Tharp Springs, Williamson County, Bell County, McLennan County, Coryell County.

### ► Surface Water/Groundwater Relationship

- Anonymous, 1993, UT Researchers use Artificial Rainfall to Simulate Highway Runoff, *New Waves*, v. 6, no. 3, p. 1.
- Baker, E.T., Jr., and Watson, J.A., 1974, Quantity of low flow in Barton Creek, Texas, July 6-8 and October 1-3, 1970: U.S. Geological Survey Open-File Report, 24 p. Descriptors: Balcones fault zone, Barton Springs, Travis County, Hays County, Glen Rose Limestone, Comanche Peak Limestone, Walnut Clay.

- Buckner, H.D., and Thompson, G.L., 1964, Base-flow study, Blanco River, Texas, February-March 1963: U.S. Geological Survey Open-File Report, 12 p.
- Burgess, J.D., 1991, Comparison of urban runoff and ground water during storm events occurring on the recharge zone of the Edwards Aquifer in West Elm Creek, San Antonio, Texas: San Antonio, Texas, University of Texas, M.S. thesis, 141 p.
- Buzan, D., 1982a, Intensive survey of Cibolo Creek, segment 1902: Austin, Texas, Texas Department of Water Resources, Water Quality Assessment Unit, Report IS-39, 56 p.
- Buzan, D., 1982b, Intensive survey of Salado Creek, segment 1910: Austin, Texas, Texas Department of Water Resources, Water Quality Assessment Unit, Report IS-42, 48 p.
- Carney, J., Smith, A.J., and Forester, R.M., 1996, Ostracodes as indicators of surface water-ground water interactions on the Edwards Plateau, *from* 30<sup>th</sup> Annual Meeting of the Geological Society of America, South central Section and associated societies, Austin, Texas, USA, March 11-12, 1996, Cloos, Mark, (ed.), *in* Geological Society of America Abstracts with Programs, v. 28, no. 1, p. 7.
- Dahl, S.L., 1989, Ground water and surface water interaction in the Salado Creek Basin, Bell and Williamson Counties, central Texas: Geological Society of America Abstracts with Programs, v. 21, no. 1, p. 8. [Also published as Baylor University, M.S. thesis, 1990, 154 p.]
- De La Cruz, A.T., 1978, Intensive surface water monitoring survey for segment 2105—Nueces River: Texas Department of Water Resources, Austin Texas, Report IMS-74, 34 p.
- De La Cruz, A.T., 1994, Water quality and biological evaluation-Leon Creek segment 1906: Austin, Texas, Texas Natural Resource Conservation Commission, Report AS-28, 62 p.
- Earl, R.A., and Wood, C.R., 2002, Upstream changes and downstream effects of the San Marcos River of central Texas: Texas Journal of Science, v. 54, no. 1, p. 69-88.
- Ezell, C.E., 1982, Intensive survey of Cibolo Creek, segment 1908: Austin, Texas, Texas Department of Water Resources, Water Quality Assessment Unit, Report IS-37, 42 p.
- Gandara, S.C., and Barbie, D.L., 2001, Index stations – Surface-water Data-collection network of Texas, September 1999: U.S. Geological Survey Open-File Report 01-103, 17 p. (1 sheet).
- Green, R., 2004, The integrated flow dynamics of a karst and fluvial aquifer system, *from* 32<sup>nd</sup> International Geological Congress Abstracts, Florence, Italy, August 20-28, v. 32, Part 2, p.854
- Hannan, H.H., and Broz, L., 1976, The influence of a deep-storage and an underground reservoir on the physiochemical limnology of a permanent central Texas river: Hydrobiologia, v. 5, no. 1, p. 43-64.

- HDR Engineering, Inc., 2002, Pilot recharge models of the Nueces and Blanco River basins: Report prepared for Edwards Aquifer Authority, [variously paged].
- Holland, P.H., 1965, Base-flow studies, Guadalupe River, Comal County, Texas - quantity, March 1962: Texas Water Commission Bulletin 6503, 6 p.
- Holland, P.H., and Mendieta, H.B., 1965, Base-flow studies, Llano River, Texas - quantity and quality: Texas Water Commission Bulletin 6505, 20 p.
- Holland, P.H., and Welborn, C.T., 1965, Base-flow studies, Cibolo Creek, Texas- quantity and quality, March 5-7, 1963: Texas Water Commission Bulletin 6511, 13 p. Descriptors: Randolph Air Force Base.
- Irish, L.B., Jr., 1995, Characterization of Storm Water Runoff from highway pavements in or near the Barton Springs Segment of the Edwards Aquifer Recharge Zone (Texas): Austin, Texas, University of Texas Dissertation Abstracts International, v. 56, no. 06-B, p. 3,338, Ph.D. dissertation, 233 p.
- Kier, R.S., Woelke, A.D., 1985, Storage-release recharge facility evaluation, Phase I – Report for the Edwards Underground Water District, San Antonio, Texas: Camp, Dresser & McKee, Inc., [variously paged].
- Knisel, W.G., Jr., 1970, A factor analysis of reservoir losses: Water Resources Research, v. 6, no. 2, p. 491-498.
- Knisel, W.G., Jr., 1973, Measurements of discharge as inflow into leaky reservoirs, in Symposium on Hydrometry, Koblenz, West Germany, September 1970: International Association of Hydrological Sciences Publication 99, v. 1, p. 400-407.
- Kunze, H.L., and Smith, J.T., 1966, Base-flow studies, upper Guadalupe River Basin, Texas-quantity and quality, March 1965: Texas Water Development Board Report 29, 33 p.
- Larson, S.J. and R.J. Gilliom, 2001, Regression models for estimating herbicide concentrations in U.S. streams from watershed characteristics: Journal of The American Water Resources Association, v. 37, no. 5, p. 1349-1367.
- Livingston, P.P., 1947, Relationship of ground water to the discharge of the Leona River in Uvalde and Zavala Counties, Texas: Texas Board of Water Engineers Miscellaneous Publication M284, 81 p.
- Myrick, M.K., 1989, Aquifer-system interactions and their hydrologic implications in nonkarstic limestones, Washita Prairie, central Texas: Waco, Texas, Baylor University, M.S. thesis, 180 p.
- Ockerman, D.J., and McNamara, K.C., 2003, Simulation of streamflow and estimation of streamflow constituent loads in the San Antonio River watershed, Bexar County, Texas, 1997-2001: U.S. Geological Survey, Water Resources Investigations Report 03-4030, 37 p.

- Ockerman, D.J., 2005, Simulation of streamflow and estimation of recharge to the Edwards aquifer in the Hondo Creek, Verde Creek, and San Geronimo Creek watersheds, south-central Texas, 1951-2003: U.S. Geological Survey, Water Resources Investigations Report 05-5252, 37 p.
- Perkins, R.B., Vaughn, S.K., and Rodriguez, A.D., 2002, Pilot recharge models of the Edwards Aquifer, Texas: American Water Resources Association, Summer Specialty Conference, July 2002, p. 297-302.
- Petrick, D., 1989, Intensive survey of Plum Creek segment 1810, September 8-9, 1987, Hydrology, field measurements, and water chemistry: Texas Water Commission, IS 89-02.
- Rathburn, H.D., 1976, Intensive surface water monitoring survey for segment no. 1906--Leon Creek: Austin, Texas, Texas Water Quality Board, Field Operations Division, Report IMS-45.
- Reeves, W.E., and Rettman, P.L., 1969, Quantity and quality of low flow in the Hondo Creek Basin, Texas, March 27-28, 1968: U.S. Geological Survey Open-File Report, 9 p.
- Respass, R.O., 1986, Intensive survey of Blanco River segment 1809, June 3-7, 1985: Austin, Texas, Texas Water Commission, Report IS-86-04, 73 p.
- Slattery, R.N., and Miller, L.D., 2004, A water-budget analysis of Medina and Diversion Lakes and the Medina/Diversion lake system, with estimated recharge to Edwards Aquifer, San Antonio, Texas: U.S. Geological Survey Scientific Investigations Report 2004-5209, 49 p
- Spain, B. (ed.), 1994, The San Marcos River: A case study: Texas Parks and Wildlife Department, Austin, Texas, 169 p.
- Springer, T., Groeger, A.W., and Kelley, B.G., 1999, Limnology of Spring Lake, Texas: Seguin, Texas, Texas Academy of Science, Texas Lutheran University, (paper presented at a conference in March 1999).
- Stanton –Cooper, T.N., and Yelderman, J.C., 2004, Quantifying seasonal and diurnal stream loss in first-order, spring-fed streams on the carbonate terrain of the Edwards Plateau through the use of modeling techniques, *from* 2004 Annual Meeting of the Geological Society of America, Denver, CO, USA, November 7-10, 2004, *in* Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 563.
- Tenney, S., Barrett, M.E., Malina, J.F., and Charbeneau, R.J., 1997, Evaluation of Highway Runoff Filtration Systems, Government Reports Announcements & Index (GRA&I), Issue 5, 140 p. [Also published as Texas University at Austin, Center for Transportation Research, Report no. RR-1943-6].
- Terre, D.R., and Magnelia, S.J., 1996, Survey report for the Guadalupe River in Kendall and Comal Counties, Texas, 1995: Texas Parks and Wildlife Department, prepared for Federal Aid in Sport Fish Restoration Act Project F-30-R-21.

- Terre, D.R., and Magnelia, S.J., 1997, Statewide freshwater fisheries monitoring and management Program - Survey report for Canyon Reservoir: Texsa Parks and Wildlife Department prepared for Federal Aid in Sport Fish Restoration Act Project F-30-R-21.
- Texas Board of Water Engineers, 1960, Channel gain and loss investigations, Texas streams, 1918-1958: Texas Board of Water Engineers Bulletin 5807D, 270 p. Descriptors: Colorado River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande Basin.
- Texas Center for Policy Studies, 2002, Community and economic benefits of Texas rivers, springs and bays, *from* Conference Proceedings *in* Lady Bird Johnson Wildflower Center, Austin, Texas.
- Texas Department of Health, 1970, Watershed survey of the central Guadalupe River Basin: Texas Department of Health, 29 p.
- Texas Department of Health, 1970, Watershed survey of the lower Guadalupe River Basin: Texas Department of Health, 44 p.
- Tidwell, S.R., 1975, Intensive surface water monitoring survey for segment no. 1901 - San Antonio River: Austin, Texas, Texas Water Quality Board, Field Operations Division, Report IMS-30, 32 p.
- \_\_\_\_\_, 1976, Intensive surface water monitoring survey for segment no. 1903 - Medina River: Austin, Texas, Texas Water Quality Board, Field Operations Division, Report IMS-46, 56 p.
- \_\_\_\_\_, 1984, Intensive survey of San Antonio River segment no. 1901: Austin Texas, Texas Department of Water Resources, Water Quality Assessment Unit, Report IS-59, 46 p.
- \_\_\_\_\_, 1984, Intensive survey of the Guadalupe River, segment 1806: Austin, Texas, Texas Water Commission, Report IS-87-04, 87 p.
- Tidwell, S.R., and David, J.R., 1987, Intensive surveys of San Antonio River segments no. 1901 and 1911, June 6, 1984 - May 16, 1985: Austin, Texas, Texas Water Commission, Report IS-87-04, 87 p.
- Tomme, M.H., 1974, Intensive surface water monitoring survey for segment no. 1902 - Cibolo Creek: Austin, Texas, Texas Water Quality Board, Field Operations Division, Report IMS-30, 32 p.
- Trebatoski, B., 1991, Guadalupe River toxicity assessment - Investigation of the potential impact of a domestic wastewater treatment facility upon the Guadalupe River: Texas Water Commission, Report LP 91-04, 33 p.
- U.S. Army Corps of Engineers, 1971, Review of reports on Guadalupe and San Antonio Rivers, Texas, covering Blanco River and San Marcos River and its tributaries in the vicinity of San Marcos, Texas: Fort Worth District Office, Fort Worth, Texas, 59 p.



Werwund, E.G., and Gustavson, T.C., 1985, The Guadalupe–Lavaca–San Antonio–Nueces River basins regional study, Seguin West – Austin West Sheet; Austin, The University of Texas, Bureau of Economic Geology, 5 sheets.

Young, W.C., Hannan, H.H. and Tatum, J.W., 1972, The physio-chemical limnology of a stretch of the Guadalupe River, Texas, with five mainstream impoundments: *Hydrobiologia*, v. 40, p. 397-316.

### ► Water Quality

Andrews, F.L., Schertz, T.L., Slade, R.M., Jr., and Rawson, J., 1984, Effects of storm-water runoff on water quality of the Edwards Aquifer near Austin, Texas: U.S. Geological Survey Water-Resources Investigations Report 84-4124, 50 p. Descriptors: Barton Springs, Barton Creek.

Andrews, F.L., Wells, F.C., Shelby, W.J., and McPherson, E.M., 1988, Water quality of Lake Austin and Town Lake, Austin, Texas: U.S. Geological Survey Water-Resources Investigations Report 88-4233, 322 p. Descriptors: Colorado River, Travis County.

Anonymous, 1999, Texas group seeks alternative to MTBE: *Water Well Journal*, v. 53, no. 6, p. 16.

Austin Business Journal (Texas), 1995, TxDOT projects pave way for development on aquifer, TxDOT Attempting to solve how to protect natural water sources from pollution contained in road, June 9, 1995, p. 4.

Barbash, J.E., G.P. Thelin, D.W. Kolpin, and R.J. Gilliom, 2001, Major herbicides in ground water: results from the national water-quality assessment: *Journal of Environmental Quality*, v. 30, no. 3. p. 831-845.

Barrett, M.E., Malina, J.F., Jr., Charbeneau, R.J., and Ward, G.H., 1995, Water Quality Impacts of Highway Construction and Operation, *from* Proceedings of the 1<sup>st</sup> International Conference on Water Resources, Part 2 (of 2), San Antonio, Texas, USA, August 14-18, 1995, *in* International Water Resources Engineering Conference – Proceedings, v. 2, ASCE, New York, NY, USA, p. 1,844-1,848.

Bentley, M.H., 1990, Acute and chronic toxicity of three central Texas wastewater treatment plant effluents: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 59 p.

Berryman, M.E., 1993, A ground water and a contamination potential analysis using a geographic information system, *from* American Water Resources Association, Texas Section fall meeting on Man's effect on hydrologic systems, Austin, Texas, USA, December 10, 1993, *in* Kuniansky, Eve L., Man's effect on hydrologic systems, Balcones Research Center, Austin, Texas, p. 66-72.

Bush, P.W., 1994, National Water-Quality Assessment Program-South central Texas: U.S. Geological Survey Fact Sheet FS-94-048, 2 p.

- Bush, P.W., Ardis, A.F., Fahlquist, L., Ging, P.B., 2000, Water quality in south-central Texas, Texas 1996-98: U.S. Geological Survey Circular Report, C 1212, 32 p., URL: <http://water.usgs.gov/pubs/circ/circ1212/>.
- Buszka, P.M., 1987, Relation of water chemistry of the Edwards aquifer to hydrogeology and land use, San Antonio region, Texas: U.S. Geological Survey Water-Resources Investigations Report 87-4116, 100 p. Descriptors: Kinney County, Uvalde County, Medina County, Bexar County, Comal County, Hays County, Guadalupe County.
- Cederberg, J. R., Ging, P.B., and Ourso, R.T., 1998, Monitoring of selected water-quality constituents near the freshwater/saline-water interface of the Edwards Aquifer, July 1996-December 1997: U.S. Geological Survey Fact Sheet FS-98-103, 4 p.
- Chandler, T.E., 1976, Influence of rain runoff and wastewater effluent on nutrient levels in two central Texas rivers: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 36 p.
- City of Austin, 1984, Hydrologic and water quality data for Barton Creek Square Mall and Alta Vista PUD, interim water quality reports: City of Austin, Environmental and Conservation Services Department Water Quality Report 2.
- \_\_\_\_\_, 1984, Lake Austin/Town Lake water quality data analysis: City of Austin, Environmental and Conservation Services Department Water Quality Report 1.
- \_\_\_\_\_, 1984, Stormwater quality modeling for Austin creeks: City of Austin, Environmental and Conservation Services Department Water Quality Report 3.
- \_\_\_\_\_, 1986, City of Austin stormwater monitoring program description: City of Austin, Environmental and Conservation Services Department Water Quality Report 5.
- \_\_\_\_\_, 1986, Water quality data analysis for the Colorado River: City of Austin, Environmental and Conservation Services Department Water Quality Report 6.
- \_\_\_\_\_, 1988, Inventory of urban nonpoint source pollution control practices-application and feasibility for urban watersheds abatement measures: City of Austin, Environmental and Conservation Services Department Best Management Practices Report 1.
- \_\_\_\_\_, 1990, City of Austin stormwater monitoring program, five year data summary, 1984-1988: City of Austin, Environmental and Conservation Services Department Water Quality Report 9.
- \_\_\_\_\_, 1990, First flush of runoff and its effects on control structure design: City of Austin, Environmental and Conservation Services Department Best Management Practices Report 3.
- \_\_\_\_\_, 1990, Removal efficiency of stormwater control structures: City of Austin, Environmental and Conservation Services Department Best Management Practices Report 2.

- \_\_\_\_\_, 1990, Storm runoff and baseflow water quality modeling studies for Austin creeks: City of Austin, Environmental and Conservation Services Department Water Quality Report 8.
- \_\_\_\_\_, 1990, Stormwater pollutant loading-characteristics for various land uses in the Austin area: City of Austin, Environmental and Conservation Services Department Water Quality Report 7.
- City of Austin, 1991, Strategy for achieving nondegradation of water quality in the contributing and recharge zones of the Barton Springs segment of the Edwards Aquifer: City of Austin, Environmental and Conservation Services Department Best Management Practices Report 4.
- Clark, A.K., 2000, Vulnerability of ground water to contamination, Edwards Aquifer Recharge Zone, Bexar County, Texas, 1998: U.S. Geological Survey Water-Resources Investigations Report 00-4149, 9 p.
- Clark, A.R., 2003, Vulnerability of ground water to contamination, northern Bexar County, Texas: U.S. Geological Survey Water-Resources Investigations Report 03-4072, 17 p.
- Cline, C.A., 1984, Volatile organohalides and rural drinking water quality, Hays County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 49 p.
- Crowe, J.; Sharp, J.M., Jr., and Keaton, J.R., 1993, Detailed mapping of endangered species habitats to aid in management of the Edward Aquifer, Texas, *in* Association of Engineering Geologists 36<sup>th</sup> Annual Meeting; El Agua y La Tierra; Program and Abstracts, October 9-16, 1993, v. 36, p. 47.
- De La Garza, L., and Sexton, C.W., 1985, Environmental concerns regarding the northern Edwards Aquifer, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, L., and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 64-70. Descriptors: Walnut Formation, Glen Rose Formation, Colorado River, Barton Springs, Lake Austin, Jollyville Plateau, Bull Creek, Cypress Creek, Lime Creek, Brushy Creek.
- Dobson, M.B., Pinkus, J.R., and Miller, E.G., 1990, Remedial investigation for the San Marcos Blanco River LUST trust fund site, in Engineering geology for the 90's, Association of Engineering Geologists 33<sup>rd</sup> Annual Meeting, Pittsburgh, Philadelphia, Proceedings: Association of Engineering Geologists, p. 81. Descriptors: Hays County, Pecan Gap Chalk, Austin Chalk.
- Edwards Aquifer Research & Data Center, 1998, Interim report on Edwards Aquifer saline-zone ("bad-water line") monitoring program, San Marcos, Texas: Edwards Aquifer Research & Data Center, Southwest Texas State University, 11 p.
- Edwards Underground Water District, 1968, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1967: San Antonio, Texas, Edwards Underground Water District Bulletin 16, 9 p.

- Edwards Underground Water District, 1984, Results of investigations of trace volatile organics in northern San Antonio from the Edwards Aquifer: The West Avenue Landfill, San Antonio, Texas, 26 p.
- Edwards Underground Water District, 1988, Investigation of volatile organic compounds in groundwater, Uvalde, Texas: Field activities from January 1984 through April 1988, 107 p.
- Environmental Resources Management Watershed Protection Department City of Austin, 2001, Update of Barton Springs Water Quality Analysis: Environmental Resources Management Watershed Protection Department City of Austin: Water Quality Report Series COA-ERM 2000-2.
- Evans, D.S., 1974, Quality of groundwater in Cretaceous rocks of Williamson and eastern Burnet Counties, Texas: Austin, Texas, University of Texas, M.S. thesis, 103 p.
- Evans, T.A., 1995, A spatial and statistical assessment of the vulnerability of Texas groundwater to nitrate contamination: Austin, Texas, The University of Texas, Ph.D. dissertation, 334 p.
- Fahlquist, L., and Ardis, A.F., 2004, Quality of water in the Trinity and Edwards aquifers, south-central Texas, 1996-98: U.S. Geological Survey Scientific Investigations Report 2004-5201, 25 p.
- Fahlquist, L., and Slattery, R.N., 1997, Water quality assessment of the Comal Springs Riverine System, New Braunfels, Texas, 1993-1994: U.S. Geological Survey Fact Sheet FS-099-97, 6 p.
- Flores, R., 1990, Test well drilling investigation to delineate the downdip limits of usable-quality ground water in the Edwards Aquifer in the Austin region, Texas: Texas Department of Water Resources Report 325, 70 p. Descriptors: Travis County, Williamson County, Bell County, Hays County.
- Fox, L., and McCoig, G., 1983, Fecal coliform data for the San Marcos River (1983-1985): City of San Marcos, Unpublished.
- Garza, S., 1962, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 1, 56 p.
- \_\_\_\_\_, 1963, Zone of transition between water of good quality and saline water in the Edwards Limestone in the Balcones fault zone, Texas [abs.]: Geological Society of America Special Paper 73, p. 158.
- \_\_\_\_\_, 1964, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 4, 15 p.

- \_\_\_\_\_, 1965, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1964: San Antonio, Texas, Edwards Underground Water District Bulletin 7, 12 p.
- \_\_\_\_\_, 1966, Chemical analyses of water from observation wells in the Edwards and associated limestones: San Antonio, Texas, Edwards Underground Water District Bulletin 10, 14 p.
- Gilliom, R.J., Alley, W.M., and Gurtz, M.E., 1995, Design of the National Water-Quality Assessment Program - Occurrence and distribution of water-quality conditions: U.S. Geological Survey Circular 1112, 33 p.
- Ging, P.B., 1999, Water-quality assesment of south central Texas – Comparison of water quality in surface samples collected manually and by automated samplers: US Geological Survey Fact Sheet FS-172-99, 6p.
- Ging, P.B., 1999, Water-quality assesment of south central Texas – Description and comparison of nutrients, pesticides and volatile orgnic compounds at three intensive fixed sites, 1996-1998: U.S. Geological Survey Water–Resources Investigation Report 99-4155, 24 p.
- Ging, P.B., Judd, L.J., and Wynn, K.H., 1997, Water-Quality Assessment of south central Texas: Occurrence and Distribution of Volatile Organic Compounds in Surface Water and Ground Water, 1983-94, and Implications for Future Monitoring. A Contribution of the National Water-Quality Assessment Program, USGS-Water Resources Investigations Report -97-4028, Government. Reports, Announcements & Index (GRA&I), Issue 21, 20 p.
- Ging, P.B., and Otero, C.L., 2003, Comparison of Temperature, Specific Conductance, pH, and Dissolved Oxygen at selected basic fixed sites in south-central Texas, 1996-1998: U.S. Geological Open-File Report 03-087, 18 p.
- Giras, T.F., 2002, The potential for contamination of the Edwards Aquifer by reformulated gasoline containing the oxygenate MBTE: San Antonio, Texas, University of Texas, M.S. thesis, 197 p.
- Goltz, M.N., Carrothers, T.J., and Hopkins, G.D., 1995, Full-scale demonstration of in situ bioremediation of trichloroethylene—laboratory and modeling studies, *from* ACS special symposium: Emerging Technologies in Hazardous Waste Management, Atlanta, GA, USA, September 17-20, 1995, *in* Tedder, D.W. (ed.), Emerging technologies in hazardous waste management VII, American Chemical Society, p. 144-147.
- Groeger, A.W., Brown, P.F., Tietjen, T.E., and Kelsey, T.C., 1997, Water quality of the San Marcos River: Texas Journal of Science, v. 49, p. 279-294.
- Guadalupe-Blanco River Authority, 1970, Water quality management study, Guadalupe River Basin: Report No.1 to Texas Water Quality Board: Survey of existing water quality, 114 p.

- Hannan, H.H., Young, W.C., and Mayhew, J.J., 1973, Nitrogen and phosphorus in a stretch of the Guadalupe River, Texas, with five main-stream impoundments: *Hydrobiologia*, v. 41, no. 3, p. 419-441.
- Harden, R.W., 1968, File memorandum on review of water quality changes in Edwards reservoir, especially near the bad water line: Austin, Texas, William F. Guyton and Associates, 23 p. Descriptors: Barton Springs, Comal Springs, Hueco Springs, San Marcos Springs.
- Harden, R.W., 1968, Review of water quality changes in Edwards Reservoir – Especially near the bad water line: File Memorandum, Edwards Aquifer Authority.
- Harren, M.R., 1996, Source and distribution of hydrocarbons in the Gaines Creek watershed: Austin, Texas, University of Texas, M.S. thesis, p. N/A.
- Hauwert, N.M., 2000, Groundwater tracing of the groundwater flow through the Barton Springs, Edwards Aquifer, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. 30.
- Hauwert, N.M., 2001, Research program summary – groundwater tracing: Barton Springs/Edwards Aquifer Conservation District, accessed June 20, 2003, at URL [http://www.bseacd.org/graphics/Groundwater\\_Tracing\\_Study\\_R.pdf](http://www.bseacd.org/graphics/Groundwater_Tracing_Study_R.pdf).
- Hauwert, N.M., and Vickers, S., 1994, Barton Springs/Edwards Aquifer hydrogeology and groundwater quality: Barton Springs/Edwards Aquifer Conservation District, Austin, Texas, Report to Texas Water Development Board, Contract No. 93-483-346, 92 p.
- Hayes, J.M., 1977, Trichlorofluoromethane in ground water – a possible indicator of ground water age: Lafayette, Indiana, Purdue University, Water Resource Research Center, Technical Report 90, 25 p.
- Heathman, T.W., Johns, D.A., 1991, The Barton Springs/Edwards Aquifer Conservation: Water Quality issues for Barton Creek and Barton Springs, Austin Geological Society, p. 27.
- Hopkins, J., 1995, Water quality in the Edwards-Trinity (Plateau) Aquifer, Edwards Plateau, and Trans-Pecos, Texas: Texas Water Development Board, Hydrologic Atlas, no. 3, 21 p.
- Horning, E., Ardis, A., Ging, P., Fahlquist, L., Lanning-Rush, J., and Bush, P., Water quality of south-central Texas aquifers and streams: American Water Resources Association, Technical Publication Series TPS, v. 1, no. 1, p. 199-204.
- Hudak, P.F., 2001, Sodium adsorption ratios and salinity levels in nine Texas aquifers: Implications for irrigated agriculture: *International Journal of Environmental Studies*, v. 58, no. 3, p. 331-341.
- Hunt, A.G., Lambert, R.B., Waugh, J.R., and Landis, P.G., 2003, Fluid Logging and discrete sampling of the freshwater/saline-water interface of the Edwards Aquifer, south-central Texas:

- Implications for groundwater flow and origin of salinity (PART 2-Geochemistry), *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2 - 5, 2003, *in* Geological Society of America Abstracts with Programs, v. 34, no. 7, p.280.
- Huston, R.J., 2003, Procedures to implement the Texas surface water quality standards: Texas Commission on Environmental Quality Report RG-194, 189 p.
- Johns, D.A., 1991, Water quality issues for Barton Creek and Barton Springs: December 07, 1991, 96 p.
- Johnson, S.B., Schindel, G.M., and Hoyt, J.R., 2002, Groundwater chemistry changes during a recharge event in the karstic Edwards Aquifer, San Antonio, Texas, *from* 2002 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 27-30, 2002, *in* Geological Society of America Abstracts with Programs, v. 34, no. 6, p. 421.
- Jones, J.L., 1996, Leona Aquifer nitrate source determination, Medina County, Texas: San Antonio, Texas, University of Texas, M.S thesis, 100 p.
- Kolbe, C.M., 1988, The chemical and biological groundwater quality of the Edwards Aquifer in the Sink Creek drainage basin, Hays County, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 111 p.
- Kreitler, C.W., and Browning, L.A., 1980, Nitrogen isotopes of ground-water nitrate in carbonate aquifers-natural sources versus man-induced pollution [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 7, p. 466. Descriptors: Grand Cayman Island, Colorado River.
- Kreitler, C.W., and Browning, L.A., 1983, Nitrogen-isotope analysis of groundwater nitrate in carbonate aquifers-natural sources versus human pollution: *Journal of Hydrology*, v. 61, no. 1-3, p. 285-301. Descriptors: Ironshore Formation, Grand Cayman Island.
- Kunze, H.L., 1971, Reconnaissance of the chemical quality of surface waters of the Nueces River Basin, Texas: Texas Water Development Board Report 134, 34 p.
- Lambert, R.B., 1994, Chemical classification of water samples from three monitor-well transects across the freshwater/saline-water interface of the Edwards Aquifer, San Antonio region, Texas, *from* American Water Resources Association, Texas Section, Fall meeting, Austin, Texas, USA, December 9, 1994, *in* Factors Affecting Water Resources: Proceedings, American Water Resources Association - Texas Section, p. 107.
- Landphair, H.C., Mfalls, J.A., Thompson, D, and Texas Transportation Institute, 2000, Design methods, selection, and cost effectiveness of stormwater quality structures, Technical Report, National Technical Information Service, 222 p.
- Legrand, H.W., 1968, Monitoring of changes in quality of ground water: *Ground Water*, v. 6, no. 3, p. 14-18. Descriptors: freshwater/saline-water interface.

- Longley, G., 2002, Edwards Aquifer freshwater/saline zone monitoring program: San Marcos, Texas, Edwards Aquifer Research and Data Center, Southwest Texas State University, submitted to Texas Water Development Board, Contract No. 96-483-184, 89 p.
- Lynch, F.L., Mahler, B.J., Hauwert, N.M., 1999, Provenance of suspended sediment discharged from a karst aquifer determined by clay mineralogy, *from* 1999 Annual Meeting of the Geological Society of America, Denver, CO, USA, October 25-28, 1999, *in* Geological Society of America Abstracts with Programs, v. 31, no. 7, p. 155.
- Magin, D.C., 1988, A water quality index based on requirements for contact recreation: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 48 p.
- Masch, F.D., 1971, Simulation of Water Quality in Streams and Canals: Austin, Texas, Texas Water Development Board, Report 128 TWDB, [variously paged].
- Mayhew, J.J., 1970, Nitrogen and phosphorous dynamics in a 153-kilometer stretch of the Guadalupe River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 147 p.
- Moore, M.B., and Moore, L.L., 1996, The Edwards Aquifer: a case study of DNAPL in a karst aquifer which expands the DNAPL paradigm, *from* 28<sup>th</sup> Annual Meeting of the Geological Society of America, Denver, CO, USA, October 28-31, 1996, *in* Geological Society of America Abstracts with Programs, v. 28, no. 7, p. 344.
- Nahler, B.J., 2002, What goes in must come out; temporal variations in concentrations of soluble pesticides discharging from the Barton Springs system, Edwards Aquifer, Texas, *from* Proceedings of the Symposium on Karst Frontiers: Florida and related environments, Gainesville, FL, March 6-10, 2002, *in* Karst Waters Institute Special Publication, v. 7, p. 169-172.
- Nance, S.H., 2004, Hydrochemical variability in the Edwards-Trinity Aquifer System, Edwards Plateau, Texas, *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., Aquifers of the Edwards Plateau, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 3, p. 63-90.
- Nance, S.H., and Sharp, J.M., 2005, The case for cation exchange in the Edwards-Trinity (plateau) aquifer system, *from* 39<sup>th</sup> Annual Meeting of the Geological Society of America, Southcentral section, San Antonio, TX, USA, April 1-2, 2005, *in* Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 8.
- Oetting, G.C., Banner, J.L., and Sharp, J.M., Jr., 1993, Geochemical and isotopic variations in groundwaters of the Edwards Aquifer of Texas: Constraints on diagenetic fluid compositions in geochemical models of water-rock interaction: From American association of Petroleum Geologists 1993 annual convention, New Orleans, LA, USA, April 25-28, 1993, *in* American



Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, Annual Meeting Abstracts, v. 19.

Oetting, G.C., Banner, J.L., and Sharp, J.M., Jr., 1994, Regional Geochemical and isotopic variations in badwaters the Edwards aquifer: *in* Edwards aquifer: The Barton and San Marcos Springs area – A field trip guide book, American Institute of Hydrology 1994 Annual Conference, Austin, Texas, p. 1-13.

Ogden, A.E., Spinelli, A.J., and Horton, J., 1985, Hydrologic and hydrochemical data for the Edwards Aquifer in Hays and Comal Counties, October 1981 to September 1983: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, Report R1-85. 102 p.

Ottmers, D.D., 1987, Intensive survey of the Comal River segment 1811: Texas Water Commission Intensive Survey 87-08, 42 p. Descriptors: water pollution, macrophytes.

Perez, R., 1986, Potential for updip movement of salinewater in the Edwards aquifer, San Antonio, Texas: U.S. Geological Survey Water-Resources Investigations Report 86-4032, 21 p.

Poteet, D., Collier, H., and Maclay, R.W., 1992, Investigation of the fresh/saline-water interface in the Edwards Aquifer in New Braunfels and San Marcos, Texas: San Antonio, Texas, Edwards Underground Water District Report 92-02, [variously paged].

Rairez, J., MacGregor, L., McCormick, B., and Thoman, W.F., 2003, Water quality studies of the San Antonio Springs at the University of Incarnate Word, San Antonio, Texas [abs.], *in* Collins, T., Parker, M., Smith, R.R., Buckner, M., and Hunt, C., eds., 106<sup>th</sup> Annual Meeting of the Texas Academy of Science, Program and Abstracts, February 27-March 1, 2004, Nacogdoches, Texas, p. 55.

Rawson, J., 1969, Reconnaissance of the chemical quality of surface waters of the San Antonio River Basin, Texas: Texas Water Development Board Report 93, 24 p. Descriptors: streamflow, data collections, chlorides, sodium, salts, water pollution.

Reeves, R.D., 1976, Chemical and bacteriological quality of water at selected sites in the San Antonio area, Texas August 1968 - January 1975: San Antonio, Texas, Texas Water Quality Board, Field Operations Division, Report IMS-45.

Reeves, R.D., 1978, Chemical and bacteriological quality of water at selected sites in the San Antonio area, Texas, February 1975 - September 1977: San Antonio, Texas, Edwards Underground Water District Report, 33 p. Descriptors: dissolved solids, heavy metals, pesticides.

Reeves, R.D., and Blakey, J.F., 1972, Water quality at selected locations in the San Antonio area, Texas: U.S. Geological Survey Progress Report, 27 p.

- Reeves, R.D., and Rawson, J., 1976, Chemical and bacteriological quality of water at selected sites in the San Antonio area, Texas, August 1968 - January 1975: U.S. Geological Survey Open-File Report @ 76-574, 122 p. [Also published as Edwards Underground Water District Report, 122 p., 1976].
- Reeves, R.D., Rawson, J., and Blakey, J.F., 1972, Chemical and bacteriological quality of water at selected sites in the San Antonio area, Texas, August 1968-April 1972: San Antonio, Texas, Edwards Underground Water District Report, 63 p. Descriptors: municipal wastes, urbanization, industrial wastes, agriculture, pesticides, bacteria, nitrates, phosphates, dissolved solids, chlorides, sulfates.
- Rettman, P.L., 1967, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1966: San Antonio, Texas, Edwards Underground Water District Bulletin 13, 10 p.
- Rettman, P.L., 1968, Chemical analyses of water from observation wells in the Edwards and associated limestones, San Antonio area, Texas, 1967: San Antonio, Texas, Edwards Underground Water District Bulletin 16, 9 p.
- Rice, G., 1994, Contamination of the Edwards Aquifer in Bexar County: AGUA Report, San Antonio, Texas, 25 p.
- Robinson-Poteet, D., 1995, Edwards Aquifer fresh/saline-water interface, New Braunfels and San Marcos, Texas: San Antonio, Texas, University of Texas, M.S. thesis, 264 p.
- Roddy, W.R., 1992, Water quality of the Edwards aquifer and streams recharging the aquifer in the San Antonio region, Texas: U.S. Geological Survey Hydrologic Investigations Atlas HA-723, 3 sheets, scale 1:500,000.
- Roddy, W.R., and Waddell, K.M., 1987, Water quality of Canyon Lake, central Texas: Texas Water Development Board Report 302, 59 p. Descriptors: Comal County, Guadalupe River Basin.
- Rugen, M.A., Lewis, D.A., and Benedict, I.J., 1977, Evapotranspiration-a method of disposing of septic tank effluent: San Antonio, Texas, RABA and Associates, Inc., for the Edwards Underground Water District, [variously paged].
- Scanlon, B. R., Reedy, R. C., and Kier, K.S., 2003, Evaluation of nitrate contamination in major porous media aquifers in Texas: Austin, Texas, University of Texas Bureau of Economic Geology, final Report prepared for Texas Commission on Environmental Quality, 48 p.
- Schertz, T.L., 1990, Trends in water-quality data in Texas: U.S. Geological Survey Water-Resources Investigations Report 89-4178, 177 p.
- Schultz, A.L., 1992, Using geophysical logs in the Edwards Aquifer to estimate water quality along the freshwater/saline-water interface-Uvalde to San Antonio, Texas: San Antonio, Texas,

- Edwards Underground Water District Report 92-03, 47 p. Descriptors: geophysics, freshwater/saline-water interface.
- Schultz, A.L., 1993, Defining the Edwards Aquifer freshwater/saline-water interface with geophysical logs and measured data-San Antonio to Kyle, Texas: San Antonio, Texas, Edwards Underground Water District Report 93-06, 81 p.
- Schultz, A.L., 1994, Review update of the position of the Edwards Aquifer freshwater/saline-water interface: from Uvalde to Kyle, Texas: San Antonio, Texas, Edwards Underground Water District Report 94-05, 31 p.
- Schultz, A.L., 1997, Anhydrite: source of high sulfate content near Edwards Aquifer (bad water line): San Antonio, Texas, South Texas Geological Society, v. 37, no. 9, p. 11-16.
- Schultz, A.L., 2002, Preliminary investigation to estimate the freshwater/saline-water interface position Trinity Aquifer, Bexar County: Prepared for San Antonio Water System Resources Compliance and Protection Department, San Antonio, Texas, October 2002, [variously paged]. [Also published by the South Texas Geological Society Bulletin, February 2003, v. 43, no. 6, p. 9-32].
- Schultz, A.L., 2003, Trinity Aquifer freshwater/saline-water interface (bad-water line) and its relationship to Trinity and Edwards inter-formation flow, Bexar County, Texas: Bulletin of the South Texas Geological Society, v. 43, no. 3, p. 5.
- Schultz, A.L., and Halty, S.R., 1997, Anhydrite: Source of high sulfate concentration near Edwards Aquifer "bad water" line: San Antonio, Texas, South Texas Geological Society Bulletin, v. 37, no. 9, p. 11-16.
- Schultz, A.L., and Waugh, J.R., 1994, Utilizing geophysical log interpretation to determine water quality in the Edwards Aquifer of South Texas: San Antonio, Texas, South Texas Geological Society Bulletin, v. 34, no. 7, p. 9. [Also published in Association of Engineering Geologists 36<sup>th</sup> Annual Meeting; El Agua y La Tierra; Program and Abstracts, October 9-16, 1993, v. 36, p. 70.]
- Science Applications International Corporation, 2000, Location of Edwards aquifer wells in plume areas from East Kelly and Kelly Air Force Base: Contract report to San Antonio Air Logistics Center, Directorate of Environmental Management, Kelly Air Force Base, Contract No. F41650-95-D-2004-5029, [variously paged].
- Slade, R.M., Jr., Bentley, J.T., and Michaud, D., 2002, Results of streamflow gain-loss studies in Texas, with emphasis on gains from and losses to major and minor aquifers: U.S. Geological Survey, Open File Report 02-0068 131 p., 2 over-size sheets. Prepared in cooperation with the Texas Water Development Board. Available on the web at <http://pubs.water.usgs.gov/ofr02068/>.
- Slattery, R.N., and Fahlquist, L., 1997, Water quality of the San Marcos Springs Riverine System, San Marcos, Texas July-August 1994: U.S. Geological Survey Fact Sheet FS-059-97, 4 p.

- Squillace, P.J., Moran, M.J., Price, C.V., 2004, VOCs in Shallow Groundwater in New Residential/Commercial Areas of the United States: *Environmental Science. Technology*, v. 38, no. 20, p. 5327 -5338.
- St. Clair, A.E., 1979, Quality of water in the Edwards Aquifer, central Travis County, Texas: Austin, Texas, University of Texas, M.S. thesis, 97 p. Descriptors: Rollingwood, ground water recharge, waste disposal, liquid wastes.
- Standen, R.A., and Opdyke, D.R., 2004, Contamination migration, characteristics, and responses for the Edwrad- Trinity (Plateau) aquifer, *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., *Aquifers of the Edwards Plateau*, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 11, p. 211-234.
- Steers, C.A., Steiner, M., and Taylor, B., 1993, Acquisition of Seco Creek GIS data base and it's use in water quality models, *from* 27<sup>th</sup> annual of the Geological Society of America (GSA) South central Section meeting, Fort Worth, Texas, USA, March 15-16, 1993, *in* Geological Society of America Abstracts with Programs (United States), v. 25, no. 1, p. 43.
- Steffens, T., and Wright P, 1995, Seco Creek Water-Quality Demonstration Project, annual project report fiscal year 1995: U.S. Department of Agriculture, Natural Resources Conservation Service, 254 p.
- Steffens, T., and Wright P, 1996, Seco Creek Water-Quality Demonstration Project, annual project report fiscal year 1996: Project Administrators, McFarland, M. (Texas Agriculture Extension Service), Colwick, A. (Natural Resources Conservation Service), and Orange, S. (Farm Service Agency), 338 p.
- Texas Water Commission, 1989, Ground-water quality of Texas-an overview of natural and man-affected conditions: Texas Water Commission, 197 p.
- Texas Water Commission, 1992, The State of Texas water quality inventory (11<sup>th</sup> ed.): Texas Water Commission Limited Publication 92-16, 682 p.
- Texas Water Development Board, 1968, Reconnaissance of the chemical qualities of the surface waters of the Guadalupe River Basin, Texas: Austin, Texas, Texas Water Development Board, Report 88.
- Tobert, C., Mena-Fernandez, S., McCormick, B., and Thomman, W.F., 2003, Water quality studies of the San Antonio River at the University of Incarnate Word, San Antonio, Texas [abs.], *in* Collins, T., Parker, M., Smith, R.R., Buckner, M., and Hunt, C., eds., 106<sup>th</sup> Annual Meeting of the Texas Academy of Science, Program and Abstracts, February 27-March 1, 2004, Nacogdoches, Texas, p. 55.

- Toth, D.J., 1999, Water quality and isotope concentrations from selected springs in the St. Johns River Water Management District: St. Johns River Water Management District, Technical Publication SJ99-2.
- Tremallo, R.L, and Haby, B.A., 2005, Use of conservation easements to protect water quality of the Edwards Aquifer - a cooperative effort between public agencies, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 303.
- Twidwell, S.R., 1976, Water quality evaluation of Barton Creek and Barton Springs: Austin, Texas, Texas Water Quality Board, 23 p.
- Twidwell, S.R., 1986, Intensive survey of Barton Creek, segment 1430, May 20-24, 1985-hydrology, field measurements, water chemistry, and biology: Texas Water Commission Intensive Survey 86-01, 17 p.
- University of Texas, 2000, Hydrochemistry of the Comal, Hueco, and San Marcos Springs, Edwards Aquifers, Texas: The General Libraries, UT at Austin, P.O. Box P, Austin, Texas 78713-8916, USA, <http://www.lib.utexas.edu/Libs/GEO/BalconesEscarpment/pages115-130.html>.
- U.S. Department of Agriculture, 1998, Seco Creek Water-Quality Demonstration Project, Medina County, Texas: Special Project # 94-EWQD-1-9518, 15 p.
- U.S. Environmental Protection Agency, 1991, Technical support document for water quality-based toxics control: PB91-127415.
- U.S. Environmental Protection Agency, 1992, National Pollutant Discharge Elimination System general permit and reporting requirements for discharges from concentrated animal feeding operations: Federal Register, v. 57, no. 141, p. 32,475-32,499.
- U.S. Fish and Wildlife Service, 1999, Letter to Larry D. Gilley from David C. Frederick concerning water quality issues in San Marcos: U.S. Fish and Wildlife Service.
- Veenhuis, J.E., and Slade, R.M., Jr., 1990, Relation between urbanization and water quality of streams in the Austin area, Texas: U.S. Geological Survey Water-Resources Investigations Report 90-4107, 64 p.
- W.F. Guyton Associates, Inc., 1988, Bad water line transect pumping test at San Antonio City Water Board's Artesia Station, March 25, 1987: Austin, Texas, William F. Guyton Associates, Inc.
- Waugh, J.R., 1993, South Medina County observation well project: San Antonio, Texas, Edwards Underground Water District Report 93-11, 10 p. Descriptors: freshwater/saline-water interface.
- Waugh, J.R., 2001, The freshwater/saline-water interface of the Edwards Aquifer, *from* 2001 Annual Meeting of the Association of Engineering Geologists, Saint Louis, MO, USA,

September 29 – October 7, 2001, *in* Association of Engineering Geologists Programs with Abstracts, v. 4, no. 4, p. 78-79.

Welborn, C.T., and Veenhuis, J.E., 1987, Effects of runoff controls on the quantity and quality of urban runoff at two locations in Austin, Texas: U.S. Geological Survey Water-Resources Investigations Report 87-4004, 101 p.

Wells, F.C., 1985, Statistical summary of water-quality data collected from selected wells and springs in the Edwards aquifer near San Antonio, Texas: U.S. Geological Survey Open-File Report 85-182, 162 p.

William F. Guyton Associates, Inc., 1986, Drilling, construction, and testing of monitor wells for the Edwards Aquifer bad-water-line experiment: Austin, Texas, William F. Guyton Associates, Inc., 56 p.

Winslow, A.G., and Kister, L.R., 1956, Saline water resources of Texas: U.S. Geological Survey Professional Paper 450-C, Article 116, p. c135-136.

Woerner, H.A., 1971, Multiple regression analysis of nineteen variables influencing eutrophication in a 153 kilometer stretch of the Guadalupe River, Texas: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 80 p.

Wright, P. N., 1994, Water quality and quantity of the Seco Creek water quality demonstration project: in Toxic Substances and the Hydrologic Sciences: American Institute of Hydrology conference papers, April 10-13, p. 220-225.

Zimmerman, J., 1998, In-Stream Water Quality Pond: Land and Water [Land Water], v. 42, no. 5, p. 44-45.

#### ► **Water-Resources Data**

Anonymous, 1994, Study ups amount of water in Edwards Aquifer: Water Well Journal, v. 48, no. 1, p. 22.

Aragon Long, S.C., Reece, B.D., and Eames, D.R., 2005, Water Resources Data, Texas, Water Year 2004 - Volume 4: Colorado River, Lavaca River, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-04-4, 392 p.

Aragon Long, S.C., Reece, B.D., and Eames, D.R., 2005, Water Resources Data, Texas, Water Year 2004 - Volume 5: Guadalupe River, Nueces River, Rio Grande River Basins and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-04-5, 443 p.

Arnow, T., 1957, Records of wells in Travis County, Texas: Texas Board of Water Engineers Bulletin 5708, 129 p.

- Bader, R.W., Walthour, S.D., and Waugh, J.R., 1993, Edwards Aquifer hydrogeologic status report for 1992: San Antonio, Texas, Edwards Underground Water District Report 93-05, 71 p.
- Barbie, D.L., 2001, Water Resources Data, Texas, Water Year 2000 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-00-6, 471 p.
- \_\_\_\_\_, 2002, Water Resources Data, Texas, Water Year 2001 – Volume 4: Colorado River Basin, Lavaca River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-01-4, 325 p.
- \_\_\_\_\_, 2002, Water Resources Data, Texas, Water Year 2001 – Volume 5: Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-01-5, 344 p.
- \_\_\_\_\_, 2002, Water Resources Data, Texas, Water Year 2001 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-01-6, 467 p.
- Barbie, D.L., 2001, 2003, Water Resources Data, Texas, Water Year 2002 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-02-6, 533 p.
- Barbie, D.L., 2004, Water Resources Data, Texas, Water Year 2003 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-03-6, 543 p.
- Barbie, D.L., Reece, B.D., and Eames, D.R., 2005, Water Resources Data, Texas, Water Year 2004 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-04-6, 752 p.
- Barnes, B.A., 1938, Hays County, Texas, records of wells and springs, drillers' logs, water analyses and map showing location of wells: Texas Board of Water Engineers Miscellaneous Publication 114, 31 p.
- Bennett, R.R., and Cromack, G.H., 1940, Kinney County, Texas, records of wells, driller's logs, water analyses, and map showing locations of wells: Texas Board of Water Engineers Miscellaneous Publication 154, 38 p.
- Brown, D.S., and Patton, J.T., 1996, Recharge to and discharge from the Edwards Aquifer in the San Antonio area, Texas, 1995: U.S. Geological Survey, Open File Report 96-0181, 2 p.
- Brown, D.S., Gilhousen, Jr., and Nalley, G.M., 1991, Compilation of hydrogeologic data for the Edwards Aquifer, San Antonio area, Texas, 1990, with 1934-1990 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 50, 169 p.
- Brown, D.S., Petri, B.L., and Nalley, G.M., 1992, Compilation of hydrogeologic data for the Edwards Aquifer, San Antonio area, Texas, 1991, with 1934-1991 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 51, 169 p.

- Buckner, H.D., Carrillo, E.R., and Davidson, H.J., 1986, Water resources data for Texas, water year 1985 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-85-3, 447 p.
- Buckner, H.D., and Shelby, W.J., 1987, Water resources data for Texas, water year 1986 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-87-3.
- Buckner, H.D., and Shelby, W.J., 1989, Water resources data for Texas, water year 1988 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-89-3.
- Buckner, H.D., and Shelby, W.J., 1990, Water resources data for Texas, water year 1989 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data report TX-90-3, 443 p.
- Buckner, H.D., and Shelby, W.J., 1992, Water resources data for Texas, water year 1991 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-91-3, 451 p.
- Buckner, H.D., Andrews, F.L., and Hinds, B.A., 1993, Water resources data for Texas, water year 1992 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-92-3, 523 p.
- Cumley, J.C., Cromack, G.H., and Follett, C.R., 1942, Records of wells and springs, drillers' logs, water analyses, and map showing location of wells and springs in Williamson County, Texas: Texas Board of Water Engineers Miscellaneous Publication 298, 94 p.
- DeCook, K.J., and Doyel, W.W., 1955, Records of wells in Hays County, Texas: Texas Board of Water Engineers Bulletin 5501, 63 p.
- Duffin, G.L., 1974, Subsurface saline water resources in the San Antonio area, Texas: Texas Water Development Board Open-File Report, 39 p.
- Edwards Aquifer Authority, 1996, Edwards Aquifer hydrogeologic report for 1995: San Antonio, Texas, Edwards Aquifer Authority, Report 96-04, 133 p.
- Edwards Aquifer Authority, 1997, Edwards Aquifer Hydrogeologic Report for 1996: San Antonio, Texas, Edwards Aquifer Authority Water Resources, Team Report 97-01, 56 p.



- Edwards Aquifer Authority, 1998, Edwards Aquifer Hydrogeologic Report for 1997: San Antonio, Texas, Edwards Aquifer Authority Water Resources Team, Report 98-02, 67 p.
- Edwards Aquifer Authority, 1999, Edwards Aquifer Hydrogeologic Report for 1998: San Antonio, Texas, Edwards Aquifer Authority Aquifer Science Team, Report 99-02, 71 p.
- Edwards Aquifer Authority, 2000, Edwards Aquifer Authority Hydrogeologic Data Report for 1999: San Antonio, Texas, Edwards Aquifer Authority, Report 00-02, 89 p.
- Edwards Aquifer Authority, 2001, Edwards Aquifer Authority Hydrogeologic Data Report for 2000: San Antonio, Texas, Edwards Aquifer Authority Report 01-02, 102 p.
- Edwards Aquifer Authority, 2002, Edwards Aquifer Authority Hydrogeologic Data Report for 2001: San Antonio, Texas, Edwards Aquifer Authority Report 02-02, 116 p.
- Edwards Aquifer Authority, 2003, Edwards Aquifer Authority Hydrogeologic Data Report for 2002: San Antonio, Texas, Edwards Aquifer Authority Report 03-02, 134 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Authority, 2004, Edwards Aquifer Authority Hydrogeologic Data Report for 2003: San Antonio, Texas, Edwards Aquifer Authority Report 04-02, 188 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Authority, 2005, Edwards Aquifer Authority Hydrogeologic Data Report for 2004: San Antonio, Texas, Edwards Aquifer Authority Report 04-02, 199 p., <http://www.edwardsaquifer.org>.
- Edwards Aquifer Research and Data Center, 2000, Bad Water Line Monitoring Database: Southwest Texas State University, Freeman Bldg., San Marcos, Texas 78666 USA, <http://www.eardc.swt.edu/bw1/BWL1/index.html>.
- Edwards Underground Water District, 1974, The Edwards Bulletin: San Antonio, Texas, Edwards Underground Water District.
- Follett, C.R., 1956, Records of water-level measurements in Bexar County, Texas: Texas Board of Water Engineers Bulletin 5606, 60 p.
- Follett, C.R., 1956, Records of water-level measurements in Comal and Guadalupe counties, Texas, 1933 to March 1956: Texas Board of Water Engineers Bulletin 5610, 34 p.
- \_\_\_\_\_, 1956, Records of water-level measurements in Hays, Travis, and Williamson counties, Texas, 1937 to May 1956: Texas Board of Water Engineers Bulletin 5612, 74 p.
- \_\_\_\_\_, 1956, Records of water-level measurements in Kinney, Uvalde, and Val Verde counties, Texas, 1929 to March 1956: Texas Board of Water Engineers Bulletin 5611, 72 p.
- \_\_\_\_\_, 1956, Records of water-level measurements in Medina County, Texas, 1930 to March 1956: Texas Board of Water Engineers Bulletin 5609, 25 p.

- Frazier, J.M., Jr., 1939, Edwards County, Texas, records of wells and springs, drillers' logs, water analyses, and map showing location of wells and springs: Texas Board of Water Engineers Miscellaneous Publication 78, 30 p.
- Frazier, J.M., Jr., 1940, Kendall County, Texas, records of wells, drillers' logs, water analyses, and maps showing locations of wells: Texas Board of Water Engineers Miscellaneous Publication 152, 50 p.
- Gandara, S.C., 1995, Water Resources Data, Texas, Water Year 1995 – Volume 4: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-95-4, 373 p.
- Gandara, S.C., 1996, Water Resources Data, Texas, Water Year 1996 – Volume 4: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-96-4, 337 p.
- Gandara, S.C., 1997, Water Resources Data, Texas, Water Year 1997 – Volume 4: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-97-4, 343 p.
- \_\_\_\_\_, 1999, Water Resources Data, Texas, Water Year 1998 – Volume 4: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-98-4, 511 p.
- \_\_\_\_\_, 2003, Water Resources Data, Texas, Water Year 2002 – Volume 4: Colorado River Basin, Lavaca River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-02-4, 349 p.
- \_\_\_\_\_, 2003, Water Resources Data, Texas, Water Year 2002 – Volume 5: Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-02-5, 412 p.
- \_\_\_\_\_, 2004, Water Resources Data, Texas, Water Year 2003 – Volume 4: Colorado River Basin, Lavaca River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-03-4, 403 p.
- Gandara, S.C., 2004, Water Resources Data, Texas, Water Year 2003 – Volume 5: Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and Intervening Coastal Basins: U.S. Geological Survey Water-Data Report TX-03-5, 428 p.
- Gandara, S.C., and Barbie, D.L., 2000, Water Resources Data, Texas, Water Year 1999 – Volume 6: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-99-6, 375 p.
- Gandara, S.C., and Buckner, H.D., W.J., 1992, Water resources data for Texas, water year 1991 – Volume 4 – Ground-Water Data: U.S. Geological Survey Water-Data Report TX-91-4, 213 p.
- Gandara, S.C., and Jones, R.E., 1993, Water Resources Data, Texas, Water Year 1993 – Volume 4: Ground-Water Data: U.S. Geological Survey Water-Data Report TX-93-4, 337 p.

- Gandara, S.C., McPherson, E.M., Gibbons, W., Hinds, B.A., and Andrew, F.L., 1994, Water Resources Data, Texas, Water Year 1993 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-93-3, 501 p.
- Gandara, S.C., Gibbons, W.J., Andrews, F.L., Fisher, J.C., Hinds, B.A. and Jones, R.E., 1995, Water resources data, Texas, Water Year 1994 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water-Data Report TX-94-3, 475 p.
- Gandara, S.C., Gibbons, W.J., Andrews, F.L., Jones, R.E., and Barbie, D.L., 1997, Water resources data, Texas, Water Year 1996 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-96-3, 347 p.
- Gandara, S.C., Gibbons, W.J., Andrews, F.L., Jones, R.E., and Barbie, D.L., 1998, Water resources data, Texas, Water Year 1997 – Volume 3: Colorado River Basin, Lavaca River Basin, Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-97-3, 414 p.
- Gandara, S.C., Gibbons, W.J., Andrews, F.L., Jones, R.E., and Barbie, D.L., 2000, Water resources data, Texas, Water Year 1999 – Volume 4: Colorado River Basin, Lavaca River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-99-4, 279 p.
- \_\_\_\_\_, 2000, Water resources data, Texas, Water Year 1999 – Volume 5: Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-99-5, 400 p.
- \_\_\_\_\_, 2001, Water resources data, Texas, Water Year 2000 – Volume 4: Colorado River Basin, Lavaca River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-00-4, 311 p.
- Gandara, S.C., Gibbons, W.J., Andrews, F.L., Jones, R.E., and Barbie, D.L., 2001, Water resources data, Texas, Water Year 2000 – Volume 5: Guadalupe River Basin, Nueces River Basin, Rio Grande River Basin, and intervening coastal basins: U.S. Geological Survey Water Data Report TX-00-5, 386 p.
- Garza, S., 1962, Recharge, discharge, and changes in ground-water storage in the Edwards and associated limestones, San Antonio area, Texas—a progress report on studies, 1955-59: Texas Board of Water Engineers Bulletin 6201, 42 p.
- \_\_\_\_\_, 1963, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, 1960-62, San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 3, 7 p.

- \_\_\_\_\_, 1964, Records of precipitation, aquifer head, and ground-water discharge from the Edwards and associated limestones, 1963: San Antonio, Texas, Edwards Underground Water District Bulletin 6, 7 p.
- \_\_\_\_\_, 1968, Aquifer characteristics from well-field production records, Edwards Limestone, San Antonio, Texas: Tucson, Arizona, University of Arizona, M.S. thesis, 46 p.
- George, W.O., Cumley, J.C., and Follett, C.R., 1941, Records of wells and springs, drillers' logs, water analyses, and map showing locations of wells and springs in Travis County, Texas: Texas Board of Water Engineers Report, 102 p.
- Gonzalez, V., 1976, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas metropolitan area, 1974: U.S. Geological Survey Open-File Report, 109 p.
- Gordon, J.D., Jr., Pate, D.L., and Dorsey, M.E., 1986, Hydrologic data for urban studies in the Austin metropolitan area, Texas, 1984: U.S. Geological Survey Open-File Report 85-676, 92 p.
- Gordon, J.D., Jr., Pate, D.L., and Dorsey, M.E., 1987, Hydrologic data for urban studies in the Austin metropolitan area, Texas, 1985: U.S. Geological Survey Open-File Report 87-224, 170 p.
- Gordon, J.D., Jr., Pate, D.L., and Slagle, D.L., 1988, Hydrologic data for urban studies in the Austin metropolitan area, Texas, 1986: U.S. Geological Survey Open-File Report 87-768, 144 p. Descriptors: Colorado River.
- Groschen, G.E., 1994, Analysis of data from test-well sites along the downdip limit of freshwater in the Edwards Aquifer, San Antonio, Texas, 1985-87: U.S. Geological Survey, Earth Science Information Center, Water-Resources Investigations Report 93-4100, 92 p.
- Harmsen, L., 1978, Hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1976: U.S. Geological Survey Open-File Report @ 78-164, 132 p.
- Keplinger, K.O., and McCarl, B.A., 2000, An evaluation of the 1997 Edwards aquifer irrigation suspension: *Journal of the American Water Resources Association*, v.36, no. 4, p. 889-901.
- Kier, R.S., 1998, Edwards-Trinity aquifer ground water availability, preliminary assessment for central Kinney County, Texas- Revision: Robert S. Kier Consulting Report, 9 p.
- Kroschewski, J.R., 1990, The Edwards-Aquifer Research and Data Center – Objectives and Accomplishments: *Stygologia*, v. 5, iss. 4, p. 213-220.
- Land, L.F., 1971, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1969: U.S. Geological Survey Open-File Report, 109 p.
- Land, L.F., 1972, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas metropolitan area, 1970: U.S. Geological Survey Open-File Report, 178 p.

- Land, L.F., and Dorsey, M.E., 1989, Summary of hydrologic data for the San Gabriel River Basin and Edwards aquifer, Georgetown area, Texas, water year 1988: U.S. Geological Survey Open-File Report 89-226, 1 sheet.
- MacCary, L.M., 1978, Interpretation of well logs in a carbonate aquifer: U.S. Geological Survey Water-Resources Investigations Report 78-88, 30 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB-288 508].
- Maclay, R.W., Grimm, K.C., Davis, M.F., and Reeves, R.D., 1981, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1934-79: San Antonio, Texas, Edwards Underground Water District Bulletin 39, 133 p.
- Maclay, R.W., and Rappmund, R.A., 1979, Records of ground-water recharge and discharge for the Edwards Aquifer in the San Antonio area, Texas, 1934-77: San Antonio, Texas, Edwards Underground Water District Bulletin 37, 21 p.
- Maclay, R.W., Rettman, P.L., and Small, T.A., 1980, Hydrochemical data for the Edwards Aquifer, San Antonio area, Texas, and preliminary interpretation of borehole geophysical and laboratory data on carbonate rocks: Texas Department of Water Resources LP-131, 38 p.
- Maclay, R.W., Small, T.A., and Rettman, P.L., 1980, Water-level, recharge, discharge, specific-capacity, well-yield, and aquifer-test data for the Edwards Aquifer in the San Antonio area, Texas: Texas Department of Water Resources LP-133, 83 p. Descriptors: Medina County, Uvalde County, Kinney County, Bexar County, Comal County, Hays County.
- Maclay, R.W., Small, T.A., and Rettman, P.L., 1981, Application and analysis of borehole data for the Edwards Aquifer in the San Antonio area, Texas: Texas Department of Water Resources @ LP-139, 88 p. Descriptors: Medina County, Uvalde County, Kinney County, Bexar County, Comal County, Hays County.
- Maderak, M.L., Gordon, J.D., Jr., and Mitchell, R.N., 1978, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1976: U.S. Geological Survey Open-File Report 78-457, 263 p.
- Marquardt, G.L., and Elder, G.R., 1979, Records of wells, chemical analyses and water levels of selected Edwards wells, Bexar County, Texas: Texas Water Development Board Report 237, 463 p. [Available from National Technical Information Service, Springfield, Virginia 22161 as NTIS report PB-300353].
- McCoig, G.M., Cradit, J.A., and Fox II, L., 1986, Property ownership, water rights and recreational use of the San Marcos River: Albuquerque, New Mexico, Report prepared for the U.S. Fish and Wildlife Service, Contract No. 14-16-002-85-219, 62 p.
- Michal, E.J., 1937, Comal County, Texas, records of wells, drillers' logs, and water analyses, and map showing location of wells: Texas Board of Water Engineers Miscellaneous Publication 58, 42 p.

- Nalley, G.M., 1989, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1988, with 1934-88 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 48, 157 p. Descriptors: ground-water budget, ground-water recharge, flow discharge, water quality, water use.
- Nalley, G.M., and Rettman, P.L., 1988, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1987, with 1934-87 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 47, 154 p. Descriptors: ground-water recharge, water quality, wells, ground-water level, discharge, water supply.
- Nalley, G.M., and Thomas, M.W., 1990, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1989, with 1934-89 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 49, 155 p. Descriptors: ground-water availability, discharge, ground-water level, ground-water quality, ground-water recharge, ground-water storage, seasonal variations, springs, water quality, wells.
- Ogden, A.E., Quick, R.A., Rothermel, S.R., Lunsford, D.L., and Snider, C.C., 1986, Hydrogeological and hydrochemical investigation of the Edwards Aquifer in the San Marcos area, Hays County, Texas: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-86, 364 p.
- Ogden, A.E., Spinelli, A.J., and Horton, J., 1985, Hydrologic and hydrochemical data for the Edwards Aquifer in Hays and Comal Counties, October 1981 to September 1983: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-85, 102 p.
- Ogden, A.E., Spinelli, A.J., and Horton, J., 1985, Hydrologic and hydrochemical data for the Edwards Aquifer in Hays and Comal Counties, October 1983 to June 1985: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, Report R2-85, 83 p.
- Ozuna, G.B., Nalley, G.M., and Bowman, M.N., 1987, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1985, with 1934-85 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 45, 163 p. Descriptors: Kinney County, Uvalde County, Medina County, Bexar County, Hays County, ground-water level, wells, ground-water recharge, discharge, water quality, springs, precipitation.
- Ozuna, G.B., Nalley, G.M., and Stein, W.G., 1988, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1986, with 1934-86 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 46, 147 p. Descriptors: Kinney County, Uvalde County, Medina County, Bexar County, Hays County, ground-water level, wells, ground-water recharge, discharge, water quality, springs, precipitation.

- Pavlicek, D.L., Small, T.A., and Rettman, P.L., 1987, Hydrogeologic data from a study of the freshwater zone/salinewater zone interface in the Edwards aquifer, San Antonio region, Texas: U.S. Geological Survey Open-File Report 87-389, 108 p.
- Perez, R., 1981, Hydrologic data for urban studies in the San Antonio, Texas metropolitan area, 1978: U.S. Geological Survey Open-File Report 81-922, 91 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Perez, R., 1982, Hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1979-80: U.S. Geological Survey Open-File Report 82-158, 125 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Perez, R., 1983, Hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1981: U.S. Geological Survey Open-File Report 83-35, 58 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Perez, R., and Harmsen, L., 1980, Hydrologic data for urban studies in the San Antonio, Texas metropolitan area, 1977: U.S. Geological Survey Open-File Report 80-743, 100 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, peak discharge, flood profiles.
- Petitt, B.M., Jr., and George, W.O., 1956, Ground-water resources of the San Antonio area, Texas: Texas Board of Water Engineers Bulletin 5608, v. 1, 85 , v. 2, pt. 1, 255 p., pt. 2, 288x11 p.; pr. 3, 231x11 p.
- Puente, C., 1971, Records of precipitation, water levels, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1970: San Antonio, Texas, Edwards Underground Water District Bulletin 27, 11 p.
- \_\_\_\_\_, 1972, Records of precipitation, water levels, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1971: San Antonio, Texas, Edwards Underground Water District Bulletin 30, 11 p.
- \_\_\_\_\_, 1974, Records of precipitation, water levels, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1972-73: San Antonio, Texas, Edwards Underground Water District Bulletin 33, 12 p.
- \_\_\_\_\_, 1975, Relation of precipitation to annual ground-water recharge in the Edwards aquifer, San Antonio area, Texas: U.S. Geological Survey Open-File Report 75-298, 33 p.
- \_\_\_\_\_, 1976, Statistical analysis of water-level, springflow, and streamflow data for the Edwards aquifer in south central Texas: U.S. Geological Survey Open-File Report 76-393, 52 p. [Also published as Edwards Underground Water District Report, 58 p.]
- Reeves, R.D., Maclay, R.W., and Davis, M.F., 1982, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1934-80: San Antonio, Texas, Edwards Underground Water District Bulletin 40, 128 p. Descriptors: Kinney County, Uvalde County, Medina County, Bexar County, Comal County, Hays County.

- Reeves, R.D., Maclay, R.W., Grimm, K.C., and Davis, M.F., 1980, Records of ground-water recharge and discharge, 1934-78, water levels, 1975-78, and chemical quality of water, 1977-78, for the Edwards Aquifer in the San Antonio area, Texas: San Antonio, Texas, Edwards Underground Water District Bulletin 38, 53 p.
- Reeves, R.D., Maclay, R.W., Grimm, K.C., and Davis, M.F., 1981, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, @ 1934-79: San Antonio, Texas, Edwards Underground Water District Bulletin 39, 133 p. Descriptors: ground-water recharge, ground-water level, water quality, discharge.
- Reeves, R.D., Maclay, R.W., and Ozuna, G.B., 1984, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1981, with 1934-81 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 41, 135 p. Descriptors: ground-water recharge, ground-water level, water quality, discharge.
- Reeves, R.D., and Ozuna, G.B., 1985, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1982, with 1934-82 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 42, 131 p.
- Reeves, R.D., and Ozuna, G.B., 1986, Compilation of hydrologic data for the Edwards Aquifer, San Antonio area, Texas, 1983-84, with 1934-84 summary: San Antonio, Texas, Edwards Underground Water District Bulletin 43-44, 235 p.
- Reeves, W.E., and Land, L.F., 1992, Summary of hydrologic data for the San Gabriel River Basin and Edwards aquifer, Georgetown area, Texas, Water Year 1990: U.S. Geological Survey Open-File Report 92-160, 1 sheet.
- Rettman, P.L., 1966, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1965: San Antonio, Texas, Edwards Underground Water District Bulletin 12, 8 p.
- \_\_\_\_\_, 1967, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1966: San Antonio, Texas, Edwards Underground Water District Bulletin 15, 9 p.
- \_\_\_\_\_, 1968, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1967: San Antonio, Texas, Edwards Underground Water District Bulletin 18, 9 p.
- \_\_\_\_\_, 1969, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1968: San Antonio, Texas, Edwards Underground Water District Bulletin 21, 9 p.



- \_\_\_\_\_, 1970, Records of precipitation, aquifer head, and ground-water recharge to the Edwards and associated limestones, San Antonio area, Texas, 1969: San Antonio, Texas, Edwards Underground Water District Bulletin 24, 11 p.
- Sieh, T.W., 1975, Edwards (Balcones fault zone) Aquifer test-well drilling investigation: Texas Water Development Board, 117 p.
- Slade, R.M., Jr., Dorsey, M.E., Gordon, J.D., Jr., and Mitchell, R.N., 1980, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1978: U.S. Geological Survey Open-File Report @ 80-728, 229 p. Descriptors: Colorado River, flood peaks, water quality, streamflow, rainfall-runoff relations, ground-water recharge, discharge.
- Slade, R.M., Jr., Gaylord, J.L., Dorsey, M.E., Mitchell, R.N., and Gordon, J.D., Jr., 1982, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1980: U.S. Geological Survey Open-File Report 82-506, 264 p. Descriptors: Colorado River, flood peaks, water quality, streamflow, rainfall-runoff relations, ground-water recharge, discharge.
- Slade, R.M., Jr., and Gordon, J.D., Jr., 1979, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1977: U.S. Geological Survey Open-File Report 79-271, 192 p. Descriptors: Colorado River, flood peaks, water quality, streamflow, rainfall-runoff relations, ground-water recharge, discharge.
- Slade, R.M., Jr., Veenhuis, J.E., Dorsey, M.E., Gardiner, H., and Smith, A.E., 1983, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1981: U.S. Geological Survey Open-File Report 83-44, 309 p. Descriptors: Colorado River, flood peaks, water quality, streamflow, rainfall-runoff relations, ground-water recharge, discharge.
- Slade, R.M., Jr., Veenhuis, J.E., Dorsey, M.E., Stewart, S.L., and Ruiz, L.M., 1984, Hydrologic data for urban studies in the Austin, Texas, metropolitan area, 1982: U.S. Geological Survey Open-File Report 84-061, 196 p. Descriptors: Colorado River, flood peaks, water quality, streamflow, rainfall-runoff relations, ground-water recharge, discharge.
- Small, T.A., and Maclay, R.W., 1982, Test-hole data for the Edwards Aquifer in the San Antonio area, Texas: Texas Department of Water Resources Limited Publication 171, 153 p. Descriptors: porosity, permeability, Medina County, Uvalde County, Bexar County, Comal County, Hays County.
- Smith, B.A., and Hunt B.B., 2004, Evaluation of sustainable yield of the Barton Springs segment of the Edwards Aquifer, Hays and Travis counties, central Texas: Austin, Texas, Barton Springs/Edwards Aquifer Conservation District, 2004, 74 p.
- Smith, B.A., and Hunt B.B., 2004, Sustainable yield studies of the Barton Springs Segment of the Edwards Aquifer, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 5 p.

- Steger, R.D., 1973, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1971: U.S. Geological Survey Open-File Report, 109 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Steger, R.D., 1974, Hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1972: U.S. Geological Survey Open-File Report, 102 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Steger, R.D., 1975, Annual compilation and analysis of hydrologic data for urban studies in the San Antonio, Texas, metropolitan area, 1973: U.S. Geological Survey Open-File Report, 127 p. Descriptors: rainfall-runoff relations, small watersheds, streamflow, flood peak, flood profiles.
- Twidwell, S.R., 1987, Intensive survey of Guadalupe River, segment 1806: Austin, Texas, Texas Department of Water Resources, Water Quality Assessment Unit Report IS-87-02, 46 p.
- United States Geological Survey, 1996, Ground-Water Storage in the Edwards, San Antonio Area, Texas: U.S. Geological Survey Fact Sheet FS-01-96.
- W.E. Simpson Co., Inc., and William F. Guyton Associates, Inc., 1993, North Bexar County water resources study for the Edwards Underground Water District, final report: San Antonio, Texas, Edwards Underground Water District, [variously paged].

### ► Water-Resources Planning and Management

- Anonymous, 1993, Board will govern water withdrawals from Edwards Aquifer in Texas: Ground Water Monitor, v. 9, no. 11, p. 104-105.
- Anonymous, 1993, Studies provide data to help manage Edwards Aquifer: Ground Water Monitor, v. 9, no. 11, p. 104-105.
- Aceves, J., 1995, Conservation and reuse of wastewater in the region served by the Edwards aquifer, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Alamo Soil and Water Conservation District; Bexar-Medina-Atascosa Counties Water Control and Improvement District; Medina Soil and Water Conservation District; Department of Agriculture, Natural Resources Conservation Services, 1997, Water Conservation Plan; Atascosa, Bexar, and Medina counties, Texas: EPA no. 970239D, 90 p.
- Alamo Area Council of Governments, 1970, Regional wastewater development plan-water quality planning: San Antonio, Texas, Alamo Area Council of Governments, 38 p.
- Alamo Area Council of Governments, 1971, The water resource management plan for the AACOG (Alamo Area Council of Governments) planning region, v. I-Methodology analysis of water

resource areas: San Antonio, Texas, Alamo Area Council of Governments Interim Report 16, 48 p., 4 fig.

Allanach, W.C., Jr., and Nickerson, B.A., 1990, Genesis of surface water for San Antonio, in Optimizing the resources for water management, American Society of Civil Engineers 17<sup>th</sup> Annual National Conference, April 17-21, 1990, Proceedings: Boston, Mass., Boston Society of Civil Engineers Section, p. 377-380. Descriptors: Applewhite Reservoir.

Anonymous, 1992, Effectiveness of alternative systems being monitored in Kerr County: On-Site Insights, v. 1, no. 1, p. 3.

Anonymous, 1993, Legislature agrees on compromise to manage Edwards Aquifer: Texas Water Resources Newsletter Texas Water Resources Institute, Texas A&M University, v. 19, no. 3, 6 p.

Anonymous, 1998, DBO ultrafiltration project hits Texas: Civil Engineering, June 1998, v. 68., iss. 6, p. 8.

Anonymous, 2000, Municipal: San Antonio uses recycled water: Water Technology News, v. 8, p. N/A, July 1, 2000.

Anonymous, 2000, New plant increases city's water options: The American City & County, v. 11, no. 17, p. 48-49

Anonymous, 2000, Partnership saves water: Soldiers, v. 55, no. 2, p. 34.

Anonymous, 2000, Texas City Considers Crackdown on Water Wasters: Nation's Cities Weekly, July 2000, v. 23, no. 28, p. 19,

Araujo, M.I., Goldbloom, A., Nichols, K., and Seffel, J.S., 1990, 1990 TORP – Assessment and Policy Plan: Consumer Planning Section, Comprehensive Planning Branch, Parks Division, Texas Parks and Wildlife Department, Austin, Texas.

Barrett, M.E., 1999, Complying with the Edwards Aquifer rules: technical guidance on best management practices / prepared for Field Operations Division, Austin, Texas: Texas Natural Resource Conservation Commission, v. 1, RG-348, [variously paged].

Barrett, M.E., 2005, Edwards Aquifer Technical Guidance Manual, prepared for Texas Commission on Environmental Quality, Austin, Texas: Texas Commission on Environmental Quality, v. 1, RG-348, 313 p.

Barrett, M.E., and Charbeneau, R.J., 1997, Predicting the Effects of Urbanization on a Karst aquifer, *from* Proceedings of the 1997 24<sup>th</sup> Annual Water Resources Planning and Management Conference, Houston, Texas, USA, *in* Aesthetics in the Constructed Environment Proceedings

of the Annual Water Resources Planning and Management Conference 1997, ASCE, New York, NY, USA, p. 358-363.

- Barton Springs/Edwards Aquifer Conservation District, 1997, Alternative regional water supply plan for the Barton Springs segment of the Edwards Aquifer, available *from* Texas Water Development Board, Research and Planning Grants Assistance Program, Austin, Texas, USA, [variously paged], GeoRef (DIALOG® File 89).
- Bartsch, N., Hardy, T., and Connor, P., 1999, Habitat and flow requirements: instream flow methodology, monitoring, and the best guess: American Water Resources Association Technical Publication Series (TPS), v. 99-4, p. 119-122. [Also *in* Proceedings AWRA' 1999 Annual Resource Conference, Watershed Management to protect declining species, Seattle, WA (USA), December 5-9, 1999].
- BBC Research and Consulting, Inc., G.E. Rothe Company, and R.L. Masters Environmental Consulting, 1996, Social and Economic Impacts of Water Transfers: A Study of the Edwards Aquifer.
- Bexar Metropolitan Water District, 1998, Habitat Conservation plan and environmental evaluation of ESA Section 10(a) Permit Application from Bexar Met for Endangered Species in the Comal and San Marcos Springs Ecosystems: Bexar Metropolitan Water District.
- Bexar Metropolitan Water District, 1998, Habitat conservation plan in support of Edwards Aquifer withdrawals affecting Edwards Aquifer dependent species for Endangered Species Act Section 10(a)(1)(B) Permit: Bexar Metropolitan Water District.
- Bexar Metropolitan Water District, 1999, Draft environmental assessment ESA Section 10(a)(1)(B) incidental take permit and habitat conservation plan for reduction of withdrawals from Edwards Aquifer: Bexar Metropolitan Water District, 104 p.
- Bexar Metropolitan Water District, 1999, Bexar Metropolitan Water District Groundwater Management Plan, February 24, 1999 et.seq, 89.
- Bitner, M.J., 2005, Decision analysis and the evaluation of the availability of additional water supplies on the Edwards Aquifer, San Antonio, Texas, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 242-243.
- Brinkmann, M., Dwyer, J.C., and Snyder, G.L., 2004, Edwards Aquifer management using Aquifer Storage and Recovery (ASR), *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 16.

- Brinkmeyer, R.L., and Wade, A.C., 1995, Reuse Water is Answer for Aquifer Integrity: A Pilot Reuse Program Study, *from* San Antonio Water System, Regulatory Programs Department, and Infrastructure Planning Department, San Antonio, Texas, *in* Proceedings of Conservation 96: Responsible Water Stewardship, Orlando, Florida, January 04-08, 1996, AWWA, p. 953-957.
- Brown, D.S., and Raines, T.H., 2002, Simulation of flow and effects of best-management practices in the Upper Seco Creek Basin, South-Central Texas, 1991-1998: U.S. Geological Survey Water-Resources Investigations Report 02-4249, 22 p.
- Buck, R.L., and Illgner, R., 2005, Integrating diverse ideals, goals, and objectives to attain a common end – A case study in development of the Edwards Aquifer Authority's Comprehensive Water Management Plan, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 277-278.
- Butler, K.S., 1987, Urban growth management and groundwater protection, Austin, Texas, in Planning for groundwater protection: New York, Academic Press, Inc., p. 261-287.
- Camp Dresser and McKee, Inc., 1989, Edwards Underground Water District Drought Management Plan – A report prepared for the Edwards Underground Water District, [variously paged].
- CH2M Hill Central, Inc., 1986, Regional water resource study: Sponsored by the City of San Antonio and the Edwards Underground Water District, San Antonio, Texas, 3 volumes, [variously paged]. Descriptions: v. 1: Report, v. 2: Appendices A-I, and v. 3: Appendices J- O.
- City of Austin, 1992, Comprehensive watershed ordinance: City of Austin, [variously paged].
- City of San Antonio, City Water Board, 1964, Progress report on status of San Antonio's efforts to obtain a supplemental water supply: San Antonio, Texas, City Water Board, 67 p.
- City of San Antonio, City Water Board, 1980, San Antonio regional water resource study summary: City of San Antonio/Edwards Underground Water District, 28 p.
- City of San Antonio City Council, 1987, The Edwards Aquifer: Perspectives for local and regional action, San Antonio, Texas, 170 p.
- Cedillo, R.Q., 1994, Who's In Charge? Policy Perspectives on Edwards Aquifer Management, *from* San Antonio Water System, San Antonio, Texas, *in* 1994 Annual Conference Proceedings, American Water Works Association, Management and Regulations, New York, NY, June 19-23, 1994, p. 381-389.
- Cedillo, R.Q., 1996, Watershed Protection Strategies as a Means of Protecting Sole Source Groundwater Supply, *in* 1996 Annual Conference Proceedings, American Water Works Association, Water Resources, Toronto, Ontario, Canada, June 23-27, 1996, p. 53-68.
- Cedillo, R.Q., and Carroll, W.E., 1993, Development of San Antonio's Water System, *from* San Antonio Water System, San Antonio, Texas, *via* Black & Veatch, Dallas, Texas, *in* 1993

- Annual Conference Proceedings, American Water Works Association, Engineering and Operations, San Antonio, Texas, June 06-10, 1993, p. 799-811.
- Chen, C-C, Gillig, D., McCarl, B.A., and Williams, R.L., 2005, ENSO impacts on regional water management; case study of the Edwrad's Aquifer, Texas, USA, *Climate Research*, v. 28, no. 2, p.175-181.
- Collinge, R.A., 1993, Edwards Aquifer-an economic perspective: College Station, Texas, Texas A&M University, Texas Water Resources Institute Technical Report 156, 80 p.
- Conti, R.D., and Smith, H.B., 1990, Comprehensive management of a sole-source aquifer in central Texas-a model for coping with urban development in hydrologically sensitive areas, in 1990 National Conference, Irrigation and Drainage Division, American Association of Civil Engineers, Durango, Colo., July 11-13, 1990, Proceedings: New York, American Association of Civil Engineers, p. 395-403.
- Coonan, S.J., Jenkins, S.M., and Head, A.L., 1998, San Marcos, Texas turns to conjunctive use to preserve valuable Edwards Aquifer, *in* Proceedings of the American Water Works Association, 1998 annual conference, Dallas, Texas, June 21-25, 1998, AWWA Annual Conference, v. B, p. 71-84.
- Cravey, R., 1995, Policies for conserving Edwards southern aquifer water, *from* Texas Water Resources Institute Conference, January 24, 1995, Austin, Texas, *in* Water for Texas, p. 79-88.
- Crumley, E.J., 1990, A comprehensive analysis of the Edwards Aquifer in southern Travis and northern Hays counties, Texas: an aid to community and regional planning: Austin, Texas, University of Texas, M.S. thesis, 185 p.
- Dillon, C.R., 1991, An economic analysis of Edwards Aquifer water management (Texas): Austin, Texas A&M University, Ph.D. dissertation, 194 p. Copyright 1991, by University Microfilms Inc., order no. AAD91-33930.
- Denman, L., 2004, The Edwards Aquifer and Texas water law: perceptions on conservation in San Antonio: Austin, Texas, University of Texas, Senior honors thesis in Geography, 52 p.
- Donald G. Rauschuber & Associates, Inc., 1990, Regional water plan for the Barton Springs segment of the Edwards Aquifer: Austin, Texas, Donald G. Rauschuber & Associates, Inc., 1 volume, [variously paged].
- Donald G. Rauschuber & Associates, Inc., 1992, Onion Creek recharge project-engineering assessment and environmental inventory issues report of artificial recharge enhancement: Austin, Texas, Barton Springs/Edwards Aquifer Conservation District, [variously paged].
- Dugas, W.A., Hicks, R.A., and Wright, P., 1998, Effect of removal of *Juniperus ashei* on evapotranspiration and runoff in the Seco Creek watershed: *Water Resources Research*, June 1998, v. 34 no. 6, p. 1,499-1,506.

- Edwards Aquifer Authority, 1993, Edwards Aquifer Authority Act: San Antonio, Texas, Edwards Aquifer Authority, [variously paged].
- Edwards Aquifer Authority, 1998, Groundwater Management Plan 1998-2008: San Antonio, Texas, Edwards Aquifer Authority, 67 p.
- Edwards Aquifer Authority, 2002, Strategic Plan 2002-2006: San Antonio, Texas, Edwards Aquifer Authority, v. 1, [variously paged].
- Edwards Underground Water District, 1988, Regional water resources plan: Draft 1: recommended by the Joint Committee on Water Resources of the San Antonio City Council and the Edwards Underground Water District, Board of Directors.
- \_\_\_\_\_, 1990, Suggested design and construction of Edwards Aquifer wells: San Antonio, Texas, Edwards Underground Water District, 16 p.
- \_\_\_\_\_, 1992, Report of the Technical Data Review Panel on the water resources of the south central Texas region: San Antonio, Texas, Edwards Underground Water District, 307 p.
- \_\_\_\_\_, 1994, Edwards Underground Water District strategic plan (1994-2004): San Antonio, Texas, Edwards Underground Water District, 8 p.
- Edwards Underground Water District and Edwards Aquifer Research and Data Center, 1981, Water, water conservation and the Edwards Aquifer: Edwards Underground Water District and Edwards Aquifer Research and Data Center, San Marcos, Texas, Southwest Texas State University, [variously paged].
- Ellis, G.M., 1995, The law governing water districts, Chapter 49, Water Code: Texas Water Law Conference, November 30-December 1, 1995, Austin, Texas, p. N/A.
- Ellis, G.M., and Kipp, G.K., 1997, The endangered species act and the Edwards Aquifer: The Fifth Annual Conference: The Endangered Species Act, September 11, 1997, Austin, Texas, 13 p.
- Epstein, K., 2000, Edwards Aquifer Authority Paying Farmers Not to Irrigate Crops: U. S. Water News, v. 17, no. 4, p.5.
- Ernst, C., Gullick R., and Nixon, K., 2005, Protecting the source: Conserving forests to protect water, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 303.
- Ferguson, B.K., 1991, Urban stream reclamation: Journal of Soil and Water Conservation, v. 46, no. 5, p. 324-328. Descriptors: Boulder Creek.
- Ferguson, D.V., and Luckens, B., 1983, Developmental constraint factors: A regional perspective on the Edwards Aquifer system, San Antonio area: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-83, 91 p.

- Fisher, W.L., 1990, Technical factors in Edwards Aquifer use and management prepared for Special Committee on the Edwards Aquifer: Bulletin of the South Texas Geological Society, v. 30, no. 9, p. 47-51. Descriptors: Comal Springs, San Marcos Springs.
- Fisher, W., 1991, Special factors in the Edwards Aquifer use and management: *in* Geology of the Edwards Aquifer, Description and Recommendations: South Texas Geological Society, v. N/A, p. N/A.
- Fox, T.P., 1985, Edwards Aquifer in the San Antonio area, in Development and management aspects of irrigation and drainage systems: New York, American Society of Civil Engineers, Development and Management of Irrigation and Drainage Systems Conference,, p. 503.
- Fox, T.P., 1995, Analysis, Design and Implementation of a Conservation Rate Structure, *from* San Antonio Water System, San Antonio, Texas, *in* Proceedings of Conserv 96: Responsible Water Stewardship, Orlando, Florida, January 04-08, 1996, AWWA, p. 47-51.
- Frye, R.G., and Curtis, D.A., 1990, Texas Water and Wildlife: An Assessment of Direct Impacts to Wildlife Habitat from Future Water Development Projects: Special Report Texas Parks and Wildlife Department, Wildlife Division, Austin, Texas, 59 p.
- Garrett, G.P., 1991, Guidelines for the management of Guadalupe bass: Ingram, Texas, Texas Parks and Wildlife, Inland Fisheries Branch, 52 p.
- Gillig, D., McCral, B.A., Jones, L.L., and Boadu, F., 2004, Economic efficiency and cost implications of habitat conservation: An example in the context of the Edwards Aquifer region; Water Resources Research, v. 40, no. 4, 13 p.
- Glasoe, S., Steiner, F., Budd, W., and Young, G., 1990, Assimilative capacity and water resource management - four examples from the United States: Landscape and Urban Planning, v. 19, no. 1, p. 17-46. Copyright 1990, by Biological Abstracts, Inc. (BIOSIS).
- Green, M.G., 1967, Artificial recharge to the Edwards Limestone Aquifer in south Texas, in Hydrology of fractured rocks: International Association of Scientific Hydrology Publication 74, p. 465-481.
- Grubb, H.W., 1997, The Edwards Aquifer: Conflicts surrounding use of a regional water resource: HDR Engineering, Inc., Water resources update / Winter 1997, v. 106, p. 39-45.
- Guadalupe-Blanco River Authority, 1988, Conjunctive regulation of the Edwards and connected surface streams- a crucial step toward solving the regional water problem, in The Edwards Aquifer- underground river of Texas: Seguin, Texas, Guadalupe-Blanco River Authority, p. 45-47.



- Hammond, W.W., 1986, Regional hydrogeology and water resources planning – An overview of the Edwards Aquifer: *in* Hydrology of the Edwards Aquifer, The Geological Society of America, Annual Meeting, San Antonio, Texas.
- Hart, C.R., 2004, Brush management for water conservation, *in* Mace, R.E., Angle, E.S., and Mullican, W.F., III, eds., Aquifers of the Edwards Plateau, Texas Water Development Board Conference Proceedings, February 9, 2004, Austin, Texas, TWDB Report 360, Chapter 16, p. 303-314.
- HDR Engineering, Inc., 1989, Hays County water and wastewater study: Hays County Water Development Board, [variously paged].
- \_\_\_\_\_, 1991, Regional water supply planning study, Phase I-Nueces River Basin, volume 1: HDR Engineering, Inc.
- \_\_\_\_\_, 1994, Trans-Texas Water Program, West central study area, Phase I, Interim Report volume 2, [variously paged].
- \_\_\_\_\_, 1998a, Trans-Texas Water Program, West central study area, Phase II, Summary Report of Water Supply Alternatives, [variously paged].
- \_\_\_\_\_, 1998b, Trans-Texas Water Program, West central study area, Phase II, Updated Evaluation of Potential Reservoirs in the Guadalupe River Basin, [variously paged].
- \_\_\_\_\_, 1998c, Trans-Texas Water Program, West central study area, Phase II, Population, Water Demand, and Water Supply Projections, [variously paged].
- \_\_\_\_\_, 1998d, Trans-Texas Water Program, West central study area, Phase II, Edwards Aquifer recharge analysis, v. 1., [variously paged].
- \_\_\_\_\_, 2000, Desalination for Texas Water Supply, Austin, Texas, [variously paged].
- \_\_\_\_\_, 2000, Edwards Aquifer watershed: brush control planning, assessment, and feasibility study: Austin, Texas, Report prepared for Texas State Soil and Water Conservation Board, in association with Texas A&M, University, [variously paged].
- Houston, J.A., Groundwater management in Texas, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 23.
- Hunt, B.B., and Smith, B.A., 2004, Groundwater Availability during drought conditions in the Edwards Aquifer, Hays and Travis counties, Texas, *from* 54<sup>th</sup> Annual Convention of the Gulf Coast Association of Geological Societies/American Association of Petroleum Geologists Regional Meeting and the 51<sup>st</sup> Annual Meeting of the Gulf Coast Section SEPM, October 10-

- 12, 2004, *in* Official Program Gulf Coast Association of Geological Societies and Gulf Coast Section SEPM, San Antonio, Texas, v. LIV, p. 24.
- Gillig, D., McCarl, B.A., and Boadu, F., 2001, An Economic, Hydrologic, and Environmental Assessment of Water Management Alternative Plans for the South Central Texas Region: *Journal of Agricultural and Applied Economics*, v. 33, no. 1, p. 59-78.
- Guvanasen, V., Panday, S., Lillys, T., and Johnson, S. B., 2005, New water resources management module for MODFLOW, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 114-115.
- Henry, S., 1995, Regulation of use and market opportunity of the Edwards aquifer, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Howe, R.S., Fox, T.P., and Stagner, S., 1989, Water resources planning for the San Antonio region, *in* Baumli, G.R., ed., Symposium on Legal Institutional, Financial, and Environmental Aspects of Water Issues, Irrigation and Drainage Division, American Society of Civil Engineers and Delaware Section, American Society of Civil Engineers, Newark, Del., July 17-20, 1989, Proceedings: New York, American Society of Civil Engineers, p. 57-65.
- Hughes, S.K., 1999, The southern Edwards Aquifer: How a handful of Texas critters brought a semi-arid region together to plan its water future: American Water Resources Association Technical Publication Series (TPS), v. 99-4, p. 123-126. [Also *in* Proceedings AWWA's 1999 Annual Resource Conference, Watershed Management to protect declining species, Seattle, Washington (USA), December 5-9, 1999].
- Ingram, J.W., 1976, A decision analysis study of management policies for the Edwards Aquifer recharge zone: San Antonio, Texas, University of Texas, M.S. thesis, 116 p.
- Jensen, R., 1988, A new approach to regional water management-two plans are developed to manage and protect the Edwards Aquifer: *Texas Water Resources*, v. 14, no. 3, 6 p.
- Jensen, R., 1990, Storing water underground- aquifer recharge projects may replenish groundwater supplies: *Texas Water Resources*, v. 16, no. 4, 6 p.
- Jones, L.L., 1999, Third party impacts and compensation in water re-allocation: The case of the Edwards Aquifer of Texas, *in* Meeting of the International Association for Impact Assessment, Glasgow, Scotland (UK), June 15-19, 1999.
- Johnson, C., 1998, Property rights vs. water use: *Farm Journal*, Midwest/Central edition, v. 122, no. 11, p. 30-32.
- Johnson, R.S., 2001, Texas water law: the next century: College Station, Texas, Texas A&M University, Real State Center, Technical Report 1469, 25 p.

- Johnson, S.B., and Garcia, M., 2000, How does the value of aquifer protection compare with economic development?, *in* AGWSE 2000 Annual Meeting and Conference, Las Vegas, Nevada (USA), December 13-14, 2000, p. 97.
- Johnson, S.B., and Schindel, G.M., 2000, Role of the groundwater model of the Edwards aquifer, *in* AGWSE 2000 Annual Meeting and Conference, Las Vegas, Nevada (USA), December 13-14, 2000, p. 75-76. [Also in: 2000 AGWSE Annual Meeting and Conference: Ground Water: A Transboundary, Strategic, and Geopolitical Resource, San Francisco, California (USA), December 13-14, 2000].
- Kaiser, R.A., 1987, Handbook of Texas water law-problems and needs, College Station, Texas, A&M University, Texas Water Resources Institute, 46 p.
- Kaiser, R.A., and Phillips, L.M., 1998, Water Law – Dividing the Waters: Water marketing as a conflict resolution strategy in the Edwards Aquifer Region: *Natural Resources Journal*, v. 38, no. 3, p. 411-444.
- Kalaszad, S., and Mills, K.W., 2000, Evaluation of northern Bexar County for inclusion in the Hill Country Priority Groundwater Management Area: Austin, Texas, Priority Groundwater Management Area Report, Texas Natural Resources Conservation Commission, 82 p.
- Kelly, M.Q., 1985, Edwards Underground Water District, in *Issues in groundwater management*: Austin, Texas, University of Texas, Center for Research in Water Resources, Water Resources Symposium Twelve, p. 237-241.
- Kennedy, K., 1999, What's so special about the Edwards aquifer?: *American Water Resources Association Technical Publication Series (TPS)*, v. 99-4, p. 115-118, 1999. [Also in *Proceedings AWWRA 1999 Annual Resource Conference, Watershed Management to protect declining species*, Seattle, WA (USA), December 5-9, 1999].
- Keplinger, K.O., 1998, The 1997 irrigation suspension program for the Edwards Aquifer: evaluation and alternatives: College Station, Texas, Texas Water Resources Institute, Technical Report, no. 178.
- Keplinger, K.O., McCarl, B.A., Chowdhury, M.E., and Lacewell, R.D., 1998, Economic and hydrologic implications of suspending irrigation in dry years: *Journal of Agricultural and Resource Economics*, v. 23, no 1, p. 191-205.
- Krier, Senator Cyndi Taylor, and Smith, Representative Terral, Co-chairs, 1992, Special committee on the Edwards Aquifer: Committee Report to the 72<sup>nd</sup> Legislature, Texas.
- Krishna, A.H., 2002, Desalination - A status report of Texas H<sub>2</sub>O: *American Water Works Association-Texas Section*, p. 10-12.
- Lamb, B.L., and Lovrich, N.P., 1987, Strategic use of technical information in urban instream flow plans: *Journal of Water Resources Planning and Management*, v. 113, no. 1, p. 42-52.

- Lehr, J.H., 1989, Stop: Robbery in progress: Ground Water, vol. 27, no. 2, p. 138-142.
- Lilys, T., Guvanasen, V., Panday, S., and Johnson, S., 2005, MODFLOW well pumping management module user interface for Windows, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 289-291.
- Longley, G., and Jordan, W.R., 1997, Management of the Edwards Aquifer Region: How the Endangered Species Act influenced action: San Marcos, Texas, Southwest Texas State University, Water Resources Update / Winter 1997, v. 106, p. 53-61. [Also published in Southwest Texas State University, Report # R2-83, 108 p.]
- Longley, G., and Maler, J., 1990, San Marcos River management plan-preliminary report, phase 1: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, Report R2-90, 56 p.
- Lowry, T. S., Pierce, S. A., Tidwell, V. C., Dulay, M., Sharp, J. M., Jr, and Gold, A., 2005, Integration of spatially aggregated physical process models within a systems dynamics framework to assist the policy development and decision support process, *from* 2005 Annual Meeting of the Geological Society of America, Salt Lake City, UT, USA, October 16-19, *in* Geological Society of America Abstracts with Programs, v. 37, no. 7, p. 29.
- Lyndon B. Johnson School of Public Affairs, 1971, Water-Resource Development & Management in the Edwards Aquifer Region, A report by the Water Resources Research Seminar, Lyndon B. Johnson School of Public Affairs: Austin, Texas, The University of Texas, 63 L. Illus.
- Mace, R.E., and Mullican, W.F., III, 2002, Groundwater supplies and availability in Texas: Results from the 2002 State Water Plan, *from* SEPM 52<sup>nd</sup> Annual Convention of the GCAGS/Gulf Coast Section, Austin, Texas, October 30 – November 1, 2002.
- Mace, R.E., and Mullican, W.F., III, 2000, The past, present, and future of ground water availability modeling in Texas, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. 35-36
- Mace, R.E., and Votteler, T.H., 2002, The Edwards Aquifer: water, policy, and science in transition, *from* *Proceedings of the Symposium on Karst Frontiers: Florida and related environments*, Gainesville, FL, March 6-10, 2002, *in* Karst Waters Institute Special Publication, v. 7, p. 153-156.
- Martinez, P.R., and Fox, T.P., 1995, Micro and Macro Mechanics of Water Resources, *from* San Antonio Water System, San Antonio, Texas, *in* Proceedings of Conservation 96: Responsible Water Stewardship, Orlando, Florida, January 04-08, 1996, AWWA, p. 435-439.

- Masch, F.D., and Hammond, W.W., Jr., 1993, The role of Edwards Aquifer models and data bases in decision support, *from* Texas sections joint spring meeting and Texas hydrology roundup, Austin, Texas, USA, April 16, 1993, *in* Jennings, Marshall E., Proceedings: Texas sections joint spring meeting and Texas hydrology roundup, American Institute of Hydrology, 13 p.
- Mathewson, C.C., and Morris, L.E., 1996, The cave - the aquifer - the developer, *from* 28<sup>th</sup> Annual Meeting of the Geological Society of America, Denver, Colorado, USA, October 28-31, 1996, *in* Geological Society of America Abstracts with Programs, v. 28, no. 7, p. 261.
- Mays, L.W., Wanakule, N., and Lasdon, L.S., 1985, Large-scale optimization models for groundwater management, *in* Issues in groundwater management: Austin, Texas, University of Texas, Center for Research in Water Resources, Water Resources Symposium Twelve, p. 309-329.
- McCarl, B.A., 1993, Economic and hydrologic implications of proposed Edwards Aquifer management plans: College Station, Texas, Texas A&M University, Texas Water Resources Institute Technical Report 157, 30 p.
- McCarl, B.A., Dillon, C.R., Keplinger, K.O., and Williams, R.L., 1999, Limiting pumping from the Edwards Aquifer: An economic investigation of proposals, water markets, and springflow guarantees: Water Resources Research, 1999, v. 35, no. 4, p. 1,257-1,268.
- McCarl, B., Jones, L., Jordan, W., Williams, R.L., and Dillon, C., 1993, Economic and Hydrologic Implications of Proposed Edwards Aquifer Management Plans, *from* Department of Agriculture Economy, Texas A & M University, College Station, Texas, Texas Water Resources Institute, v. 158, 30 p. [Also in *New Waves*, v. 6, no. 3, p. 4.]
- McKinney, D.C., and Watkins, D.W., Jr., 1993, Management of the Edwards Aquifer - a critical assessment: Austin, Texas, University of Texas, Center for Research in Water Resources Technical Report CRWR 244, 94 p.
- McKinney, D.C., and Watkins, D.W., Jr., 1993, Groundwater management in Texas: The Edwards Aquifer, *from* the 29<sup>th</sup> Annual American Water Resources Association Conference, Tucson, Arizona, August, 1993, *in* Technical Publication Series (TPS), v. 93-3, p. 378.
- McKinney, D.C., Lindner, P. Ray, K., Aaron, K., and Zichuan, L.Y., 1995, Edwards Aquifer Emergency Withdrawal Reduction Plan: A Modeling Analysis, *from* Proceedings of the International Symposium on Groundwater Management, San Antonio, Texas, USA, August 14-16, 1995, *in* International Symposium on Groundwater Management - Proceedings 1995, ASCE, New York, NY, USA, p. 65-70.
- McLean, B.J., 1924, The romance of San Antonio's water supply and distribution: San Antonio Printing Company. (Also 1927 Supplement).
- MacNaughton, A.L., and Folk-Williams, J., 2003 Engaging Stakeholders for Sustainable Water Resource Solutions: *Natural Resources & Environment*, v. 18, no. 2, p. 36-40.

- McReynolds, M., 1985, Regulation and development of the northern Edwards Aquifer, in Woodruff, C.M., Jr., Snyder, F.R., De La Garza, L., and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 71-86. Descriptors: Georgetown, Round Rock, Cedar Park, Leander, Austin.
- McReynolds, M., and Slade, R.M., Jr., 1986, A case study of aquifer contamination and development of a ground-water management program: Water Pollution Control Federation Special Report, 14 p.
- Merrifield, J., 2000, Groundwater Resources: The Transition from Capture to Allocation: Policy Studies Review, Spring 2000, v. 17, no. 1, p. 105-124
- Meyer, J.E., and Montgomery, V.K., 1993, Edwards Aquifer groundwater protection program Central Texas Region, Travis County, Texas, Texas Water Commission, WHP 93-234, v. ii, 29 p.
- Miles, M.C.C., 1997, Water Wars: A Discussion of the Edwards Aquifer Water Crisis: South Carolina Environmental Law Journal, v. 6, no. 2, p. 213.
- Montgomery, V.K., and Meyer, J.E., 1993, Edwards Aquifer groundwater protection program Central Texas Region: report prepared for Creedmoor-Maha Water Supply corporation, public water supply system 2270008, Travis County, Texas: Texas Water Commission, WHP 93-167, v. 1, [variously paged].
- Montgomery, V.K., and Meyer, J.E., 1993, Edwards Aquifer groundwater protection program Central Texas Region: report prepared for City of Pflugerville, public water supply system 2270014, Travis County: Texas, Texas Water Commission, WHP 93-168, v. 1, [variously paged].
- Montgomery, V.K., and Meyer, J.E., 1993, Edwards Aquifer groundwater protection program Central Texas Region: report prepared for Ridgewood Village Water System, public water supply system 2270015, Travis County, Texas: Texas Water Commission, WHP 93-169, v. 1, [variously paged].
- Montgomery, V.K., and Meyer, J.E., 1993, Edwards Aquifer groundwater protection program Central Texas Region: report prepared for City of Sunset Valley, public water supply system 2270004, Travis County: Texas, Texas Water Commission, WHP 93-166, v. 1, [variously paged].
- Montgomery, V.K., and Meyer, J.E., 1993, Edwards Aquifer groundwater protection program Central Texas Region: report prepared for Village of San Leanna, public water supply system 2270017, Travis County, Texas: Texas Water Commission, WHP 93-170 v. 1, [variously paged].

- Moore, J.G., Jr., 1994, Emergency withdrawal reduction plan for the Edwards Aquifer: Dallas, Texas, August 1, 1994.
- Moore, J.G., Jr., 1995, Federal Court efforts to resolve the Edwards aquifer controversy, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Moore, J.G., Jr., and Votteler, T., 2004, Management of the Edwards Aquifer; A work in progress?, *in* Edwards Water Resources in Central Texas: Retrospective and Prospective, South Texas Geological Society and Austin Geological Society Symposium, San Antonio, Texas, May 21-22, 2004, 34 p.
- Musick, S.P., 1985, Edwards Aquifer protection rules, Williamson County, *in* Woodruff, C.M., Jr., Snyder, F.R., De La Garza, L., and Slade, R.M., Jr., eds., Edwards Aquifer-northern segment, Travis, Williamson, and Bell Counties, Texas: Austin Geological Society Guidebook 8, p. 61-63. Descriptors: ground-water availability, economic geology, sinkholes, springs, water-pollution control, Round Rock, drinking water, ground-water level, ground-water recharge, discharge, wastewater, landfills.
- Nevola, R., 1988, The State of Texas owns the waters in the Edwards Aquifer in trust for the benefit of the public, *in* The Edwards Aquifer-underground river of Texas: Seguin, Texas, Guadalupe-Blanco River Authority, p. 33-44.
- Nevola, R., 1995, State and federal water law affecting the Edwards aquifer, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Nordstrom, P.L., and Matthews, Jr., R.C., 1992, Critical groundwater sites and their effect on spring systems, *in* Proceedings of the Texas Academy of Science 95<sup>th</sup> Annual Meeting, Midwestern State University, p. 75-80.
- Norton, S., 1994, Water's for fighting : the Edwards Aquifer dilemma: Austin, Texas, Lyndon B. Johnson School of Public Affairs, University of Texas, LBJ School of Public Affairs Working Papers No. 80, 34 p.
- Ogden, A.E., 1986, Recharge enhancement structures- a means for meeting future Edwards Aquifer water demands: National Water Well Association Focus Conference on Southwestern Ground Water Issues, Proceedings, p. 553-564.
- Olenick, K.L, Connor, J.R, Wilkins, R.N, Kreuter, U.P, Hamilton, W.T, 2004, Economic implications of brush treatments to improve water yield, *Journal of Range Management*, v. 57, no. 4, p. 337-345.

- Pabalan, R.T., Daruwalla, D.D., and Green, R.T., 2003, Preliminary feasibility assessment of Edwards Aquifer saline water treatment and use: Report prepared for the Edwards Aquifer Authority by the Center for Nuclear Waste Regulatory Analyses, Southwest Research Institute, 54 p.
- Pena, J.G., and Jenson, R., 1992, Irrigation water use conservation potential and the economic implications of adopting more efficient irrigation technology: the case in the Uvalde County: College Station, Texas, Department of Agriculture Economics, Texas A&M University, 8 p.
- Pendleton, S., 1995, Texas town tries to cap free-flowing water use: *Christian Science Monitor*, v. 87, iss. 237, p. 3.
- Pierce, S.A., Sharp, J.M., Jr., Lowry, T.S., and Tidwell, V.C., 2005, Decision support theory and sustainable management of the karstic Edwards Aquifer, *from 2005 Annual Meeting of the Geological Society of America, Salt Lake City, UT, USA, October 16-19, in Geological Society of America Abstracts with Programs*, v. 37, no. 7, p. 32.
- Potter, A., 1912, A report upon and an appraisalment of the water-supply system of the City of San Antonio, Texas: San Antonio, Texas, Consulting Engineers report to the City of San Antonio.
- Pressley, R., 1991, Alternative legal basis for managing the Edwards Aquifer: *State Bar of Texas, Environmental Law Journal*, v. 22.
- Reese, C.E., 1985, Role of user charges in groundwater conservation-the case of the Edwards Aquifer: 239 p. [Available from National Technical Information Service, Springfield, Virginia, 22161 as NTIS report PB86-246709.] Descriptors: ground-water pollution, water-resources development, Austin-San Antonio corridor, water demand.
- Ritsema, D., and Leonard, R.D., and Masch, F.D., 1995, Conjunctive use model for the management of surface water and ground water resources in the Edwards aquifer region, *in 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.*
- Robbins, E., 2003, Winning the Water Wars: *Planning*, v. 69, no. 6, p. 28-33.
- Rolf, E.G., 2000, Water crisis; water solutions: *Bulletin of the South Texas Geological Society*, v. 40, no. 5, p. 8-11.
- Rose, P.R., 1986, The Edwards Aquifer and the All-American pipeline: *Bulletin of the South Texas Geological Survey*, v. 27, no. 1, p. 9.
- San Marcos Chamber of Commerce, 1985, Economic profile – 1985: San Marcos Chamber of Commerce, San Marcos, Texas.



- Scanlon, B.R., Mace, R.E., Smith, B., Havorka, S.D., Dutton, A.R., and Reedy, R., 2000, Predictions of groundwater levels and springflow in response to future pumpage and potential future droughts in the Barton Springs segment of the Edwards aquifer: Austin, Texas, University of Texas Bureau of Economic Geology, contract report prepared for the Lower Colorado River Authority, Contract No. UTA99-0196, 42 p.
- Scanlon, B.R., Mace, R.E., Barrett, M.E., and Smith, B., 2003, Can we simulate regional groundwater flow in a karst system using equivalent porous media models? – Case study Barton Springs Edwards Aquifer, USA: *Journal of Hydrology*, v. 276, p. 137–158.
- Scanlon, B.R., Mace, R.E., Dutton, A.R., and Reedy, R., 2001, A groundwater flow model of the Barton Springs segment of the Edwards Aquifer: Austin, Texas, University of Texas Bureau of Economic Geology, contract report prepared for the Lower Colorado River Authority, 91 p.
- Scanlon, B. R., Mace, R. E., Smith, B., Hovorka, S., Dutton, A. R., and Reedy, R., 2002, Groundwater availability in the Barton Springs segment of the Edwards aquifer, Texas: numerical simulation through 2050: Austin, Texas, University of Texas Bureau of Economic Geology Open File Report, 99 p.  
[http://www.beg.utexas.edu/vironqly/vadose/pdfs/webbio\\_pdfs/BartonSpringsFinalReportFeb2002.pdf](http://www.beg.utexas.edu/vironqly/vadose/pdfs/webbio_pdfs/BartonSpringsFinalReportFeb2002.pdf)
- Schaible, G.D., McCarl, B.A., and Lacewell Ronald, 1997, Edwards Aquifer water resource conflict: Examining impacts of USDA programs: *Journal of Agricultural and Resource Economics*, v. 22, no. 2, p. 389-389.
- Schindel, G.M., Worthington, S.R.H., Davies, G.J., Gareth, J., Alexander, E.C., and Johnson, S.B., 2003, Quantitative tracers as contaminant surrogates – An important tool for planning and managing source water protection areas, *from* 2003 Annual Meeting of the Geological Society of America, Seattle, WA, USA, November 2-5, 2003, in *Geological Society of America Abstracts with Programs*, v. 34, no. 7, p. 281.
- Schwartz, M., and Mays, L.W., 1983, Models for water reuse and wastewater planning: *Journal of Environmental Engineering*, v. 109, no. 5, p. 1,128-1,147. Descriptors: optimum development plans, cost analysis, water treatment facilities, San Antonio area.
- Sharp, J.M., Jr., 1998, Sustainable groundwater supplies- an evolving issue: examples from major aquifers of Texas, U.S.A.: *Groundwater*, p. 1-12. [Also published as *Sustainable Solutions*, T. Weaver and C.R. Lawrence, eds., International Association of Hydrogeologists, Melbourne, 890 p.]
- Sharp, J.M., Jr., 2002, *The Edwards Aquifer: will there be water for Texas?:* Austin, Texas, University of Texas, Department of Geological Sciences, Environmental Science Institute, 1 CD-ROM.

- Shih, C.S., and Ingram, J.W., 1977, Utility analysis for the urban growth inside the recharge zones of the groundwater resources of San Antonio, Texas: San Antonio, Texas, University of Texas, Department of Environmental Studies Completion Report, 121 p. [Available from National Technical Information Service, Springfield, Virginia 22161 as PB-268 788.] Descriptors: ground-water pollution, public utilities, urbanization, ground-water recharge, model studies, decision making.
- Shih, C.S., and Ingram, J.W., 1981, Multi-attribute decision analysis for the protection of groundwater resources: *Journal of Hydrology*, v. 51, no. 1-4, p. 265-275. Descriptors: San Antonio, municipal water, water pollution prevention, urbanization, case studies.
- Shih, C.S., Ingram, J.W., and Hogenauer, D.O., 1979, Protection of groundwater resources using multiattribute decision analysis, in *International Water Resources Association Third World Congress on Water Resources: Mexico Papers-World Congress on Water Resources = Ponencias - Congreso Mundial sobre Aprovechamientos Hidraluicos*, 3 v. 5, p. 2,477-2,487.
- Sierra Club (Lone Star Chapter), 1996, Sierra Club files lawsuit to conserve Edwards water: *State Capitol Report 13 (&)*, p. 1-7.
- Smerdon, E.T., and Gronouski, J.A., 1986, Texas water management issues: Austin, Texas, University of Texas, Center for Research in Water Resources Technical Report 221, 207 p. Descriptors: legislation, Angelina River, Neches River, Brazos River, Colorado River, Guadalupe River, Blanco River, Lavaca River, Navidad River, Nueces River, Red River, Sabine River, San Antonio River, San Jacinto River, Trinity River, ground-water recharge.
- Specht, J.H., 1990, Conjunctive management of the Edwards Aquifer and connected surface streams in south central Texas, *in* *Optimizing the resources for water management*, American Society of Civil Engineers 17<sup>th</sup> Annual National Conference, April 17-21, 1990, Proceedings: Boston, Massachusetts, Boston Society of Civil Engineers Section, p. 666-669. Descriptors: Guadalupe River.
- Stanin, P.S., and Todd, D.K., 2004, Optimizing groundwater management strategies in the Edwards Aquifer: New York *from* American Society of Civil Engineers, Bridging the Gap: Meeting the World's Water and Environment Resources Challenges Conference, Conference paper, [variously paged].
- Streckfus, D.L., 1977, The successful involvement of a citizen group in an environmental controversy- the Aquifer Protection Association and the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 140 p.
- Sundar, A., and Butcher, W.S., 1975, Optimal operation of multi-reservoir water resources systems [Edwards Aquifer], *in* *Water for human needs*, Second World Congress on Water Resources, Proceedings: World Conference on Water Resources, v. 4, p. 89-95.
- Swanson, G.J., 1992, Regulating the Edwards; a question of who and when: *Water Well Journal*, v. 46, no. 6, p. 46-49.

- Teal, M., Chang-Shan, H., and Rodiek, J., 1998, Open space planning for Travis County, Austin, Texas: a collaborative design: *Landscape and Urban Planning*, v. 42, no. 2-4, p. 259-268.
- Technical Advisory Panel, 1990, Technical factors in Edwards Aquifer use and management, *in* Krier, C.T., and Smith, T., co-chairs, Special Committee on the Edwards Aquifer, Committee Report to the 72<sup>nd</sup> Legislature, Austin, Texas, 72 p.
- Templer, O.W., 1973, Water law and the hydrologic cycle-a Texas example: *Water Resources Bulletin*, v. 9, no. 2, p. 273-283. Descriptors: Nueces River Basin, Edwards Limestone, Wilcox Formation, Carrizo Sand.
- \_\_\_\_\_, 1989, Managing groundwater in Texas- the changing pace of regulation, *in* Conference on Water Laws and Management, Tampa, Florida, September 17-22, 1989, Proceedings: Bethesda, Md., American Water Resources Association, p. 4B-7-4B-16.
- \_\_\_\_\_, 1984, Groundwater management institutions in Texas, *in* Charbeneau, R.J., and Popkin, B.P., eds., Regional and state water resources planning and management: American Water Resources Association Proceedings Series 83-1, p. 43-52. Descriptors: Bell County, Kinney County, Gulf Coast aquifer, Ogallala aquifer.
- \_\_\_\_\_, 1992, Texas ground water law: changing a vulnerable legal doctrine: *Papers & Proceedings of Applied Geography Conferences*, v. 15, p. 1-9.
- Templer, O.W., 1992, Water law problems of the Edwards aquifer region, South Central Texas: Association of American Geographers 88<sup>th</sup> Annual Meeting, San Diego, California (USA), April 18-21, 1992.
- Templer, O.W., 1995, Texas' Edwards Aquifer controversy; will it never end?: Annual Meeting – Association of American Geographers, v. 1995, p. 300.
- Texas Agricultural Experiment Station, 2002, Brush management/Water yield feasibility studies for eight watersheds in Texas: Texas Agricultural Experiment Station, Texas, <http://waterhome.brc.tamus.edu/researchcenters/blackland/duglas/>.
- Texas Department of Water Resources, 1984, Water for Texas-a comprehensive plan for the future: Austin, Texas: Texas Department of Water Resources Document No. GP-4-1, 2 v.
- Texas Natural Resource Conservation Commission, 1999, Complying with the Edwards Aquifer rules: administrative guidance on best management practices/prepared by Field Operations Division, Austin, Texas: Texas Natural Resource Conservation Commission, v. 1, RG-349, [variously paged].
- Texas Water Commission, 1991, Texas surface water quality standards: Texas Water Commission, Texas Water Code, Section 26.023, Chapter 307, 136 p.

- Texas Water Commission, 1992, Agreement regarding implementation and enforcement of an interim plan for the Edwards Aquifer and a long-term water management plan: Texas Water Commission.
- Texas Water Development Board, 1990, Water for Texas - today and tomorrow: Texas Water Development Board Report GP-5-1, [variously paged].
- \_\_\_\_\_, 1992, Projections of population and water demands: Texas Water Development Board, Austin Texas, p. N/A.
- \_\_\_\_\_, 1992, Water for Texas - today and tomorrow-recommendations for the 1992 update of the Texas Water Plan: Texas Water Development Board Report GP-6-1, 104 p.
- \_\_\_\_\_, 1996, Water for Texas - today and tomorrow - a 1996 consensus-based update to the Texas Water Plan: Texas Water Development Board, Volume III - Water Use Planning Data Appendix, 40 p.
- \_\_\_\_\_, 1997, Water for Texas - a consensus-based update to the State Water Plan: Texas Water Development Board, Volume II - Technical Planning Appendix, Report No. GP-6-2, 303 p.
- \_\_\_\_\_, 2002, Water for Texas – 2002, adopted pursuant to Senate Bill 1, 75th Texas Legislature: Texas Water Development Board, Volumes I-III, Document No. GP-7-1, 156 p.
- Texas Water Development Board, 2003, A Texan’s guide to water and water rights marketing: Texas Water Development Board Report, 25 p.
- Thornhill, P., 1995, Edwards aquifer – its limitations, potential and management, *in* 1<sup>st</sup> International Conference on Water Resources Engineering and International Groundwater Management Symposium, San Antonio, Texas (USA), August 14-18, 1995.
- Tischler, L.F., 1973, Integrated surface-ground water development on a regional basis- the San Antonio, Texas, study, in Chow, V.T., ed., Water for the human environment- v. 1, Congress papers- innovative approaches for planning and management: Champaign, Ill., International Water Resources Association, p. 279-290. Descriptors: Bexar County, Edwards Limestone, Carrizo Sand, Wilcox Group, Guadalupe River, San Antonio River, Nueces River.
- Todd, D.K., 2005, Widening the perspective for groundwater management, *from* National Ground Water Association 2005 Summit, San Antonio, TX, USA, April 17-20, 2005, *in* Abstract Book of the 2005 Ground Water Summit, p. 154-155.
- Todd, D.K., and Priestaf, I., 1997, Role of conjunctive use in groundwater managemnet, Proceedings of the AWRA symposium on Conjunctive use of water resources; aquifer storage and recovery, American Water Resources Association Technical Publication Series (TPS), v. 97-2, p. 139-145.

- Tremallo, R., 2000, Edwards Aquifer Authority well construction and well registration programs, *in* Southwest Focus Ground Water Conference 2000, Austin, Texas (USA), May 17-18, 2000.
- Turk, L.J., 1974, Land use planning for San Antonio Ranch, Newtown-a new community in a carbonate terrain sensitive to water quality degradation: Geological Society of America Abstracts with Programs, v. 6, no. 7, p. 1,094-1,095. Descriptors: Bexar County, Glen Rose Formation.
- Uranga, J.N., 1975, A proposed legal water quality preservation theory and the Edwards Aquifer: San Antonio, Texas, University of Texas, M.S. thesis, 58 p.
- U.S. Department of Agriculture, 1978, Final watershed plan and environmental impact statement, Upper San Marcos River watershed, Comal and Hays counties, Texas: Temple, Texas, Soil Conservation Service, 136 p.
- U.S. Department of Agriculture Natural Resources Conservation Service, 1997, Bexar-Medina-Atascosa Counties water conservation plan and environmental impact statement (draft): Written in cooperation with: BMA-WCID No. 1, Medina Valley Soil and Water Conservation District, and Alamo Soil and Water Conservation District, EPA No. 970413F, 114 p. and maps.
- U.S. Department of Agriculture Natural Resources Conservation Service, 1997, Water Conservation Plan for Atascosa, Bexar, and Medina counties, Texas, Written in cooperation with: BMA-WCID No. 1, Medina Valley Soil and Water Conservation District, and Alamo Soil and Water Conservation District, EPA No. 970239D, 90 p. and maps.
- U.S. Department of Interior, 1972, Memorandum: San Marcos pool of Edwards Underground Aquifer: Bureau of Reclamation (Southwest region), 8 p.
- U.S. Department of Interior, 1973, Memorandum: Performance of Edwards aquifer when subjected to rapid increase in well discharge: Bureau of Reclamation (Southwest Region).
- U.S. Department of Interior, 1974, Memorandum: Performance of Edwards aquifer when subjected to rapid increase in well discharge: Bureau of Reclamation (Southwest Region).
- U.S. Environmental Protection Agency, 1975, Edwards underground reservoir-notice of determination: Federal Register, v. 40, no. 242, p. 58,344-58,345.
- U.S. Environmental Protection Agency, 1975, Review of projects affecting sole source aquifers, Edwards underground reservoir, Texas area, interim project review guidelines: Federal Register, v. 40, no. 242, p. 58, 292-58, 294, December 16, 1975.
- U.S. Environmental Protection Agency, 1988, A portion of the Austin-area Edwards Aquifer in parts of Hays and Travis Counties, Texas; sole source aquifer; final determination: Federal Register, v. 53, no. 109, p. 20,897-20,899.

- U.S. Environmental Protection Agency, 1996, Biological criteria - Technical guidance for streams and small rivers: U.S. Environmental Protection Agency, Washington D.C. EPA 822-B-96\_001.
- U.S. Environmental Protection Agency, 2003, Sole source aquifer protection program – National summary of sole source aquifer designations: accessed September 24, 2004, at URL <http://epa.gov/safewater/swp/sumssa.html>.
- U.S. Environmental Protection Agency, 2003, Sole source aquifer protection program – Designated sole source aquifers in EPA Region VI: accessed September 24, 2004, at URL <http://epa.gov/safewater/swp/ssa/reg6.html>.
- U.S. Public Health Service, 1965, Water supply and water quality control study, Edwards underground reservoir, Texas: 55 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB-218 305].
- Votteler, T.H., 2000, Water from a Stone: The limits of the sustainable development of the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, Ph.D. dissertation, 468 p.
- Votteler, T.H., 2000, State Water Law, the Endangered Species Act, private property rights, and the sustainable development movement all collide in a transboundary dispute over Texas Edwards Aquifer, *in* 2000 AGWSE Annual Meeting and Conference: Ground Water: A Transboundary, Strategic, and Geopolitical Resource, San Francisco, California (USA), December 13-14, 2000. [Also in: 2000 AGWSE Annual Meeting and Conference, Las Vegas, Nevada (USA), December 13-14, 2000].
- Votteler, T.H., 2002, Raiders of the Lost Aquifer? Or , the beginning of the end to fifty years of conflict over the Texas Edwards Aquifer: *Tulane Environmental Law Journal*, p. 257-334.
- Walthour, S.D., and Schindel, G.M., 2000, Developing a bifurcated ground water withdrawal rights permit for the Edwards Aquifer, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. 57-58.
- Wanakule, N., 1984, A model for determining optimal pumping and recharge of large-scale aquifers: Austin, Texas, University of Texas, Ph.D. dissertation, 301 p. Copyright 1984, by University Microfilms Inc., order no. AAD85-13318.
- Wanakule, N., 1987, A groundwater management model for the Barton Springs-Edwards Aquifer [abs.]: *Geological Society of America Abstracts with Programs*, v. 19, no. 3, p. 180.
- Wanakule, N., 1989, Optimal groundwater management models for the Barton Springs-Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Report R1-89, 31 p.

- Wanakule, N., 1997, Edwards Aquifer simulations using a tank model: San Marco, Texas, Southwest Texas State University, Water Resources Update/Winter 1997, v. 106, p. 80-91.
- Wanakule, N., and Anaya, R., 1993, A lumped parameter model for the Edwards Aquifer: College Station, Texas, Texas A&M University, Texas Water Resources Institute Technical Report 163, 84 p.
- Wanakule, N., and Anaya, R., 1994, Development of a simplified, easy to use Computer Simulation Model for the Edwards Aquifer, *from* The Edwards Aquifer Research and Data Center, Southwest Texas State University, San Marcos, Texas, USA, *in* New Waves, v. 7, no. 2, p. 3.
- Wanakule, N., and Mays, L.W., 1986, Optimal management of large-scale aquifers-methodology and applications: Water Resources Research, v. 22, no. 4, p. 447-465.
- Wanakule, N., Mays, L.W., and Lasdon, L.S., 1985, Development and testing of a model for determining optimal pumping and recharge of large-scale aquifers: Austin, Texas, University of Texas, Center for Research in Water Resources Technical Report 217, 137 p. [Available from National Technical Information Service, Springfield, VA 22161 as NTIS report PB86-186210].
- Watershed Protection Department, 1999, Barton Springs zone development analysis: staff presentation to the Mayor and City Council Planning, Environmental and Conservation Services Dept. Austin, Texas, 28 p.
- Watkins, D.W., Jr., 1997, Optimization techniques for the planning and management of robust water resources systems (Stochastic optimization, decision analysis): Austin, University of Texas, Ph.D. dissertation, 336 p.
- Watkins, D.W., Jr., and McKinney, D.C., 1997, Water Resources Screening Model for the Edwards Aquifer region in Texas, *from* Proceedings of the 1997 24<sup>th</sup> Annual Water Resources Planning and Management Conference, Houston, Texas, USA, *in* Aesthetics in the Constructed Environment Proceedings of the Annual Water Resources Planning and Management Conference 1997, ASCE, New York, NY, USA, p. 414-419.
- Watkins, D.W., Jr., and McKinney, D.C., 1999, Screening water supply options for the Edwards Aquifer region in central Texas: Journal of Water Resources Planning and Management, v. 125, no. 1, p. 14-24.
- Watson, J.A., 1985, Recharge investigation, Blanco River into the Edwards Aquifer, Hays County: Texas Department of Water Resources, Inter-office memorandum, 17 p.
- Weaver, M.A., Allen, E.P., and Sever, C.W., 1977, Protection provided the Edwards underground reservoir by the Safe Drinking Water Act, *in* Pojasek, R.B., ed., Drinking water quality enhancement through source protection: Ann Arbor, Mich., Ann Arbor Publishers, Inc., p. 163-177. Descriptors: Edwards County, Kinney County, Uvalde County, Medina County, Bexar County, Comal County, Hays County, Edwards Limestone, Glen Rose Formation, Edwards Plateau.

- Weinert, M.D., 1964, The Edwards Underground Water District and a water plan for Texas: South Texas Geological Society Bulletin, v. 4, no. 7, p. 12-19.
- W.E. Simpson Co., Inc., and William F. Guyton Associates, Inc., 1993, North Bexar County water resources study for the Edwards Underground Water District, Volume I -final report: San Antonio, Texas, Edwards Underground Water District, 66 p.
- Williams, R.L., 1996, Drought management and the Edwards Aquifer: An economic inquiry: College Station, Texas, Texas A & M University, Ph.D. dissertation, [variously paged].
- Williams, R.L., 1996, Economic and Hydrologic Implications of Edwards Aquifer Management Plans (Water Allocation, Natural Resources): College Station, Texas A & M University, Ph.D. dissertation, 173 p.: Dissertation Abstracts International, v. 57, no. 08-A, p. 3,606.
- Wilson, W.F., 1970, Edwards Aquifer, a study of Edwards recharge zone requirements, Alamo Area Council of Governments (AACOG) water quality planning, phase 5: San Antonio, Texas, Alamo Area Council of Governments, 25 p.
- Young, L.D., 1999, Creating public policy maker understanding of water issues through aggressive outreach: American Water Resources Association Technical Publication Series (TPS), v. 99-2, p. 153-157. [Also *in* Proceedings AWRA' 1999 Annual Resource Conference, Watershed Management to protect declining species, Seattle, WA (USA), December 5-9, 1999].

#### ► Water Use

- Albrecht, D.E., 1995, A comparison of the views of farmers and the nonfarm public regarding resource use: The case of Texas groundwater: Southern Rural Sociology, v. 11, no. 1, p. 1-15, GeoBase™ (DIALOG® File 292).
- Anonymous, 1993, Texas judge says Edwards is not underground river: Water Well Journal, v. 47, no. 1, p.7
- Banks, C.S., Banks, C.S. Jr., and W.F. Guyton, 1954, Report on San Antonio's water supply: Report presented to City Water Board, p. N/A.
- Cartwright, G., 1991, The Catfish Farm: Texas Monthly, Austin, v. 19, no. 10, p.5.
- Chase, W.C., 1957, A study of the influence of water on the growth of San Antonio, Texas: San Antonio, Texas, Trinity University, M.S. thesis, 120 p.
- Ellis, G.M., 2004, The future of the rule of capture, *in* Texas Water Development Board Conference Proceedings: 100 Years of Rule of Capture: From East to Groundwater Management, June 15, 2004, Austin, TX, TWDB Report 361, Chapter 7, 4 p.



- Fipps, G., ed., 1991, Proceedings of the South Texas Irrigation Conference, Hondo, Texas, January 15, 1991: College Station, Texas, Texas Agricultural Extension Service, 146 p.
- Fusco, S., 2003, Ambitious Water Program to Supply San Antonio's Needs: Texas Construction, v. 11, no. 3, p. 31-33.
- Glennon, R., 2002, The perils of groundwater pumping: Issues in Science and technology, v. 19, no. 1, p. 73-79.
- Harte, A., 2003, San Antonio: Restoring the Urban Oasis: American Forests, v. 109, no. 3, p. 22-7.
- Jordan, M., 1993, The Edwards Aquifer, *from* The Texas Water Commission, Water Policy Division, Austin, Texas, *in* 1993 Annual Conference Proceedings, American Water Works Association, Water Resources, San Antonio, Texas, June 06-10, 1993, p. 123-157.
- Keplinger, K.O., McCarl, B.A., Chowdhury, M.E., Lacewell, R.D., 1997, Irrigator and springflow response to a dry year option for the Edwards Aquifer, Texas: Texas A&M University, Water resources update/Winter 1997, v. 106, p. 62-71.
- Lacewell, R.D., Ellis, J.R., and Griffin, R.C., 1985, Economic implications of changing groundwater use patterns, *in* Issues in groundwater management: Austin, Texas, University of Texas, Center for Research in Water Resources, Water Resources Symposium Twelve, p. 269-296. Descriptors: Gulf Coast aquifer, Winter Garden aquifer, Edwards Aquifer.
- LaMoreaux, P.E., 2001, Introduction - springs and bottled waters of the world; ancient history, source, occurrence, quality and use: Source, p. 2-14.
- Luckens, B., 1984, Water and the Austin-San Antonio growth corridor-a midrange forecast: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center, Report R1-84, 32 p.
- Lurry, D.L., 1994, Estimated freshwater withdrawals in Texas, 1990: U.S. Geological Survey Water-Resources Investigations Report 93-4190, 2 sheets.
- Lurry, D.L., and Barber, N.L., 1990, Freshwater withdrawals in Texas, 1985: U.S. Geological Survey Water-Resources Investigations Report 89-4044, 1 sheet.
- Lurry, D.L., and Pavlicek, D.L., 1991, Withdrawals from the Edwards-Trinity aquifer system and contiguous hydraulically connected units, west-central Texas, December 1974 through March 1977: U.S. Geological Survey Water-Resources Investigations Report 91-4021, 1 sheet.
- McCarl, B.A., Jones, L.L., Lacewell, R.D., Keplinger, K., Chowdhury, M., and Yu, K., 1997, Evaluation of 'Dry-Year Option' water transfers from agricultural to urban use, Texas Water Resources Institute, Technical Report – 175.

- McNeely, J.G., and Lacewell, R.D., 1978, Water resource uses and issues in Texas: College Station, Texas, Texas Agricultural Experiment Station Report B-1189, 52 p.
- Muller, D.A., and Price, R.D., 1979, Ground-water availability in Texas-estimates and projections through 2030: Texas Department of Water Resources Report 238, 77 p.
- Parfit, M., Essick, P., 1993, Sharing the wealth of water: National Geographic, November 1993 Supplement, v. 184, iss. 5, p. 20-37.
- Petitt, B.M., Jr., 1956, Memorandum on irrigation by ground water from the Edwards and associated limestones in the San Antonio-Hondo-Uvalde area, Texas: U.S. Geological Survey Open-File Report, 9 p.
- Plummer, J., 2000, The waters of the Edwards aquifer, South Central Texas: perception and policy: University of Oregon, M.S. thesis, 95 p.
- Reinert, A., 1988, This water is my water: Texas Monthly, v. 16, iss. 11, p. 128-135.
- Reilly, J., Tubiello, F., McCarl, B., Alber, D., Darwin, R., Fuglie, K., Hollinger, S., Izaurrealde, C., Jagtap, S., Jones, J., Mearns, L., Ojima, D., Paul, E., Paustian, K., Riha, S., Rosenberg, N., and Rosenzweig, C., 2003, U.S. agriculture and climate: New results: Climatic Change, v. 57, no. 1-2, p. 43-69.
- San Antonio Water System, 2000, Water statistics, year ending December 31, 2000: System Development Department, San Antonio Water System, [variously paged].
- Schaible, G.D., 1996, Summary/interpretation: Three county irrigation survey of irrigators in the Edwards Aquifer area *in* Biological Evaluation of USDS Farmer Assistance and Rural Development Programs Implemented in Bexar, Medina, and Uvalde counties, Texas *on* Threatened and Endangered Aquatic Species, Appendix II: Natural Resources Conservation Services, U.S. Department of Agriculture, Temple, Texas, [variously paged].
- Schaible, G.D., McCarl, B.A., and Lacewell, R., 1999, Water Policy, economics, and system analysis – The Edwards Aquifer water resource conflict: U.S. Department of Agriculture farm program resource – use incentives?: Water Resources Research, v. 35, no. 10, p. 3,171-3,183.
- Taylor, T.U., 1904, The water powers of Texas: U.S. Geological Survey Water Supply and Irrigation Paper 105, 116 p.
- Texas Center for Policy Studies, 2002, Community and economic benefits of Texas rivers, springs and bays *from* Conference Proceeding of Lady Bird Johnson Wildflower Center, Austin, Texas, [variously paged].
- Texas Monthly, 1997, The war for the Colorado (Colorado River water rights in central Texas), Texas Monthly, v. 25, no. 5, p. 98-110.

Zhou, W., 2001, Extracting methods for spring waters – Springs and bottled waters of the world; ancient history, source, occurrence, quality and use: Source, p. 74-85.

## **Land Use**

Anderson, J.R., 1970, Major land uses: *in* The national atlas of the United States: U.S. Geological Survey, pls. Washington, D.C., p. 158-159.

Burka, P., 1994, Tap dance (San Antonio reconsiders Applewhite Reservoir): Texas Monthly, v. 22, no. 8, p. 164.

Dues, H.J., 2002, Creating a green infrastructure plan for the Barton Springs/Edwards Aquifer recharge and contributing zones: Austin, Texas, University of Texas, M.S. thesis, 99 p.

Goodman, R.E., 1994, A framework for estimating the effectiveness of development controls on the protection of Barton Springs: Austin, Texas, University of Texas, M.S. thesis in C.R.P., 184 p.

Johns, D.A.; McClintock, N.L., 2000, Land acquisition for water quality protection, *in* Southwest Focus Ground Water Conference 2000; Regional Water Planning, Senate Bill 1, Water Quality Issues Associated with Drinking Water, Austin, TX, (USA), May 17-18, 2000, p. 18.

Miller, C., 2001, On the border: an environmental history of San Antonio: University of Pittsburgh Press, Pittsburgh, PA, 291 p.

Raymond, L.H., and McFarlane, S.I., 1993, Estimation of irrigation pumpage using Landsat Thematic Mapper data in south central Texas, *in* American Water Resources Association, Texas Section fall meeting, Man's Effect on Hydrologic Systems, Austin, Texas, December 10, 1993, Proceedings: American Water Resources Association, p. 56-59.

Raymond, L.H., and McFarlane, S.I., 1994, Use of Landsat thematic mapper data to identify crop types and estimate irrigated acreage, Uvalde and Medina Counties, Texas, 1991: U.S. Geological Survey, Earth Science Information Center, Water-Resources Investigations Report 93-4233, 19 p.

Shortle, J. S., and Griffin, R. C., 2001, Irrigated agriculture and the environment, *in* Elgar Reference Collection, Management of Water Resources, v. 1., p. N/A.

Stone, D., and Schindel, G.M., 2002, The application of GIS in support of land acquisition for the protection of sensitive groundwater recharge properties in the Edwards Aquifer of south-central Texas: Cave and Karst GIS, edited by L.D. Hose and J.A. Pizarowicz, Journal of Cave and Karst Studies, v. 64, no. 1, p. 38-44.

Texas Industry Environmental Alert, 1993, Subtitle D Landfill Rules, TWC proposes repeal of existing municipal solid waste regulations in favor of proposed new rules, March 23, 1993, p. N/A.

Zamarripa, D.M., 2002, The effects of urban development on recharge of the Edwards Aquifer in San Antonio, Bexar County, Texas: San Marcos, Texas, Southwest Texas University, M.A.G. thesis, 70 p.

Zolfo, S., 1996, A wilder San Antonio (residential landscaping with indigenous wild plants): Audubon, v. 98, no. 4, p. 99-101.

## **Recreation**

Ball, J., Brown, W., and Kuehne, R., 1952, Landa Park is renovated: Texas Game and Fish, v. 10, p. 8-10.

Berryhill, M., 1996, Birdie in the bottomlands (Golf course will destroy Columbia Bottomlands on the Texas coast): Audubon, v. 98, no. 4, p. 96-99.

Bradsby, D.D., 1994, A recreational use survey of the San Marcos River: San Marcos, Texas, Southwest Texas State University, M.S. thesis, 82 p.

Coffey, G., 1992, Competition in market may heat up but Schlitterbahn GM keeps his cool: Amusement Business, November 16-22, 1992, p. 39. Copyright 1992, by Predicasts, PTS Prompt.

Federal Register, 1994, Coastal Barrier Improvement Act; Property Availability; Royal Palm Golf Estates, Collier County, FL; Summit Hill One, Bexar County, Texas, 59 FR 13348, Monday, March 21, 1994, V. 59, No. 054, (DIALOG® File 669).

Luckens, B., and Ferguson, D.V., 1984, Recreation and natural areas guide-Austin subregion of the Edwards Aquifer: San Marcos, Texas, Southwest Texas State University, Edwards Aquifer Research and Data Center Guide G1-84, 24 p. Descriptors: Bell County, Blanco County, Burnet County, Hays County, Lampasas County, Travis County, Williamson County.

Nichols, K.N., and Goldbloom, A.P., 1989, Texans Outdoors: an analysis of 1985 participation in outdoor recreation activities: Comprehensive Planning Branch, Parks Division Texas Parks and Wildlife Department, Austin, Texas, p.N/A.

Patoski, J.N., 1997, Pig out: Aquarena Springs has dropped its pink, porky mascot? - Oinks for the memories: Texas Monthly, v. 25, no. 8, p. 33.

Rickey, G., 1993, Fiesta Texas-Spirit of San Antonio: Tour & Travel News, February 22, 1993, p. T10.

Selcraig, B., 1998, Austin Springs Eternal - visiting Barton Springs pool in Austin, Texas: Sierra, v. 83, p. 30.

Steinbach, D.W., 1988, Economics and operational characteristics of recreational leasing in the Edwards Plateau and Rio Grande plains of Texas: College Station, Texas, Texas A&M University, Ph.D. dissertation, 113 p. Copyright 1988, by University Microfilms Inc., order no. AAD89-03409.

Sullivan, R., 1991, ENVIRONMENT: The citizens of Austin, Texas, consider Barton Springs a civic jewel: Sports Illustrated, 08-19-1991, p. 8.

Texas A&M University, 1975, San Marcos River: a water-based recreation and landscape plan: Department of Landscape Architecture, College Station, Texas, p. N/A.

Texas Industry Environmental Alert, 1992, Austin, San Antonio draw industries through educated labor and prime locations: Plants Sites & Parks, October, p. 221. Copyright 1992, by Predicasts, PTS Promt.

Texas Parks and Wildlife Department, 1990, Floating Texas waterways: Texas Parks and Wildlife Department, p. WD-BK-9200-39-10/90.

Texas Water Development Board, 1995, Open file reports - Edwards Aquifer use: Water Use Unit, Texas Water Development Board, Austin, Texas, p. N/A.

Thomas, L., 1992, San Antonio's new fiesta: Southern Living, v. 27, no. 3, p. 46.

Veni, G., 2000, San Pedro Park Springs; forgotten springs of the Edwards Aquifer; Geo, v. 27, no. 1-3, p. 20-24.

## **Remote Sensing**

Cox, S.C., ed., 1982, The Multispectral Imaging Science Working Groups, Final Report: National Aeronautics and Space Administration Conference Publication 2260.

Kresic, N., Busbey, A.B., and Morgan, K.M., 1994, Remote Sensing and Neotectonic Analyses of Possible Groundwater flow paths in Karst, *from 2<sup>nd</sup> International Conference on Ground water Ecology, Atlanta, GA, USA, March 27-30, 1994, in* Stanford, J.A., and Valett, H.M., (eds.), Proceedings of the Second International Conference on Ground water Ecology, American Water Resources Association, p. 289-298.

Palmer, E.C., Neck, R.W., and Caran, S.C., 1984, Remote sensing and the Texas Hill Country environment, San Antonio and vicinity: American Society of Photogrammetry Fall Convention, p. N/A.

Raymond, L.H., Nalley, G.M., and Rettman, P.L., 1992, Evaluation of the use of remote-sensing data to identify crop types and estimate irrigated acreage, Uvalde and Medina Counties, Texas, 1989: U.S. Geological Survey Water-Resources Investigations Report 92-4117, 21 p.

U.S. Geological Survey, 2002, Edwards Aquifer Online Resources, <http://tx.usgs.gov/aquifer/edwards.html>.

## **Soils**

Batte, C.D., and Texas Agricultural Experiment Station, 1984, Soil survey of Comal and Hays Counties, Texas: United States Soil Conservation Service, vii, no. 1, 136 p.

Craine, T.A., and Lyman, W.S., 1904, Soil survey of the San Antonio area, Texas: Washington, D.C., U.S. Government Printing Office, p. 447-473.

Dittmar, G.W., Deike, M.L., and Richmond, D.L., 1977, Soil survey of Medina County, Texas: U.S. Soil Conservation Service, 92 p.

Huckabee, J.W., Jr., Thompson, D.R., Wyrick, J.C., and Pavlat, E.G., 1977, Soil survey of Bell County, Texas: U.S. Soil Conservation Service, 75 p.

Irish, L.B., Jr., Malina, J.F., Jr., Charbeneau, R.J., and Ward, G.H., 1995, A solid loading model for an urban highway: Proceedings of the 1995 First International Conference on Water Resources Engineering, p. 1316-1320.

Lowther, A.C., 1972, Soil Handbook for soil survey of the City of San Marcos, Texas: Temple, Texas, U.S. Soil Conservation Service, 66 p.

Newman, A.L., 1967, Soil survey of Kinney County, Texas: U.S. Soil Conservation Service, 60 p.

Stevens, J.W., and Richmond, D.L., 1970, Soil survey of Uvalde County, Texas: U.S. Soil Conservation Service, 101 p.

Taylor, F.B., 1966, Soil survey of Bexar County, Texas: U.S. Soil Conservation Service, 126 p., 88 sheets.

Uliana, M., 2005, Influence of desiccation fractures in high-smectite Clay soils on groundwater infiltration rates, *from 39<sup>th</sup> Annual Meeting of the Geological Society of America, South-central section, San Antonio, TX, USA, April 1-2, 2005, in Geological Society of America Abstracts with Programs, v. 37, no. 3, p. 36.*

U.S. Department of Agriculture, 1972, Soil survey of the City of San Marcos Texas: Temple, Texas, Soil Conservation Service, 66 p.

U.S. Department of Agriculture, 1984, Soil survey of Comal and Hays counties, Texas: Temple, Texas, Soil Conservation Service, 136 p.

U.S. Soil Conservation Service, 1977, Soil survey of Guadalupe County, Texas: U.S. Soil Conservation Service, 80 p.

U.S. Soil Conservation Service, 1980, Soil survey of Atascosa County, Texas: U.S. Soil Conservation Service, 131 p.

U.S. Soil Conservation Service, 1984, Soil survey of Comal and Hays Counties, Texas: U.S. Soil Conservation Service, 136 p.

## **Miscellaneous**

Albanese, E., 2002, Texas: Water Chieftains: Bond Buyer, v. 339, no. 31327, p. 51.

Aleshire, W., 2001, The Texas Attorney General: Attorney or general?: The Review of Litigation, v. 20, iss. 1, p. 187-231. Copyright 2001, University of Texas, School of Law Publications, Inc.

Alley, W.M., Reilly, T.E., and Franke, O.L., 1999, Sustainability of Ground-water Resources: U.S. Geological Survey Circular 1186, 79 p.

American Water Works Association, 1998, San Marcos, Texas turns to conjunctive use to preserve valuable Edwards Aquifer: Annual conference, June 1998, Dallas, Texas: American Water Works Association, Volume B. p. 71-84.

Anonymous, (no date), Drinking Water: Projects that may damage sole source aquifers are not always identified: GAO, Washington, DC, 22 p.

Baxter, T., 1996, Ecoregion roundup (activities of local Sierra Club chapters): Sierra, v. 81, no. 6, p. 64.

Belock, D., 2002, Water System standardizes on Clamp-On Ultrasonic Flowmeters- Influence of the regulation imposed by the Edwards Aquifer Authority: WaterWorld; v. 18, no. 5, p. 58-61.

Charbeneau, R.J., and Barrett, M.E., 1998, Evaluation of methods for estimating stormwater pollutant loads: Water Resources Research, v. 71, no. 7, p. 1,295-1,305

Clark, A.K., 2003 Geologic framework and hydrogeologic features of the Glen Rose Limestone, Camp Bullis Training Site, Bexar County, Texas: U.S. Geological Survey Water Resources Investigations 03-4081, 9 p.

Countryman, C., 1995, Bottleneck: Texas Monthly (ITXM), v. 23, no. 8, p. 56-58.

- Donahue, J.M., and Johnston, B.R., 1998, *Water, culture, and power: local struggles in a global context*: Washington, D.C., Island Press, 464 p.
- East, J.W., 2001, Discharge between San Antonio Bay and Aransas Bay, southern Gulf Coast, Texas, May-September 1999: U. S. Geological Survey, Houston, Texas, Fact Sheet FS 082-01, p. 6.
- Eckhardt, G.A., 2001, The Edwards Aquifer, <http://www.edwardsaquifer.net/>.
- Edwards Aquifer Authority, 2002, Edwards Aquifer Authority, <http://www.edwardsaquifer.org>.
- Edwards Underground Water District, 199?, Suggested design and construction of Edwards Aquifer wells: San Antonio, Texas, Edwards Underground Water District, 16 p.
- Environment (GENV), 1996, Added bonus, v. 38, no. 3, p. 24.
- Ford, G.D., 2000, Jump right in at Barton Springs: *Southern Living*, Birmingham, v. 35, no. 8, p. 34.
- Greater Edwards Aquifer Alliance, 2004, *The Edwards Aquifer: the hidden heart of Texas map*: San Antonio, Texas, Greater Edwards Aquifer Alliance, ©2004.
- Green, R.T., 2003, Geophysical survey to determine the depth and lateral extent of the Leona Aquifer in the Leona River floodplain, south of Uvalde, Texas: Report prepared for the Edwards Aquifer Authority by the Center for Nuclear Waste Regulatory Analyses, Southwest Research Institute, 21 p.
- Green, R.T., Franklin, N., and Prykryl, J., 2004, Constraining conceptual models of groundwater flow using the results from an electrical resistivity survey, *Proceedings from the Symposium on the Application of Geophysics to Engineering and Environmental Problems*, Environmental and Engineering Society, Colorado Springs, CO, February 22-26, 2004, p. 1280-1295.
- Hopkins, J., 1997, Deluged (value of urban trees): *American Forests*, v. 103, no. 1, p. 24-28.
- Illgner, R., 1993, The Edwards Aquifer: political prisoner, *from Association of American Geographers, 89<sup>th</sup> Annual Meeting, Atlanta, GA, USA, April 06-10, 1993, in Wilbanks, Thomas J., Abstracts, Annual Meeting - Association of American Geographers*, v. 89, p. 110.
- Kaspar, M.A., 2001, Head of Barton district resigns (Stovy Bowlin, Barton Springs/Edwards Aquifer Conservation District): *Austin Business Journal*, November 30, 2001, v. 21, no. 37, p. 3 (2)
- Kaspar, M.A., 2004, Lawmakers seek water study: *Austin Business Journal*, March 24, 2004, v. 24, no. 1, p. 1.



- Kinney, A.S., 1995, Opinions, knowledge, and satisfaction of Texas residents affected by Edwards Aquifer issues: Implications for education and government: Water for Texas, p. 341-350, *in* Texas Water Resources Institute Conference, January 24, 1995, Austin, Texas.
- Leethy, A.M., 1988, The Edwards Aquifer: Crisis or cooperation?: San Marcos, Texas, Southwest Texas State University, Presented to the Honors Committee of Southwest Texas State University in partial fulfillment of the requirements for graduation in the Honors Program, v. 9, [variously paged].
- Morris, S., 1993, Babbitt leaves anxious interior– on official trip to the border: Inside Energy with Federal Lands, June 14, 1993, p. 14.
- Naismith Engineering, 2000, Report of the effectiveness of the Edwards Aquifer Authority: Austin, Texas, Report prepared for the South Central Texas Water Advisory Committee, 1 v., [variously paged].
- Nixon, W., 1997, Basic extinct, Mother Jones (GMOJ), v. 22, no. 1, p. 44-45.
- Pope, S.R., 1996, Regional cooperative strategy for groundwater conservation of the Edwards-Trinity Aquifer, Stockton Plateau and Edwards Plateau Region, West-Central Texas: Austin, Texas, University of Texas, M.S. thesis, 187 p.
- Patterson, C., 2002, J-17 well has its highs and lows: Bulletin of the South Texas Geological Society, v. 43, no. 4, p. 24.
- Pierce, H., Lambert, R.B., Elliot, G., and Ingerov, A., 2003, Audio-magnetotelluric and magnetotelluric studies of the Edwards Aquifer, Texas *from* Proceedings of the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, San Antonio, Texas, April 6-10, 2003, v. 2003, p. 385-392.
- Ralston, J., 1994, Austin: City at the limit (population growth in Austin, Texas), (issues for the September 1994 U.N. International Conference on Population and Development, Cairo, Egypt), Audubon, v. 96, no. 4, p. 60-61.
- Robbins, E., 1998, Waste Not- Conservation and competition in the New West's Water War: E Magazine, v.9, p. 28-36.
- Russell, J.J., 1997, Alamo doomed, Texas Monthly (ITXM), v. 25, no. 4, p. 18-20.
- Saunders, H., 1995, Austin, Texas: Eco-location map, Scale (1:79,200), published by Hill Country Foundation, Austin. Descriptors: Edwards Aquifer zone, endangered species habitat, preferred growth corridor, watershed in the Austin area, SOS area in the Barton Springs zone, Edwards Aquifer zones, Barton Springs segment of the Edwards Aquifer.
- Shih, C.S., and Bernard, H., 1988, An expert system for hazardous waste site cleanup: Part 1: Hazardous Materials Control, vol. 1, no. , p. 19-28.

- Smith, B.D., Smith, D.V., Paine, J.G., and Abraham, J.D., 2005, Airborne, and ground electrical surveys of the Edwards and Trinity Aquifers, Medina, Uvalde, and Bexar Counties, Texas, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U. S. Geological Survey Scientific Investigations Report 05-5160, p. 43.
- Smith, D.V., 2003, Detailed airborne magnetic survey of the Central Edwards Aquifer, Texas *from* Proceedings the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, San Antonio, Texas, April 6-10, 2003.
- Smith, D.V., 2003, Ground gravity, magnetic, and resistivity surveys in the region of the Central Edwards Aquifer, Texas *from* Proceedings the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, San Antonio, Texas, April 6-10, 2003.
- Smith, D.V., and Pratt, D., 2003, Advanced Processing and interpretation of the High Resolution Aeromagnetic Survey Data over the Central Edwards Aquifer, Texas *from* Proceedings the Symposium on the Application of Geophysics to Engineering and Environmental Problems, Environmental and Engineering Society, San Antonio, Texas, April 6-10, 2003, v. 2003, p. 374-384.
- Smith, D.V., Foss, C., and Smith B.D., Magnetic geophysical applications reveal igneous rocks and Geologic structures in the Edwards Aquifer, Texas, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U.S. geological Survey Scientific Investigations Report 05-5160, p. 44.
- Smith, D.V., Gamey, J.T., and Hodges, G., 2005, Review of airborne electromagnetic geophysical surveys over karst terrains, *from* U. S. Geological Survey Karst Interest Group Proceedings, Rapid City, SD, United States, September 12-15, 2005: U.S. Geological Survey Scientific Investigations Report 05-5160, p.17-19.
- Smith, H.B., 1994, Edwards Aquifer technical guidance document: Technical guidance manual for implementation of 30 Texas Administrative Code (TAC): Chapter 313, entitled Edwards Aquifer: Austin, Texas, Texas Natural Resource Conservation Commission Report RG 39, 1 volume, [variously paged].
- Texas Almanac, 1973, Texas almanac and state industrial guide, 1974-1975: A.H. Belo Corporation, Dallas, 704 p.
- Texas Industry Environmental Alert, 1993, House: Natural Resources, February 19, 1993, p. N/A.
- Thorpe, H., 1995, Waterworld, Texas Monthly (ITXM), v. 23, no. 9, p. 44-58.

- Tood, B., 2003, Context in environmental conflict: Where you stand depends on where you sit: Environmental Practice, Environmental Practice: Journal of the National Association of Environmental Professionals v. 5, no. 3, p. 256-264.
- U.S. Bureau of the Census, 1982, 1980 census of the population, Volume 1: Characteristics of the Population, Chapter B. General population characteristics, Pt. 45, Texas, 791 p.
- Van der Leeden, F., Troise, F.L. and Todd, D.K., 1990, The water encyclopedia, *in* Lewis Publishers, Chelsea, Michigan, 808 p.
- Veni, G., DuChene, H., Crawford, N.C., Groves, C.G., Huppert, G.N., Kastning, E.H., Olson, R., and Wheeler, B.J, 2001, Living Karst: A Fragile Foundation, American Geological Institute Environmental Awareness Series 4, 64 p. Copyright 2001, American Geological Institute (AGI).
- Walker, J.L., and Knox, P.R., 1994, Zilker Park walking tour guidebook: A recreational visit to the Edwards Limestone, *in* 44<sup>th</sup> Annual Geological Conference Austin Geological Society Convention: Austin Geological Society Guidebook 18, 48 p. [Reprinted 2002].
- Weniger, D., 1984, The Explorer's Texas: The Lands and Waters, Eakin Press, Austin, 109 p.
- Wilson, D.H., 1982, Petrography and paleoenvironment of the upper Cretaceous Anacacho Formation in Uvalde and Kinney counties of S.W. Texas: Austin, Texas, University of Texas, Masters thesis, 211 p. 1 map.
- Young, K., 1972, Mesozoic history, Llano region, *in* V.E., Barnes, W.C. Bell, S.E. Clabaugh, P.E. Cloud, Jr., R.V. McGehee, P.U. Rodda, and K. Young, eds., Geology of the Llano Region and Austin Area, Field Excursion: Austin, Texas, University of Texas Bureau of Economic Geology Guidebook 13, 154 p.